

厂家供应NABSQ大电流发生器升流器

产品名称	厂家供应NABSQ大电流发生器升流器
公司名称	南澳电气（武汉）有限公司
价格	1.00/台
规格参数	品牌:南澳电气 型号:NABSQ 生产厂家:南澳电气(武汉)有限公司
公司地址	武汉市东湖高新技术开发区光谷大道60号光谷科技产业园8栋
联系电话	027-87677658 15327206266

产品详情

产品简介

NABSQ系列升流器是为电力部门和工矿企业进行电气设备试验而设计制造的专用设备，适用于各种开关、电流互感器和其它电器设备的电流负载试验及升温试验。

产品别名

互感器校验用升流器、互感器检定用升流器、升流器

产品特性

- 1、NABSQ系列升流器是由输入绕组(220V)、输出绕组(100A以下)及穿心绕组组成
- 2、铭牌上所注明的输出电流是指穿心绕组允许通过的额定电流。当穿心多匝时，升流器允许通过的额定电流将成反比下降
- 3、铭牌上所注明的输出容量与输出电流和每匝电压的乘积的比值既为在此输出电流情况下允许穿心的匝数
- 4、带脚轮，便于搬运

产品参数

型号

额定容量（KVA）

升流器 额定输入

升流器 额定输出

阻抗 电压 %

空载 电流 %

结构 形式

调 压 器

升 流 器

电 流 (A)

电 压 (V)

电 流 (KA)

电 压 (V)

NABSQ—3/500

3

13.6

220

0.5

5

> 8

> 6

整体式

NABSQ—5/1000

5

22.7

0.5/1

10/5

整体 / 分体

NABSQ—10/2000

10

45.4

1/2

分体

NABSQ—20/4000

20

50

400

2000/4000

NABSQ—25/5000

25

62.5

2.5/5

NABSQ—50/10000

50

125

5000/10000

注：“升流器额定输出”栏中，左边为串联输出参数，右边为并联输出参数。如：“0.5/1”中：“0.5”为串联输出参数；“1”为并联输出参数

Product introduction

This product is the power for current transformer primary current when test current transformer , or others 50HZ single phase power equipment.

Also called name

current generator, current generator for transformer testing

The Characteristics of the products

1. This product is composed by input winding (250V), output winding (under 100A) and gramme winding(above

100A).

2. The output current marked on the nameplate is the rated current of the gramme winding. The more the windings, the smaller the allowable rated current.
3. The maximum number of windings=the output capacity marked on the name plate/(output current × voltage of each winding).
4. With roller ,easy to transport.

The parameters of the products

1. Temperature -5 ~ +40
2. Humidity < 80%
3. Allow long-term work under rated current.
4. Allow 1.5 times overload, time is half an hour