

## 输送带接头机温度控制设备，贴合机温度控制设备配件

产品名称	输送带接头机温度控制设备，贴合机温度控制设备配件
公司名称	苏州阿科牧机械有限公司
价格	8888.00/台
规格参数	品牌:阿科牧 型号:ACOT
公司地址	江苏 常州 武进区 常州市武进区遥观镇工业大道
联系电话	86-0137-75632291 13775632291

## 产品详情

### 冰热一体温度控制机

阿科牧机械有限公司，一直致力于工业温度控制设备的研发、生产和销售。阿科牧公司生产的产品有：模温机,压铸模温机(铝镁合金压铸油温机),导热油电加热器,工业冷冻机(水冷式冷水机、风冷式冷水机),热油温控系统、模具油加热器、模具水加热器,橡胶硫化模板油加热器,风电叶片模具水加热器，高光无痕蒸汽注塑（RHCM冷热成型技术），橡胶挤出机用模温机组，热压模具导热油加温，层压板油加温机、油温机等工业温度控制设备。

温控范围：水-35-180度.油45-350度

本公司根据制药反应釜控温等化工行业新近推出ACH型冰热两用机，在高低温高精度控温领域有着广泛的用途。

冰热一体温度控制机特点：

特点 Features 采用欧美进口压缩机头 Compressor head imported from Europe and USA 铜管采用无氧焊接法 Oxygen-free welding for copper pipes RS485通讯功能,实现自动化管理.(选购) RS485 communication function for automated management (optional) 加热功率切换功能 Switchover of heating power 304不锈钢一体管路,减少管阻及锈垢 304 stainless steel integrated pipelines for less pipe blockage and rust 采用进口高级组件,使用年限长 Imported quality parts for longer service lives 电器采用OMRON. FUJI. TE. LG Brands OMRON, FUJI, TE and LG for electric appliances 控制方式: 采用进口微电脑或PLC控制(选购) Control mode: imported microcomputer or PLC (optional) 安全保护完善,故障显示, 维修.保养无需专业人员 Perfect safety protection, fault display, easy repair and maintenance even without professionals 高效率之蒸发器及冷凝器,可节省能源30%以上 High-efficiency evaporator and condenser which can save energy by more than 30% C-20以上采用两组压缩机头.可单独或共同使用 Two groups of compressor heads (used separately or jointly) for C-20 温度控制范围: 进水温+5 98 Range of temperature control: +5 98 for



	进出水管径	G3/4	G1-1/2	G2	G2	G2-1/2	G2-1/2	G3	G3
冰水泵	功率(KW)	0.375	0.75	1.5	1.5	2.2	4	4	4
	扬程(Kpa)	200.00	200.00	205.00	205.0	220.0	240.0	240	240
热水泵	功率(KW)	0.75	0.75	1.50	1.5	1.5	2.2	3.75	3.75
	扬程(Kpa)	200	200	205	205.0	205.0	220.0	240	240
加热能理	KW	6	6	12	15.0	18.0	24.0	36	48
外型尺寸	长x宽x高	1050x600 x1200	1200x800 x1250	1400x950 x1400	1460x800 x1610	1460x800 x1610	1680x950 x1810	2080x1000 x1860	2080x1000 x1860
重量	KG	151	120	312	400	440	690	750	1000

以上规格如有变更,恕不另行通知,特殊规格可另行设计制造.