# 850nm高功率偏振无关光纤隔离器

| | |
|---|---|
| 产品名称 | 850nm高功率偏振无关光纤隔离器 |
| 公司名称 | 筱晓（上海）光子技术有限公司 |
| 价格 | 6000.00/个 |
| 规格参数 | 品牌:完美光子<br>型号:MP-850<br>工作波长:850nm |
| 公司地址 | 上海市金山区枫泾镇曹黎路38弄19号1117室 |
| 联系电话 | 021-64149583 17317304711 |

# 产品详情

850nm高功率偏振无关光纤隔离器

?????????????????????????????????????????????????????????????????????????????????????????????
????????????????????Idealphotonics??????????????????????????????????????0.8??1????????????
???????????

?????

? ????????????? ? ?????? nm?840-870

? 0.8 m?1 m???? ? ??????(?????????) ? ???????? ? ???????????

?????

| Parameter | Non-PM Isolator ?MPHPIS? | PM Fiber Isolat |
|---|---|---|
| ???? (nm) | 850 | 85 |

| | | | |
|---|---|---|---|
| ?? (nm) | | ±10 | ±1 |
| ?????(dB) | | 30~40 | 30~ |
| ???at 23?(dB) | | ? 25 | ? 2 |
| ????@23? (dB) | | ?1.0(typ.0.8) | ?1.0(ty |
| Max PDL(dB) | | ?0.15 | -- |
| ???at 23? (dB) | B=Both axis working | -- | ?1 |
| | F=Fast axis blocked | -- | ? 2 |
| ????(Input/output) (dB) | | ?50/50 | |
| ???? CW (W) | | 500mW,1-10W | |
| ???? | | HI780 fiber | SM85-PS |
| ????(?) | | -5~ +50 | |

| | |
|---|---|
| ???? (?) | -20 ~ +85 |
| ???? (mm) | 94*33*35 |

*Above specifications are for device without connector; *For devices with connectors, IL will be 0.3dB higher and RL will be 5dB lower. *Optical power will be 1W only for connector added.

?????

? EDFA ? ????? ? ????? ? OCT???? ? ???? ? ????

?????

????

?????

| SN | Wavelength | Power | Pigtail Type | Fiber Type | L |
|---|---|---|---|---|---|
| MPHPIS | 85=850nm | 0.3=300mw<br>0.5=500mW<br>1=1W<br>2=2W<br>3=3W<br>5=5W<br>A=10W | 1=250um bare fiber<br>2=900um loose tube<br>3=3mm loose tube | 1=PM850 Fiber<br>3= HI780 fiber | H=<br>8=<br>1=<br>5=<br>2 |