

70KG工业水洗机大型洗涤设备工业洗衣机水耗量

产品名称	70KG工业水洗机大型洗涤设备工业洗衣机水耗量
公司名称	广州市力净洗涤机械有限公司
价格	1.00/台
规格参数	品牌:力净 型号:XGQ-70F 重量:2950
公司地址	中国广东广州钟村街飞鹅工业区13号
联系电话	020-84711887 13808893512

产品详情

广州市力净洗涤机械有限公司

大型洗衣机 工业洗衣机 洗涤厂设备 70kg

联系人：何先生 咨询热线：13808893512 力净热线：020-84711887 客服qq：2853769057

力净官网：www.gdlijing.cn；www.gdlij.com 车间地址：广东广州市番禺区钟村街钟一飞鹅工业区13号

导航地址：大夫山森林公园北门；广州南站；祈福医院；钟村职业技术学校

70公斤全自动工业洗衣机

力净工业洗衣机系列 lijing industrial washing machine series

1.此系列机器能完成洗涤和脱水的功能，任意选择洗涤周期，清洗次数、脱水时间等优点.适用的织物范围广，设备采用变频驱动，速度调节平滑，灵活，噪音低；设备采用了后排水结构，解决了洗衣房的洁净问题；2.采用大屏幕电脑版控制器，控制系统功能强，灵活专业，内存40多套程序，同时设有手动操作系统，在电脑控制器发生故障无法工作时，可切换至应急操作系统，手动操作，完成洗涤工作。

3.内胆采用高强度优质不锈钢材料焊接而成，单面冲孔，双面抛光，减少了织物的磨损。

4.设备采用力学下悬浮弹簧防震结构，噪音低，洗涤高脱过度平稳，无需打地基。

5.浮动式的氟橡胶防水密封，完全隔绝水和化料酸碱的渗透并保护轴承，提高使用寿命。6.大口径、全不锈钢深入式装衣门，有效的防止夹扯布草，同时降低了操作的劳动强度；欧美流行的窄边，大门框，保证了门的可靠密封性。

7.采用了体外自动加油装置，符合人体工力学，降低了设备维护的劳动强度，可延缓使用寿命。产品主要适用于宾馆、饭店、洗衣房、医院洗涤床单、台布、毛巾等布草使用

1. this series of machines have the functions of washing and dewatering, arbitrary choice of the wash cycle, the number of cleanings, dehydration time, etc. for a wide range of fabrics. the device uses a variable frequency drive, speed adjustment smooth, flexible, low noise; equipment used back drainage structure to solve the problem of clean laundry; 2. large-screen computer version control, strong function, flexible and professional. 40 sets of program memory. manual controller , when the computer controller failure, you can switch to the emergency operating system, manual operation, complete the washing. 3. inner drum made of high quality stainless steel welded strength, punching sided, double-sided polishing and reduce fabric wear 4. mechanical equipment used under suspension spring shock structure, low noise, wash and high speed extract excessive smooth, no need the base. 5. floating viton sealing, completely isolated from the water, and the ph of the material penetration and protect bearings, improve life 6. large-diameter, stainless steel deep-style doors fitted clothes, effectively prevent the clamp pull linen, while reducing the labor intensity of the operation; narrow popular in europe and america, the big door, to ensure reliable sealing of the door. 7. in vitro using the automatic refueling device, ergonomically mechanics, reduce maintenance labor intensity, can delay life.products are mainly suitable for hotels, restaurants, laundry, washing hospital linen, tablecloths, towels and other linen use

	xgq-30f	xgq-35f	xgq-50f	xgq-70f	xgq-100f
型号model					
	30	35	50	70	100
洗衣容量 (kg)					
washing capacity	900 × 480	920 × 5000	1080 × 630	1050 × 810	1200 × 870
滚筒尺寸(mm)					
drum dimension	45	45	45	45	45

滚筒转速(r/min) roller speed	780	780	780	710	700
高脱转速(r.p.m) high extract speed	4	4		5.5	7.5
电机功率(kw) motor power	5.5	5.5	5.5	7.5	11
变频器功率(kw) frequency power	0.3-0.4	0.3-0.4	0.3-0.4	0.3-0.4	0.3-0.4
蒸汽压力(mpa) steam pressure	0.9	0.9	0.9	0.9	0.9
蒸汽耗量 steam consumption	0.4-0.6	0.4-0.6	0.4-0.6	0.4-0.6	0.4-0.6
空气压力(mpa) air pressure	1360*1360*1800	1430*1520*2100	1620*1650*2100	1600*1820*2100	1750*2050*2250
尺寸(mm) dimension	1550	2100	2650	2950	3600
机器重量(kg) weight					

广东省广州市力净洗涤机械有限公司坐落于广东省广州市，凭借十多年来从事专业洗涤设备的设计、研发、生产和销售经验，从二十世纪末起，生产的系列洗涤设备畅销全国，远销欧洲、南美、非洲等地区，覆盖了酒店宾馆、学校、医院、军队、专业水洗公司等领域，得到广大客户的一致好评广州市力净机械。我公司主要生产全悬浮式全自动工业洗衣机、隔离式洗涤脱水机、卧洗机、立洗机、脱水机、全自动烘干机、多滚组合式烫平机、干洗机、烫台、洗脱烘一体机等洗衣房设备。通过严格的iso9001质量管理体系及欧盟的ce认证。我公司特在香港注册了：力净洗涤机械制造（香港）实业有限公司，并拥有进出口权。

我们的售后服务宗旨是：接到售后反馈电话，两小时内响应，如需到场维护，省内12小时到场，国内24小时内到场，部分较远地区除外。

请大家注意，我们的仓库没有积压库存，所有商品均需订做，交货期为10天左右，不能等的朋友别拍哦！物流我们走的是货运，您可以指定物流公司，广州市内包送，其余城市需朋友们自己付运费哦！

联系人：何先生 咨询热线：13808893512 力净热线：020-84711887 客服qq：2853769057

力净官网：www.gdlijing.cn；www.gdlij.com 车间地址：广东广州市番禺区钟村街钟一飞鹅工业区13号

导航地址：大夫山森林公园北门；广州南站；祈福医院；钟村职业技术学校