

带胶防水密封热缩管UL热缩管3X彩色热缩管

| | |
|------|-------------------------------|
| 产品名称 | 带胶防水密封热缩管UL热缩管3X彩色热缩管 |
| 公司名称 | 东莞市三研电子材料有限公司 |
| 价格 | .50/米 |
| 规格参数 | 品牌:三联 型号:1.0-120 长度:可定制 |
| 公司地址 | 广东东莞市 中堂镇潢涌第三工业区东堂大街4号厂房 |
| 联系电话 | 86-076983522198 15521003575 |

产品详情

标准型(S-901-600)热缩套管尺寸检验标准

| 产品 规格 | 收缩前尺寸(mm) | | 完全收缩后尺寸(mm) | | 包装 长度 M | 适 用 () |
|----------|-----------|-------------|-------------|-------------|---------------|------------------|
| | 内径(D) | 平均壁厚(T) | 内径(D) | 壁厚(T) | | |
| 0.6 | 0.9 ± 0.2 | 0.15 ± 0.03 | 0.40 | 0.28 ± 0.06 | 200 ± 2 | 0.4 |
| 0.7 | 0.9 ± 0.2 | 0.15 ± 0.03 | 0.45 | 0.28 ± 0.06 | 200 ± 2 | 0.5 |
| 0.8 | 1.1 ± 0.2 | 0.15 ± 0.03 | 0.50 | 0.30 ± 0.06 | 200 ± 2 | 0.6 |
| 1.0 | 1.5 ± 0.2 | 0.18 ± 0.03 | 0.65 | 0.36 ± 0.08 | 200 ± 2 | 0.75 |
| 1.5 | 2.0 ± 0.3 | 0.18 ± 0.03 | 0.85 | 0.36 ± 0.08 | 200 ± 2 | 0.95 |
| | | | | | | |

| | | | | | | |
|-----|------------|-------------|------|-------------|---------|------|
| 2.0 | 2.5 ± 0.3 | 0.20 ± 0.04 | 1.00 | 0.40 ± 0.08 | 200 ± 2 | 1.1 |
| 2.5 | 3.0 ± 0.3 | 0.20 ± 0.04 | 1.25 | 0.40 ± 0.08 | 200 ± 2 | 1.35 |
| 3.0 | 3.5 ± 0.4 | 0.20 ± 0.04 | 1.5 | 0.40 ± 0.08 | 200 ± 2 | 1.6 |
| 3.5 | 4.0 ± 0.4 | 0.20 ± 0.04 | 1.75 | 0.44 ± 0.08 | 200 ± 2 | 1.85 |
| 4.0 | 4.5 ± 0.4 | 0.23 ± 0.04 | 2.0 | 0.50 ± 0.10 | 200 ± 2 | 2.1 |
| 4.5 | 5.0 ± 0.4 | 0.23 ± 0.04 | 2.25 | 0.50 ± 0.10 | 100 ± 1 | 2.35 |
| 5.0 | 5.5 ± 0.4 | 0.23 ± 0.04 | 2.5 | 0.50 ± 0.10 | 100 ± 1 | 2.6 |
| 5.5 | 6.0 ± 0.4 | 0.23 ± 0.04 | 2.75 | 0.50 ± 0.10 | 100 ± 1 | 2.8 |
| 6.0 | 6.5 ± 0.4 | 0.23 ± 0.04 | 3.0 | 0.55 ± 0.10 | 100 ± 1 | 3.1 |
| 6.5 | 7.0 ± 0.4 | 0.23 ± 0.04 | 3.25 | 0.55 ± 0.10 | 100 ± 1 | 3.2 |
| 7.0 | 7.5 ± 0.4 | 0.23 ± 0.04 | 3.5 | 0.55 ± 0.10 | 100 ± 1 | 3.7 |
| 8.0 | 8.5 ± 0.5 | 0.28 ± 0.08 | 4.0 | 0.60 ± 0.10 | 100 ± 1 | 4.2 |
| 9.0 | 9.5 ± 0.5 | 0.28 ± 0.08 | 4.5 | 0.60 ± 0.10 | 100 ± 1 | 4.7 |
| 10 | 10.5 ± 0.5 | 0.28 ± 0.08 | 5.0 | 0.60 ± 0.10 | 100 ± 1 | 5.2 |
| 11 | 11.5 ± 1.0 | 0.28 ± 0.08 | 5.5 | 0.60 ± 0.10 | 100 ± 1 | 5.7 |
| 12 | 12.5 ± 1.0 | 0.28 ± 0.08 | 6.0 | 0.60 ± 0.10 | 100 ± 1 | 6.2 |
| 13 | 13.5 ± 1.0 | 0.30 ± 0.08 | 6.5 | 0.70 ± 0.10 | 100 ± 1 | 6.7 |
| | | | | | | |

| | | | | | | |
|----|------------|-------------|------|-------------|----------|------|
| 14 | 14.5 ± 1.0 | 0.30 ± 0.08 | 7.0 | 0.70 ± 0.10 | 100 ± 1 | 7.3 |
| 15 | 15.5 ± 1.5 | 0.30 ± 0.08 | 7.5 | 0.70 ± 0.10 | 100 ± 1 | 7.8 |
| 16 | 16.5 ± 1.5 | 0.30 ± 0.08 | 8.0 | 0.70 ± 0.10 | 100 ± 1 | 8.3 |
| 17 | 17.5 ± 1.5 | 0.30 ± 0.08 | 8.5 | 0.70 ± 0.10 | 100 ± 1 | 8.8 |
| 18 | 19.0 ± 2.0 | 0.30 ± 0.10 | 9.0 | 0.70 ± 0.10 | 100 ± 1 | 9.3 |
| 20 | 21.0 ± 2.0 | 0.30 ± 0.10 | 10.0 | 0.70 ± 0.10 | 100 ± 1 | 10.4 |
| 22 | 23.0 ± 2.0 | 0.30 ± 0.10 | 11.0 | 0.70 ± 0.10 | 100 ± 1 | 11.4 |
| 25 | 26.0 ± 2.0 | 0.30 ± 0.10 | 12.5 | 0.70 ± 0.10 | 50 ± 0.5 | 12.8 |
| 28 | 29.0 ± 2.6 | 0.30 ± 0.10 | 14.0 | 0.70 ± 0.10 | 50 ± 0.5 | 14.4 |
| 30 | 31.0 ± 2.6 | 0.30 ± 0.10 | 15.0 | 0.70 ± 0.10 | 50 ± 0.5 | 16.0 |
| 35 | 36.0 ± 2.6 | 0.30 ± 0.10 | 17.5 | 0.70 ± 0.10 | 50 ± 0.5 | 18.0 |
| 40 | 41.0 ± 2.6 | 0.30 ± 0.10 | 20.0 | 0.70 ± 0.10 | 50 ± 0.5 | 21.0 |
| 45 | 46.0 ± 2.6 | 0.30 ± 0.10 | 22.5 | 0.70 ± 0.10 | 25 ± 0.5 | 23.0 |
| 50 | 51.0 ± 2.6 | 0.30 ± 0.10 | 26.0 | 0.70 ± 0.10 | 25 ± 0.5 | 26.0 |