

## 63-160液压式型热熔对接焊机

产品名称	63-160液压式型热熔对接焊机
公司名称	广州广亚建材有限公司
价格	7000.00/台
规格参数	品牌:焊魔 型号:Y160 规格 ( mm ) :63-160
公司地址	广州市番禺区大石街涌口村岭南路8号
联系电话	020-34795011 13560084041

## 产品详情

广州 广东 供应 63-160液压式型热熔对接焊机

63-160液压压热熔对接焊机 ( 型号 : jl-160 )

品牌 : 焊魔

性能及特点 :

适用于dn63-160区间内所有规格的pe、hdpe、mpp、pph等管材管件的热熔对接。

夹具机架与操作系统分开,易于下沟操作。

由液压电子控制台、对接机架(含卡瓦组)、加热板、铣削机等部分组成。

压软管和快速接头让焊接工作更加方便、灵活。

夹具采用四卡套结构,定位管材准确,易于调整错边量。

用液压控制系统提供驱动力、对接、保压,压力准确、稳定。

温控、液压系统集成控制台，使得温、压参数同步显示在同一界面。

电动铣削机使用双面刀片，自动向外导屑，安全限位开关，防止意外启动。

采用电磁阀电动控制（油缸进退），操作更加简便。

加热板采用电子温控，耐高温不粘料涂层，数字显示精确直观。

#### 基本技术参数：

可熔接规格（mm）：63、75、90、110、125、140、160

加热控温：0-300

温度误差： $\pm 5$

耗电总功率：2.7kw（热板：1.2kw，铣削机：0.75kw，液压站：0.75kw）

用电源:220v, 50hz

压力调节范围:0~6.3mpa

外表涂色以实机为准

#### 木箱包装说明：

焊接机架、电热板、铣削机、提篮架：尺寸：92\*59\*47cm 净重：49kg 毛重：64kg

液压控制台：尺寸：70\*53\*50cm 净重：46kg 毛重：53kg

#### 焊接机架及卡瓦组：

#### 电加热板、铣削机和提篮架：

液压控制台：

hydraulic butt-fusion welding machine ( type:jl-200 )

functions and features

suitable for butt welding of plastic pipes and / or fittings made of pe, pp, and pvdf in a ditch in worksite or workshop

it consists of: the basic frame, hydraulic & electric unit, milling tool, heating plate, storage rack for milling tool & heating plate, and optional parts

removable ptfе coated heating plate with high accurate temperature control system, electrical planning tool

be made of lightweight and high strength material aluminum alloy; simple structure, small and delicate, user friendly.

low starting pressure ensures reliable welding quality of small pipes

changeable welding position enables to weld various fittings more easily.

high-accurate and shockproof pressure meter indicates clearer readings.

basic technical parameter

applications(mm) : 63、 75、 90、 110、 125、 140、 160

operating temperature : 0-300

temperature error :  $\pm 5$

power of heater : 1.2kw

power of planning tool : 0.75kw

power of hydraulic station :0.75 kw

power supply :220v, 50hz

pressure adjustable range(mpa) :0 ~ 6.3mpa