

160-315液压式热熔对接焊机

产品名称	160-315液压式热熔对接焊机
公司名称	广州广亚建材有限公司
价格	10000.00/台
规格参数	品牌:焊魔 型号:Y315 规格 (mm) :160-315
公司地址	广州市番禺区大石街涌口村岭南南路8号
联系电话	020-34795011 13560084041

产品详情

广州 广东 供应 160-315液压式热熔对接焊机

160-315液压式热熔对接焊机 (型号 : jl-315)

品牌 : 焊魔

性能及特点 :

适用于dn160-315区间内所有规格pe、hdpe、pph、mpp等管材管件的热熔对接。

夹具机架与操作系统分开 , 易于下沟操作。

由液压电子控制台、对接机架 (含卡瓦组) 、加热板、铣削机等部分组成。

液压软管和快速接头让焊接工作更加方便、灵活。

夹具采用四卡套结构,定位管材准确 , 易于调整错边量。

采用液压控制系统提供驱动力、对接、保压 , 压力准确、稳定。

温控、液压系统集成控制台，使得温、压参数同步显示在同一界面。

电动铣削机使用双面刀片，自动向外导屑，安全限位开关，防止意外启动。

采用电磁阀电动控制（油缸进退），操作更加简便。

加热板采用电子温控，耐高温不粘料涂层，数字显示精确直观。

基本技术参数：

可熔接规格（mm）：160、180、200、225、250、280、315

加热控温：0-300

温度误差：±5

耗电总功率：4.95kw（热板：3.1kw，铣削机：1.1kw，液压站：0.75kw）

使用电源：220v, 50hz

压力调节范围：0 ~ 6.3mpa

外表涂色以实机为准

木箱包装说明：

电热板、铣削机、提篮架：尺寸：66*55*68cm 净重：53kg 毛重：61kg

焊接机架及卡瓦组：尺寸：103*66*64cm 净重：103kg 毛重：125kg

液压控制台：尺寸：70*53*50cm 净重：46kg 毛重：53kg

焊接机架及卡瓦组：

电加热板、铣削机和提篮架：

液压控制台：

hydraulic butt-fusion welding machine (type:jl-315)

functions and features

suitable for butt welding of plastic pipes and / or fittings made of pe, pp, and pvdf in a ditch in worksite or workshop

it consists of: the basic frame, hydraulic & electric unit, milling tool, heating plate, storage rack for milling tool & heating plate, and optional parts

removable ptfe coated heating plate with high accurate temperature control system, electrical planning tool

be made of lightweight and high strength material aluminum alloy; simple structure, small and delicate, user friendly.

low starting pressure ensures reliable welding quality of small pipes

changeable welding position enables to weld various fittings more easily.

high-accurate and shockproof pressure meter indicates clearer readings.

basic technical parameter

applications(mm) : 160、180、200、225、250、280、315

operating temperature : 0-300

temperature error : ± 5

power of heater : 3.1kw

power of planning tool : 1.1kw

power of hydraulic station :0.75 kw

power supply :220v, 50hz

pressure adjustable range(mpa) :0 ~ 6.3mpa