

## 650nmSLED光源

产品名称	650nmSLED光源
公司名称	上海量青光电技术有限公司
价格	1.00/台
规格参数	品牌:量青光电 型号:650nmSLD SLD宽带光源:调制器
公司地址	上海市奉贤区奉城镇东街98号13幢1176室(注册地址)
联系电话	021-64778883 17317628715

## 产品详情

### 650nmsld宽带光源

description:

the 650nm sled broadband light source, central wavelength  $650\pm 20$  nm, -3db spectrum width  $\approx 8$  nm, output power  $\approx 3$  mw. other central wavelengths are available like 750 nm, 790 nm, etc.oem model is well available on customer's special request.

applications:

optical fiber sensing  
optical fiber passive component spectrum testing  
optical fiber grating, filter testing  
optical fiber measurement equipments

features:

selected wavelength  
high spectral stability  
broadband light source

parameters	unit	
part no.		lq-sled-650-p-pw-sp
central wavelength	nm	650±20
-3db spectral width	nm	±8
output power	mw	±3
spectral density stability	db	±0.05db/15 min
output power short-term stability	db	±0.02db/15 min
output power long-term stability	db	±0.05db/8 hour
operating mode	-	cw(external modulation is optional)
fiber pigtail	-	single mode smf-28
output connector	-	fc/pc, fc/upc or fc/apc, etc
operating temperature	°C	0 ~ 40
storage temperature	°C	-20 ~ 70
power supply	-	ac 110/220v±10%, 50hz, 20w

dimensions (l×w×h)	mm	90×70×19 module; 320×220×90 benchtop
--------------------	----	--------------------------------------

remark: stability is tested at room temperature  $25 \pm 2$  after pre-heating 30 minutes.

稳定性激光光源, 内置高功率宽谱带的d激光器。光源是一款主要针对工业生产和高校研究设计的高

??????650nm,750nm,800nm,850nm,880nm,980nm,1050nm,1100nm,1180nm,1270nm,1310nm,

1350nm,1390nm,1480nm,1550nm,1620nm,1650nm,1690nm

联系信息: 李 欢迎来电  
微信: 191668415 (欢迎咨询)  
公司电话: 021-64778883