

高功率光隔离器

产品名称	高功率光隔离器
公司名称	上海量青光电技术有限公司
价格	1.00/个
规格参数	品牌:量青光电 型号:光隔离器 光开关:光纤跳线
公司地址	上海市奉贤区奉城镇东街98号13幢1176室(注册地址)
联系电话	021-64778883 17317628715

产品详情

1310,1480,1550nm高功率光隔离器(1-20w)

1310, 1550nm High Power Isolator (1-20w)

PDF资料下载

Applications:	Features:
EDFA Fiber Laser	Low Insertion Loss & PDL High Isolation & Return Loss High reliability

Parameter	Unit	Specification	
Part No.	-	LQ-HPIPI/HPIPS-W-PT-PW-T-PF-C	
Type.	-	Single Grade	Dual Grade

Operating wavelength	nm	1310,1480,1550	
Bandwidth	nm	±20	
Peak isolation	dB	42	58
Isolation@23?	dB	>28	>48
Insertion Loss@23?	dB	?0.5(Typ 0.35)	?0.55 (Typ 0.4)
PDL Polarization insensitive	dB	<0.1	<0.15
PDL Polarization sensitive	dB	>23	>23
Power handling CW	mW	1,2,3,5,10,20	
Return loss	dB	>50	
Fiber type PANDA Fiber	-	SMF-28e	
Operating Temperature	°C	-5~+70	
Storage Temperature	°C	-40~+85	
Dimensions	mm	?5.5 × L35	

For device with connector, the IL will be 0.3dB higher will be 2dB lower and RL will be 5dB lower, the max ha power will be only 1W guaranteed

??

??????

??????

??????

??????

???????

???????

??

联系人: Michael 李 (欢迎来电)
咨询QQ: 319120939 (欢迎咨询)

?????021-64778883