

SHAKO新恭JC50B30薄型气缸

产品名称	SHAKO新恭JC50B30薄型气缸
公司名称	上海悍田布茨自控工程有限公司
价格	面议
规格参数	品牌: SHAKO 型号: JC50B30
公司地址	上海市金山区漕泾镇沪杭公路4619号5幢375室
联系电话	021-50882291 15601601923

产品详情

JC40B20-M,JC40B40-M,JC40B50-M,JC40B70-M,JC40B80-M,JC40B100-M

JC50B10-M,JC50B15-M,JC50B20-M,JC50B25-M,JC50B30-M,JC50B50-M,JC50B60-M

JC63B10-M,JC63B20-M,JC63B30-M,JC63B40-M,JC63B50-M,JC63B75-M,JC63B80-M,JC63B100-M

JC80B10-M,JC80B20-M,JC80B30-M,JC80B40-M,JC80B50-M,JC80B60-M,JC80B75-M,JC80B100-M,JC80B125-M

SDAS40*50,SDAS40*70,SDAS40*80,SDAS40*100,SDAS50*10,SDAS50*15,SDAS50*20,

SDAS50*25,SDAS50*30,SDAS50*50,SDAS50*60,SDAS63*10,SDAS63*20,

SDAS63*30,SDAS63*40,SDAS63*50,SDAS63*75,SDAS63*80,SDAS63*100,

SDAS80*10,SDAS80*20,SDAS80*30,SDAS80*40,SDAS80*50,SDAS80*60,

PC12B15,PC12B50,PC12B75,PC12B100,PC12B150

PC20B25,PC20B50,PC20B75,PC20B100,PC20B150

PC25B50,PC25B75,PC25B100,PC25B150,PC25B200

PC32B50,PC32B100,PC32B150,PC32B200,PC32B300

PC40B100,PC40B150,PC40B250,PC40B400

PCL20B25,PCL20B50,PCL20B75,PCL20B100,PCL20B150

PCL32B25,PCL32B50,PCL32B75,PCL32B100,PCL32B150,PCL32B200

PCL40B25,PCL40B50,PCL40B75,PCL40B100,PCL40B150,PCL40B200,PCL40B300

MA12*15,MA12*50,MA12*75,MA12*100,MA12*150,MA20*25,MA20*50,MA20*75,

MA20*100,MA20*150,MA25*50,MA25*75,MA25*100,MA25*150,MA25*200

MA32*50,MA32*100,MA32*150,MA32*200,MA32*300

MA40*100,MA40*150,MA40*250,MA40*300,MA40*350,MA40*400

DR25B10?DR25B20?DR25B30?DR25B40?DR25B50?DR25B60?DR25B70?DR25B80?DR25B90?DR
25B100?DR25B125?DR25B150?

TC80B50,TC80B100,TC80B200,TC80B250,TC80B300,TC80B400,TC80B500,

TC100B50,TC100B75,TC100B100,TC100B200,TC100B250,TC100B300,TC100B500

SC63*50,SC63*75,SC63*100,SC63*150,SC63*200,SC63*250,SC63*300

SC80*50,SC80*100,SC80*75,SC80*200,SC80*250,SC80*300,SC80*500

SC100*50,SC100*100,SC100*200,SC100*250,SC100*300,SC100*400,SC100*500

MS-4-1-200-25?MS-4-1-200-50?MS-4-1-200-60?MS-4-1-200-75?MS-4-1-200-80?MS-4-1-200-100?MS
-4-1-200-125?MS-4-1-200-150?MS-4-1-200-200?MS-4-1-200-250

MS-3-1-200-25?MS-3-1-200-50?MS-3-1-200-60?MS-3-1-200-75?MS-3-1-200-80?

MS-3-1-200-100?MS-3-1-200-125?MS-3-1-200-150?MS-3-1-200-200?MS-3-1-200-250

MS-2-1-200-25?MS-2-1-200-50?MS-2-1-200-60?MS-2-1-200-75?MS-2-1-200-80?

MS-2-1-200-100?MS-2-1-200-125?MS-2-1-200-150?MS-2-1-200-200?MS-2-1-200-250

JC12B5-M,JC12B10-M,JC12B15-M,JC12B20-M,JC12B25-M,JC12B30-M,JC12B35-M

JC16B10-M,JC16B20-M,JC16B30-M,JC16B50-M

JC20B10-M,JC20B20-M,JC20B30-M,JC20B50-M

JC32B20-M,JC32B30-M,JC32B40-M,JC32B50-M,JC32B60-M,JC32B75-M

JC40B20-M,JC40B40-M,JC40B50-M,JC40B70-M,JC40B80-M,JC40B100-M

JC50B10-M,JC50B15-M,JC50B20-M,JC50B25-M,JC50B30-M,JC50B50-M,JC50B60-M

JC63B10-M,JC63B20-M,JC63B30-M,JC63B40-M,JC63B50-M,JC63B75-M,JC63B80-M,JC63B100-M

JC80B10-M,JC80B20-M,JC80B30-M,JC80B40-M,JC80B50-M,JC80B60-M,JC80B75-M,JC80B100-M,J
C80B125-M

JC100B20-M,JC100B30-M,JC100B50-M,JC100B75-M,JC100B80-M,JC100B100-M,JC100B125-M,J
C100B150-M

铝合金本体硬阳处理，防腐蚀耐磨损寿命长

1体积小省空间

2 品质严格控制功能良好稳定

3 容易维修及安装

4 尺寸齐全

5 各种感应器可选择