

# 西门子触摸屏6AV6648-0CC11-3AX0

产品名称	西门子触摸屏6AV6648-0CC11-3AX0
公司名称	上海地友自动化设备有限公司
价格	950.00/台
规格参数	品牌:西门子 型号:6AV6648-0CC11-3AX0 1:10
公司地址	上海市松江区叶榭镇叶旺路1号1楼
联系电话	18701852718

## 产品详情

联系人：黄世鹏（销售经理）

工作QQ：649426281

联系电话:18701852718

工作微信15821904649

上海地友自动化设备有限公司本着“以人为本、科技先导、顾客满意、持续改进”的工作方针，致力于工业自动化控制领域的产品开发、工程配套和系统集成，拥有丰富的自动化产品的应用和实践经验以及雄厚的技术力量，尤其以 PLC

复杂控制系统、传动技

术应用、伺服控制系统、数控备品备件、人机

界面及网络/

软件应用为公司的技术特

长，几年来，上海地友自动化设备有限公司在与德

国 SIEMENS 公司自动化与驱动部门的长期紧密合作过程中，建立了良好的相互协作关系。

主要优势产品西门子：S7-200CN、S7-200、Smart200、S7-300、S7-400、S7-1200、触摸屏、6FC、6SN、S120、V10、V20、V60、V80、G110、G120、6RA、伺服数控备件、NCU、MM系列变频器。

6AV6 648-0CC11-3AX0 SIEMENS/???6AV6648-0CC11-3AXO ??

???SMART700 IE ????

?????6AV6648-0CC11-3AX0

????????SMART LINE?????7??64K?????????USB2.0 host???RTC?????????

?????

6AV6648-0CC11-3AX0

????

SIMATIC HMI SMART 700 IE V3, SMART PANEL, TOUCH OPERATION, 7" WIDESCREEEN TFT DISPLAY, 65536 COLORS, RS422/485 INTERFACE, ETHERNET(RJ45) INTERFACE, HOST USB TYPE A, RTC SUPPORT, WITH CE CERTIFICATE, CONFIGURATION FROM WINCC FLEXIBLE SMART; CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS

SEE CD

????????????	????	
????????????	????	
PDF ??????		??
????? (?????????)		??

[????](#)

	??
????(????)	6AV6648-0CC11-3AX0
????	SIMATIC HMI SMART 700 IE V3, SMART PANEL TOUCH OPERATION, 7" WIDESCREEN TFT DISPLAY, 65536 COLORS, RS422/485 INTERFAC ETHERNET(RJ45) INTERFACE, HOST USB TYPE RTC SUPPORT, WITH CE CERTIFICATE, CONFIGURATION FROM WINCC FLEXIBLE SMA CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SE CD
????	??????
?????? (PLM)	PM300:????
	????
??? / ?????	TL /
???????????	????
?????????????	????
????	?
	????
??????	AL : N / ECCN : EAR99
??????	15 ?
?? (Kg)	0.77 Kg
???? (W x L X H)	???
????	???
???????????	???
????	1 ?
????	???
	??????
EAN	4034106029968
UPC	???
????	???
LKZ_FDB/ CatalogID	ST80XX
???	3408
???	
	??
	HMI — ????
	?? ?? ?? ??
	????
	4 ???
	3 ??
	7 ??
	10.2 ??

?? TD400C OP 73micro Smart 700 Smart 1000

?? STN ????????? STN ??????LCD? LCD - TFT LC  
TFT

?????? 4 ??? 3 ?? 7 ????? 10.2 ?????

?????x?????

192x64 ????? 24 ???

???? 5mm

160x48 800x480 800x480

????????MTBF at 25°C? Max. 40,000 ?? 100,000  
Max. 40,000 ?? Max. 40,000 ??

?????

?? 24V DC ? TD/CPU ???

??? S7-200 ?? <2.5m?

24V DC 24V DC 24V DC

?????? 15V ? 30V DC 20.4V ? 28.8V DC 19.2V ? 28  
DC

??????

CE?C-Tick?UL?ESA CE?GL?ABS?BV?DNV?LRS

UL?CSA?cULus?C-TICK?

NEMA 4x?IEC61131?N117

CE CE

???? IP 65????IP 20????

????

• ?????

??/????

• ??????

0 ? 50°C

-20°C ? 60°C

85%?30°C????

0 ? 50°C??????

-20°C ? 60°C

90%

?? ? ?????

????? WxH?mm? 174x102 154x84 213x159 288x2

???? WxH?mm? 163.5x93.5 138 ?1 x68 ?1 192x1  
259x201

???? ????? ????? ??? ???

?????????/????? 8/7 4/8 ? ?

????/?/??????? ? ? ? ?

????

????/????/???? ????? CPU ?/?/? 128KB/ ?/? 1024K  
40KB 1024 KB /?/ 40 KB

???? ? ? ? ?

??

??/MPI/PROFIBUS DP

PPI PPI / ?????

PROFINET????? ?

? ? ?

USB ? ? ? ?

CF/MMC/SD ??? ?

? ? ?

???? PLC

SIMATIC S7/SIMATIC WinAC S7-200

Mitsubishi FX ? ? ?

???

Omron CP1 ??

???

??Omron???

(CP1W-CIF11) / (CP1W-CIF12)

Allen-Bradley/MITSUBISHI ? ? ? ?

Modicon/Omron/GE-Fanuc/LG Glofa GM ? ? ? ?

???? Micro/WIN V4.0 SP6 WinCC flexible WinCC  
flexible 2008 China SP2 + HSP

???

??????????/?????? 80 250/32 256/32 256/32

?? 64 250 50 50

?? 864 500 500 500

?? ? ? ? ?

??/???? ? ? / ? ? ?

??

? ? 5 5

?? ? ? ? ?

VB ??

? ? ? ?

??????

Sm@rtService/Sm@rtAccess/

ProAgent/Audit/Logon

? ? ? ?

OPC Server/Pocket Internet Explorer ? ? ? ?

WinAC MP ? ? ? ?

??? 6AV6 640-0AA00-0AX0 6AV6 640-0BA11-0AX0  
6AV6 648-0AC11-3AX0 6AV6 648-0AE11-3AX0

?

?

?

?

HMI —

28

HMI — ????

?? ?? ?? ??

????

5.7 ??

5.7 ??

5.7 ??

10.4 ??

?? TP 177A

OP 177B

KTP 600 Basic color DP KTP 1000 Basic color DP

OP 177B DP OP 177B PN/DP

??

STN ????? (LCD)

4 ???

STN ????? (LCD) 256???

STN ??????LCD? 256???

4 ??? 256 ???

?????? 5.7 ?? 5.7 ?? 5.7 ?? 10.4 ??

?????x????? 320x240???? 240x320? 320x240  
320x240 640x480

?????????MTBF at 25°C? 50,000 ??

???? 24V DC

?????? 20.4V ? 28.8V DC 19.2V ? 28.8V DC

??????

CE, GL, ABS, BV, DNV, LRS, PRS, FM

Class I Div 2, UL, CSA, cULus,

EX zone 2/22, C-TICK, NEMA 4x

CE, GL, ABS, BV, DNV, LRS, PRS,

FM Class I Div 2, UL, cULus, EX

zone 2/22, CSA, C-TICK, NEMA 4,

NEMA 4x, NEMA12, GOST-R

CE?UL?cULus NEMA 4x?N117

???? IP 65?????IP 20?????

????

• ?????

??/?????

• ???????

0 ? 50°C???????

-20°C ? 60°C

90%

?? ????? ????? ?????

????? WxH?mm? 212x156 243x212.5 214 x 158 33  
275

????? WxH?mm? 198 +1 x142 +1 228 +1 x196 +1 1  
?1 x 141 ?1 310 ?1 x 248 ?1



???? ??? ??? / ????? ?????6 ??? ?????8 ???

????????/???? ? 32 / ? 6 ? 8 ?

????/?/??????? ? USB / USB / ? ? ?

????

????/????/???? 512 KB / ? / 32 KB 2048 KB /?/ 32  
512KB /?/ 32KB?????? 1024KB/?/32KB??????

???? ? ? ? ?

??

??/MPI/PROFIBUS DP

? / ? / ? ? 1? / ? / ?

? ?

PROFINET????? ?

?

1x

PROFINET (RJ45)

?

?

USB ? ? ? ?

CF/MMC/SD ? ? ? ?

? / ? / ? ? ?

???? PLC

SIMATIC S7/SIMATIC WinAC ? ? ?/? ?

SIMATIC S5/SIMATIC 505 ? ?

2? / ?

? ?

SINUMERIK/SIMOTION ? ? ? ?

Allen-Bradley/MITSUBISHI ? ? ?/? ?/?

Modicon/Omron/GE-Fanuc/LG

Glofa GM

?

?

?

?/?/?/?

???? WinCC flexible 2008 WinCC flexible 2008 SF

???

??????????/?????? 1000 / 32 2000 / 32 200 / 32

?? 250 500 50 50

?? 500 1000 500

?? ? ? ? ?

??/????? ? / ? ? / ? ? ?

??

5 100 5 ?????20 ???????20 ???/32KB ?????

?? ? ? ? ?

VB ??

? ? ? ?

??????

Sm@rtService/Sm@rtAccess/

ProAgent/Audit/Logon

? ? 3) / ? 3) / ? / ? / ? ? ?

OPC Server/Pocket Internet Explorer ? ? ? ?

WinAC MP ? ? ? ?

???

6AV6 642-

0AA11-0AX1

6AV6 642-

0DC01-1AX1

6AV6 642-

0DA01-1AX1

6AV6647-

0AC11-3AX0

6AV6647-

0AE11-3AX0

---