

1	m3	6	88/0.8	2020/6.73 030/10	2/1	zdy11-4(0.8)z ds1-0.2/0.8(0.2 /0.8)	zdy11-4(0. 2)	ip44i p54	116a~128b	1	180
		9								1	190
		12								1.2	205
		18								1.8	220
		24								2.5	235
		30								3.2	255
2	m3	6	88/0.8	2020/6.73 030/10	2/1	zdy11-4(3)zds 1-0.4/3(0.4/3)	zdy11-4(0. 4)	ip44i p54	120a~145b	1.2	250
		9								1.2	265
		12								1.5	300
		18								2.0	320
		24								2.8	340
		30								3.5	360
3	m3	6	88/0.8	2020/6.73 030/10	2/1	zdy11-4(4.5)z ds1-0.4/3(0.4/ 4.5)	zdy11-4(0. 4)	ip44i p54	120a~145b	1.2	320
		9								1.2	340
		12								1.5	350
		18								2.0	380
		24								2.8	410

		30								3.5	440
5	m3	6	88/0.8	2020/6.73 030/10	2/1	zdy11-4(7.5)z ds1-0.8/7.5(0.8 /7.5)zd51-4(13)	zdy21-4(0. 8)	ip44i p54	125a~163b	1.5	590
		9								1.5	630
		12								1.5	650
		18								2.5	700
		24								3.0	750
		30								4.0	800
10	m3	6	77/0.7	2020/6.73 030/10	4/2	zd51-1.5 13zds13/1.5 13/1.5	2xzdy21-4(2x 0.8)	ip44i p54	140a~163b	1.5	820
		9								1.5	875
		12								1.5	960
		18								2.5	1015
		24								3.0	1090
		30								4.0	1125
16	m3	6	3.53.5/0. 35	2020/6.73 030/10	4/1	zd51-1.5 13zds13/1.5 13/1.5	2xzdy21-4(2x 0.8)	ip44i p54	145a~163b	3.0	700
		9								3.5	750
		12								3.8	850
		15								4.0	850

20	m3	6	3.53.5/0.35	2020/6.73030/10	4/1	zd51-1.5 13zds13/1.5 13/1.5	2xzdy21-4(2x 0.8)	ip44i p54	150a~163c	3.0	720
		9								3.5	770
		12								3.8	870
		15								4.0	880