

美孚高温滑脂XHP222

产品名称	美孚高温滑脂XHP222
公司名称	荣亨（深圳）润滑油实业有限公司
价格	850.00/桶
规格参数	品牌:美孚 型号:美孚滑脂XHP222 规格:16KG
公司地址	深圳市龙华区大浪街道高峰社区鹤山云峰路3号49栋243（注册地址）
联系电话	0755-29001787 13923773721

产品详情

荣亨（深圳）润滑油实业有限公司

公司官网：www.roheng.com

联系电话：0755-29001787

联系手机：13923773721 郭小姐

联系QQ：125614793

我公司主要经营美孚、壳牌、道达尔、加德士、嘉实多、福斯、克鲁勃、BP等润滑油

质量保证，价格优惠，欢迎来电咨询洽谈！

服务宗旨: 最有效的资本是我们的信誉，它24小时不停为我们工作！！！！

服务宗旨: 最有效的资本是我们的信誉，它24小时不停为我们工作！！！！

以上报价规格为18L 价格850元一桶~ 5桶起:750元一桶 10桶起:650元一桶

208L 价格8300元一桶~ 5桶起:7300元一桶

本公司设有大型仓库，备有大量现货，充足库存，量大价优，发货及时，用最快的方式，面向全国发货!

美孚滑脂XHP 222高温润滑脂

(Mobil grease XHP 222 high temperature grease)

产品说明：

Product description:

美孚滑脂XHP 222是采用ISO粘度等级220基础油的NLGI2号高级极压滑脂，以高品质的复合锂皂基结合极具粘性的聚合物制造而成。此产品在严苛的工作环境下不会软化并有超卓的粘附力，在工作温度界乎-30至180 之间，维持硬度一致。本滑脂有优良的抗抛脱能力，密封特性，有优良的水污染忍受性和抗高温氧化能力。用于换油中心的泵送设备亦有良好的泵送性。美孚滑脂XHP 222通过美国标准测验方法（ASTM）之D1743腐蚀保护测试，对钢和铜没有腐蚀作用。

Mobil grease XHP 222 is a ISO grade 220 base oil NLGI2 high extreme pressure grease, and a lithium complex combination of high-quality manufacturing highly viscous polymer. This product does not soften under severe working conditions and has excellent adhesion. The hardness remains the same at temperatures between -30 and 180 degrees celsius. The grease has excellent resistance to throwing off, sealing characteristics, excellent water pollution, endurance and high temperature resistance to oxidation. The pumping unit used in the oil change center is also well pumping. Mobil grease XHP 222 is tested by D1743 corrosion protection test by the United States Standard Test Method (ASTM), without corrosion to steel and copper.

推荐应用：

Recommended applications:

美孚滑脂XHP 222推荐用于需要有良好的高温性和防泄漏性的各种严苛用途。（因具有抗水冲洗和喷洒的能力，并有极佳的防锈和抗磨保护。

Mobil grease XHP 222 is recommended for use in a variety of harsh applications requiring good heat resistance and

leakage resistance. (because of its resistance to water, washing and spraying, excellent protection against rust and abrasion.)

特性：

Characteristic：

优异的抗水冲和喷淋能力 (Excellent water resistance and spray capacity)

高黏附性 (High adhesiveness)

防锈防腐性能优异 (Excellent rust prevention and corrosion resistance)

抗高温，抗氧化和抗裂解性能非常好 (High temperature resistance, oxidation resistance and anti cracking performance is very good)

很好的抗磨和极压性能 (Good anti-wear and extreme pressure properties)

广泛的多用途应用 (A wide range of multipurpose applications)

主要应用：

Main application:

美孚滑脂XHP润滑脂是用在广泛的设备，包括工业，汽车，建筑和船舶应用：

Mobil grease XHP grease is used in a wide range of equipment, including industrial, automotive, construction and marine applications:

美孚滑脂XHP 222推荐用于工业和汽车业的减摩轴承，底盘部件，万向节和盘式制动器车轮轴承。它发现于乘用车，轻型卡车，出租车队和农场设备特定的应用。它也推荐用于船舶，造纸厂，糖厂和采矿应用

。 Mobil grease XHP 222 is recommended for industrial and automotive antifriction bearings, chassis components, universal joints and disc brakes, wheel bearings. It was found in passenger cars, light trucks, rental fleets and farm equipment for specific applications. It is also recommended for use in ships, paper mills, sugar mills and mining applications.

美孚滑脂XHP 222特别是用在底盘部件，离合器轴承，悬架和转向系统的球头在所有各类客车，货车，农用拖拉机，承包，施工，土方和移动设备。它还发现在主销，万向节，第五轮和铲斗销应用。

Mobil grease XHP 222, especially for chassis components, clutch bearings, suspension and steering systems, ball head, in all types of passenger cars, vans, farm tractors, contracting, construction, earthmoving and mobile equipment. It is also found in the main pin, universal joint, fifth wheel and bucket pin applications.

公司简介：

Company profile:

荣亨（深圳）润滑油实业有限公司是华南地区较大的工业润滑油批发商。公司长期批发美孚抗磨液压油、美孚齿轮油、美孚润滑脂、美孚涡轮机油、美孚真空泵油、美孚透平油、美孚发电机油、美孚机床导轨油、美孚金属切削油、美孚传热油、美孚火花机油、美孚空压机油、美孚防锈油、美孚食品级润滑油等系列。销售油品广泛应用于汽车、机械、冶金、采矿、钢铁、石油化工等领域，业务覆盖了中国的各个城市。本公司建有大型仓储设施，品种齐全，供货及时，质量保证，面向全国各级客户批发供货！

Rong Heng (Shenzhen) lubricating oil industry Co., Ltd. is a large industrial lubricant wholesaler in Southern China. The company long-term wholesale Mobil Mobil antiwear hydraulic oil, gear oil, turbine oil, grease Mobil Mobil, Mobil Mobil vacuum pump oil, turbine oil, Mobil generator oil, Mobil Mobil metal cutting machine tool oil, oil, oil, oil heat transfer Mobil Mobil spark, Mobil air compressor oil, Mobil antirust oil, Mobil food grade lubricant oil series. Sales of oil products are widely used in automotive, machinery, metallurgy, mining, steel, petrochemical and other fields, covering all cities in china. The company has large storage facilities, a wide range of products, timely delivery, quality assurance, for all levels of customers at all levels of wholesale supply!

》》》

有关美孚滑脂XHP222的相关资讯，欢迎来电垂询，工作人员将竭诚为您服务！联系电话：13923773721
郭晓

About Mobil information, welcome to inquire, the staff will be happy to serve you! Telephone number: 13923773721
Guo Xiao

《（荣亨（深圳）润滑油实业有限公司,竭诚为您服务！）》》

一个人的真正伟大之处就在于他能够认识到自己的渺小！！！！