

美孚滑脂XHP223

产品名称	美孚滑脂XHP223
公司名称	荣亨（深圳）润滑油实业有限公司
价格	850.00/桶
规格参数	品牌:美孚 型号:美孚滑脂XHP223 规格:16KG
公司地址	深圳市龙华区大浪街道高峰社区鹤山云峰路3号49栋243（注册地址）
联系电话	0755-29001787 13923773721

产品详情

荣亨（深圳）润滑油实业有限公司

公司官网：www.roheng.com

联系电话：0755-29001787

联系手机：13923773721 郭小姐

联系QQ：125614793

我公司主要经营美孚、壳牌、道达尔、加德士、嘉实多、福斯、克鲁勃、BP等润滑油

质量保证，价格优惠，欢迎来电咨询洽谈！

服务宗旨: 最有效的资本是我们的信誉，它24小时不停为我们工作！！！！

以上报价规格为16KG 价格850元一桶~ 5桶起:750元一桶 10桶起:650元一桶

180KG 价格7200元一桶~

本公司设有大型仓库，备有大量现货，充足库存，量大价优，发货及时，用最快的方式,面向全国发货!

美孚滑脂XHP220 (Mobilgrease XHP 220) 润滑脂采用尖端复合锂产生技术，性能优于传统的产品，其采用专门配方，具有优异的高温性能和极高附着力、结构稳定性和抗水污染能力。本系列润滑脂的性能特别适用于恶劣的工作条件，包括高温、水污染、高负荷和冲击载荷以及加脂周期长的应用。

Mobil grease XHP220 (Mobilgrease XHP 220) the use of sophisticated lithium complex grease generation technology, performance is better than the traditional product, which adopts special formula, has excellent high-temperature performance and high adhesion, structural stability and resistance to water contamination. This series of greases are especially suitable for harsh working conditions, including high temperature, water pollution, high load and impact loads, and long grease cycle applications.

优点与潜在效益：长使用寿命可降低更换成本，缩短停机时间并提高生产率优异的润滑脂稠度，减少泄漏长维护间隔时间，降低维护费用在有水存在的不利环境下能够可靠润滑

Advantages and potential benefits:

Long service life can reduce replacement cost, shorten downtime and increase productivity

Excellent grease consistency and less leakage

Long maintenance interval and lower maintenance cost

It can be reliably lubricated in adverse conditions where there is water

应用范围:美孚滑脂XHP

221：用于工业应用和船用、底盘部件和农场设备，具有优异的低温性能美孚滑脂XHP

222：用于工业应用和船用、底盘部件和农场设备，其高粘度配方使用期较长美孚滑脂XHP 223：推荐用于要求高温性能和抗泄漏性能好的情况，例如，在恶劣条件下行驶的卡车车轮轴承或经受震动的滚动轴承美孚滑脂XHP 222 Special：含有钼，适合中等负荷的工业应用、底盘部件和农场设备。它也可用于中心销、U形接合器、中铰轴和铲斗销

Application range:

Mobil grease XHP 221: for industrial applications and marine, chassis components and farm equipment, with excellent low temperature performance

Mobil grease XHP 222: for industrial applications and marine, chassis components and farm equipment, high viscosity formulations are available for longer periods of time

Mobil grease XHP 223: recommended for high temperature performance and good leakage resistance. For example,

trucks running under harsh conditions, wheel bearings or shock resistant rolling bearings

Mobil grease XHP 222 Special: contains molybdenum, suitable for medium load industrial applications, chassis components and farm equipment. It can also be used for the center pin, U adapter, in the hinge axis and the bucket pin

产品名称 NL GL等级美孚滑脂XHP 221 1美孚滑脂XHP 222 2美孚滑脂XHP 222 Special 2美孚滑脂XHP 223 3

有关美孚滑脂XHP223的相关资讯，欢迎来电垂询，工作人员将竭诚为您服务！联系电话：13923773721
郭晓

About Mobil information, welcome to inquire, the staff will be happy to serve you! Telephone number: 13923773721
Guo Xiao

《（荣亨（深圳）润滑油实业有限公司,竭诚为您服务！）》》