

深圳激光打标机 光纤激光镭雕镭射机

产品名称	深圳激光打标机 光纤激光镭雕镭射机
公司名称	华科激光技术（深圳）有限公司
价格	8888.00/8
规格参数	88:88 88:88 88:88
公司地址	深圳市光明区公明街道上村社区下攀永盛大厦D02（注册地址）
联系电话	13631680597

产品详情

深圳激光打标机 光纤激光镭雕镭射机

服务热线：136-3168-0597 吴生

激光镭雕机技术参数

Technical parameters of laser beam carving machine

产品型号:YLP- 20w

Item number: YLP- 20W

平均输出功率:20W

Average output power: 20W

激光波长:1064nm

Laser wavelength: 1064nm

功率调节范围:0-100%

Range of power regulation: 0-100%

重复频率:20-80KHz

Repetition frequency: 20-80KHz

输出光束质量: $M^2 < 1.5$

Output beam quality: $M^2 < 1.5$

标刻线深: 0.2mm

Deep lines: less than 0.2mm

最聚焦光斑: 0.005mm

The most focused spot: 0.005mm

最字符高度: 0.15mm

Maximum character height: 0.15mm

重复精度: ± 0.001 mm

Repeatability accuracy: ± 0.001 mm

最直线打标速度: 12000mm/s

The most linear marking speed: 12000mm/s

标准雕刻范围: 100mm \times 100mm

Standard engraving range: 100mm * 100mm

选配雕刻范围: 50mm \times 50mm 150mm \times 150mm

Optional engraving range: 50mm * 50mm 150mm * 150mm

控制接口: USB

Control interface: USB

激光模块寿命: >100000小时

Laser module life: >100000 hours

振镜: 高性能扫描振镜

Vibrating mirror: high performance scanning galvanometer

整机功耗: <0.5KW

Power consumption of the whole machine: <0.5KW

电力需求: 220V \pm 22V / 50Hz / 12A

Power demand: 220V + 22V / 50Hz/ 12A

冷却方式:高精度恒温/闭环风冷

Cooling mode: high precision constant temperature / closed loop air cooling

外观尺寸:1200mm x 410mm x 1200mm

Appearance size: 1200mm, x, 410mm, x, 1200mm