

海绵生产设备 海绵全自动箱式发泡机 海绵机械

产品名称	海绵生产设备 海绵全自动箱式发泡机 海绵机械
公司名称	东莞市宝冠自动化设备有限公司
价格	178000.00/套
规格参数	大料:三组份 小料:手动添加 料温:自动控制
公司地址	东莞市中堂镇吴家涌村北王路12号
联系电话	0769-81007270 18998099017

产品详情

机器简介：

泡绵半自动箱式发泡机适用于10-50 kg/cm³密度的软质聚氨酯泡沫生产。

- 1.大料自动进料，计量自动设定；
- 2.料温自动控制；
- 3.搅拌桶、搅拌轴表面作不粘处理；
- 4.进口变频器与PLC自动控制

技术参数：

搅拌功率：15KW；

发泡类型：方模、圆模；

发泡密度：10 - 65kg /m³；

搅拌桶容积：180L；

总功率：35Kw/55KW；

占地尺寸:L7500*W7000*H3000mm。

Mixing Tank Capacity:	180L
搅拌容量:	180升
Mixer Total Power:	11KW
搅拌头总功率:	
Mixing Speed:	0r ~ 3000r/min
搅拌速度:	0转 ~ 3000转/分钟
Save Formular Q.T.Y.:	20 Groups.
可储存配方数量:	20组
Control System:	PLC Touch Screen Control System
控制系统:	PLC触摸屏控制系统
Big Raw Material	2T , 1T , 0.5T各一个
大料罐	
Air Valves:	Euro Standard
气阀:	欧标气阀
Auto Loading Pumps For PPG,POP,TDI,MC:	3Sets(“ Line ” Brand Made In China)
大料自动上料泵:	3套(国产莱恩品牌)
Transducers:	3Sets
减速机:	3套
Chiller(Both Cooling & Heating System):	1Set*7.5KW(Made In TaiWan)
冷热水一体机:	1台*7.5KW(台湾品牌)
Oil Hydraulic System:	1Set
油压系统:	1套
Air Compressor:	1Set*2.2KW
空气压缩机:	1套*2.2KW
Air Filtering System:	1Set.
空气过滤系统:	
Water Tower:	
水塔:	
Water Pump:	
水泵:	
Foaming Density Range:	8 ~ 50kg/Cubicmeter.
发泡密度范围:	8 ~ 50kg/立方.
Outputs:	48 Blocks/per day/8hrs
产量:	可生产泡绵48个/天/8小时

Match With One Square Mould:	L2100mm*W2100mm*H1220mm(To Be Requested)
配方模一套:	L2100mm*W2100mm*H1220mm(可按客户要求尺寸定做)
Match With One Cylinder Mould:	Dia1800mm*H2200mm(To Be Requested)
配圆模一套:	∅ 1800mm* H2200mm(可按客户要求尺寸定做)
Total Motor Power:	Approx 35KW.
机器总功率:	约35KW.
Machine N.W.:	Approx 4Ton
机器总重量:	约4吨
Floor Space Required:	L10*W10*H6m
占地尺寸:	