

## 免处理LDPE油墨LDPE免处理油墨

产品名称	免处理LDPE油墨LDPE免处理油墨
公司名称	上海凯贤印刷科技有限公司
价格	180.00/公斤
规格参数	品牌:OLS 型号:SPPA 产地:德国
公司地址	上海市嘉定区外冈西冈身路777号
联系电话	021-59507952 18074309897

### 产品详情

一承印物:HDPE高密度PE,PP,PE,LDPE低密度PE等材质.

产品举例:竞技场板,冰球板,瓶盖,汽车油箱,折叠椅和桌子,安全帽,呼啦圈,水管,胶箱,周转箱,瓶子.

二产品特性:印刷前产品需火焰处理,对已处理HDPE高密度PE,PP,PE,LDPE低密度PE等材质有超强附着力,适用于UV丝印.

### 三使用方法:

1可直接使用.

2在印刷过程中感觉油墨太浓可加适量专用稀释剂后使用.

3印好的产品需用UV紫外线光固,金属卤素灯120w/cm,1灯,焦点距离10cm,传送速度20m/min.

350网目/inch以上,溶胶厚10  $\mu$  m以下的PET版.印刷面积约70 ~ 90m<sup>2</sup>/kg.

### 四注意事项:

以上是以我司的测试结果,谨供参考.量产前务必在贵司的条件下,再次测试为盼.

五产品包装:1kg/罐.

A substrate: HDPE high density PE, PP, PE, LDPE low density PE and other materials.

Examples are: Arena board, ice hockey board, bottle cap, automobile fuel tank, folding chair and table, safety helmet, hula hoop, water pipe, glue box, turnover box, bottle.

Two product characteristics: before printing products need flame treatment, have high adhesion to processed HDPE

high density PE, PP, PE, LDPE low density PE and other materials, suitable for UV screen printing.

Three methods of use:

1 can be used directly.

2 in the printing process, feel that the ink is too strong, add proper amount of special thinner.

3 printed products need UV UV light, metal halogen lamp 120w/cm, 1 lights, focus distance 10cm, transmission speed 20m/min.

350 mesh size /inch above, PET thickness below 10 m, printing area of 70~90 /kg.

Four matters of attention:

The above is based on our test results, for your reference. We must test again under the conditions of your company before mass production.

Five product packaging: 1kg/ cans.