

# HP AlphaServer ES40

产品名称	HP AlphaServer ES40
公司名称	武汉普锐斯特科技有限公司
价格	30000.00/台
规格参数	品牌:HP 型号:AlphaServer ES40 产地:美国
公司地址	武汉市洪山区团结大道铁机盛世家园
联系电话	181-71409102 18171409102

## 产品详情

武汉普锐斯特科技有限公司 现货销售AlphaServer ES40 整机及配件

AlphaServer ES40服务器维保，AlphaServer ES40租赁，AlphaServer ES40价格，AlphaServer ES40维修，AlphaServer ES40上门服务器。

HP AlphaServer ES40

HP AlphaServer ES40 基本规格处理器类型 AlphaChip EV68，硬盘容量18.2GB。

中文名

内存类型

ECC SDRAM

处理器个数

4

相关参数

编辑

处理器主频 Alpha EV68/833-MHz

处理器缓存 8-MB L2 Dual Data Rate Backup Cache

处理器个数 4

内存类型 ECC SDRAM

标准内存容量 512MB

内存容量 32GB

HP AlphaServer ES40 存储设备硬盘类型 SCSI

标准硬盘容量 18.2GB

软驱 1.44MB 3.5英寸软盘驱动器

光驱 48X CD-ROM

HP AlphaServer ES40 网络网卡类型/数量 10/100 Ethernet

HP AlphaServer ES40 接口I/O端口 Parallel 1,Serial 2,Pointing Device (Mouse) 1,Keyboard 1

扩展槽个数 10

HP AlphaServer ES40 电源及软件电源类型 N+1个冗余电源

是否冗余 冗余

操作系统 Tru64 UNIX、 OpenVMS、 Microsoft Windows NT 或 Linux

管理软件 服务器管理软件

## 整机配置

COMPAQ ES40 Alphaserver ES40:667MHZ\*2/4GB/74G/CD-ROM

## 备件详情

54-25385-02 Es40 Motherboard P/N: 54-25385-0254-30158-A5 COMPAQ ALPHA SERVER ES40 500 MHZ  
CPU54-25582-02 "ES40 54-25582-02 ALPHA SERVER Memory Riser Card 4 Slots"54-30156-02 "ES40 MODEL 6  
SLOT PCI BACKPLANE "3X-DEPVZ-AA 3X-DEPVZ-AA SCSI-NIC-VIDEO CARD 显卡30-49448-01 DEC  
30-49448-01 ALPHASERVER ES40 720W POWER SUPPLY7593C01KKCNOCW TLZ10-AC DEC TLZ10-AC  
4mm DDS3 12/24GB Internal SCSI (TLZ10AC), Refurbished to Factory SpecificationsRX23L-AC DEC RX23L-AC  
1.44MB FLOPPY DISK TOP GUN BLUE20-0ES40-09 256MB SDRAM DIMM

ALPHA ES40CPUKN610-AA CPU, EV6 500MHz 4MB Late Write, (ClassPart # 54-30158-03/05,  
54-30158-A3/A5)KN610-BA CPU, EV67, 667 MHz, (Class Part #54-30362-01)KN610-HA CPU, EV67, 500 MHz,

SMP, Linux Ready, (Class Part # 54-30158-B3 OR B5, 54-30158-03 OR 05, 54-30158-A3 OR A5) KN610-HB CPU, EV67, 500 MHz, SMP, TRU64 Unix KN610-HC CPU, EV67, 500 MHz, SMP, OpenVMS KN610-CA CPU, EV68, 833 MHz, SMP, (Class Part# 54-30362-B3) 内存 54-25066-BA Memory, 32MB (2MX8), 200 Pin  
\*20-01 ASA-0854-25053-BA Memory, 64MB (8MX8), 200 Pin, 100MHz DIMM \*20-01 BSA-0820-01 CSA-08 Memory, 128MB (16MX4), 200 Pin, 3.3V, SDRAM \*54-24941-EA20-00 DSA-08 Memory, 256MB (16MX4), 200 Pin, 3.3V, SDRAM Stacked Single Density \*54-24941-FA20-01 DSA-08 Memory, 256MB (32MX4), 200 Pin, 3.3V, SDRAM Unstacked Double Density \*54-24941-HA20-00 ESA-08 Memory, 512MB Stacked 200 pin Sync DIMM 100MHz Double Density \*54-24941-JA20-01 ESA-08 Memory, 512MB Mono 200 pin Sync DIMM 100MHz ZMS610-DA Memory, 1GB Main Memory Option MS610-EA Memory, 2GB Main Memory Option 20-00 FSA-08 Memory, 1GB SDIMM 128X72 200 Pin P2000-AA Memory, 2MB NVRAM PCI, Prestoserve P2000-BA Memory, 4MB NVRAM PCI, Prestoserve P2000-CA Memory, 8MB NVRAM PCI, Prestoserve 电源 30-49448-01 Power Supply, 720W universal, w/fan & I2C 风扇 70-40072-01 Fan, 120mm, H/S, Lower PS Assy \*Fan 370-40073-01 Fan, 120mm, Hot Swappable, PCI, \*Fan 1,270-40073-02 Fan, 120mm, Hot Swappable, PCI, \*Fan 570-40071-0 Fan, 120mm, H/S, Upper PS Assy, \*Fan 470-40074-01 Fan, 172mm, Hot Swappable \*Fan 6  
硬盘 DS-RZ2ED-16 Disk Drive, 18GB, UltraSCSI II 10K RPM, 1.6in Bay, Hot Swappable DS-RZ2DD-16 Disk Drive, 9GB, UltraSCSI II 10K RPM, 1.6in Bay, Hot Swappable FE-14587-01 Disk Drive, 18.2GB 10,000rpm UltraSCSI IIRX23L-AC Disk Drive, Floppy, Gun Blue Bezel BA610-4D 54-25657-01 Drive Cage Assembly, Four Slot, 1.6 Inch 30-50802-01 Drive Cage Assembly, Six Slot, 1 Inch BA610-6D/BA610-6E 主要板卡 DE504-BA Ethernet Controller, PCI, 10/100, 4 Chn IDE500-BA Ethernet Module, 10B-T/100B-TX DE GPA-SA Ethernet Controller, PCI 32/64, Gigabit 54-22499-02 Fiber Optic Adapter, (FDDI) Single Attach 54-23481-01 Graphics Adapter, 2LXP-EN2, 2Mb (PBXGB-AA) PBXGK-BB Graphics Controller, Elsa Gloria Synergy 3R-A1629-AA Module, Environmental \*SCSI 54-25582-02 Module, Memory Riser, 4 Slot \*Tower, holds up to 4 200 Pin SDRAM 54-25582-01 Module, Memory Riser, 8 Slot \*holds upto 8 200 Pin SDRAM 54-25385-01 Module, Mother Board, CPU/Memory, QUAD EV6, \*TSUNAMI 54-30156-01 Module, PCI Backplane, 10 Slot, w/ Active Support Logic 54-30156-02 Module, PCI Backplane, 6 Slot, w/ Active Support Logic 54-25575-01 Module, System I/O, Cables to MLBPBXDP-AB Network Adapter, 4port PCI Synchronous 29-33593-01 Network Adapter, 4port PCI Asynchronous PBXNP-AC Network Adapter, PCI-based Token Ring, DGLPA-FA Network, ATM works 351 Adapter, PCI, MultiMode Fiber, SC Connector 70-33894-01 OCP, Assembly \*Blue 29-33447-01 RAID Controller, 3 Channel, PCI \*w/o SIMM 30-50802-02 SCSI backplane, Drive Cage, 4 slot KZPBA-CX SCSI Controller, PCI, 1 port UltraSCSI FWSE 30-56041-01 SCSI Controller, PCI to LVD, 1 Channel, 70-31349-01 Speaker Assembly