

意大利ETATRON电磁计量泵

产品名称	意大利ETATRON电磁计量泵
公司名称	广州欧冠机电设备有限公司
价格	1.00/个
规格参数	型号:BT-MA/AD 订货号:PBT2304301 最大压力:20 Bar
公司地址	广东省广州市海珠区宝岗路郊坛顶街38号401房
联系电话	86-020-89667334 15013384101

产品详情

广州欧冠机电设备有限公司专业销售意大利ETATRON电磁计量泵、ETATRON电动泵、ETATRON蠕动泵、ETATRON控制器、ETATRON控制和调节系统、ETATRON混合器、ETATRON水表、ETATRON电磁流量计。

意大利ETATRON公司是化学加药设备的制造和开发的领导者。提供全方位的电磁阀和电机驱动的化学计量泵包括控制器和完整的包装系统（水箱及混频器）。Etatron的技师团队不断的开发和改进现有模型，引入新的功能。ETATRON主要生产地点设在罗马，该公司现有多名员工完成计算机处理系统，确保生产的所有产品确保最高的质量，并对每一个产品进行严格的测试，所有产品均为CE认证，CSA（加拿大标准协会和UL认证）。过去的二十年中，公司已投资了最先进的技术，形成了一个全球性的销售和服务系统，通过其官方的分销网络以确保即时提供备件。

这些特点促使Etatron的全球范围内的成功，并持续快速的发展。

泵的结构该泵由电机、传动箱、缸体等三部份组成。传动箱部件是由涡轮蜗杆机构、行程调节机构和曲柄连杆机构组成；通过旋转调节手轮来实行高调节行程，从而改变移动轴的偏心距来达到改变柱塞（活塞）行程的目的。缸体部件是由泵头、吸入阀组、排出阀组、柱塞和填料密封件组成。工作原理电机经联轴器带动蜗杆并通过蜗轮减速使主轴和偏心轮作回转运动，由偏心轮带动弓型连杆的滑动调节座内作往复运动。当柱塞向后死点移时，泵腔内逐渐形成真空，吸入阀打开，吸入液体；当柱塞向前死点移动时，此时吸入阀关闭，排出阀打开，液体在柱塞向进一步运动时排出。在泵的往复顺还工作形成连续有压力、定量的排放液体

产品范围：

意大利ETATRON电磁计量泵、ETATRON电动泵、ETATRON蠕动泵、ETATRON控制器、ETATRON控制和调节系统、ETATRON混合器、ETATRON水表、ETATRON电磁流量计

型号：Etatron泵BT-MA/AD Part Number：PBT2304301ETATRON电磁隔膜式计量泵DLXB-MA/AD，DLX

MA/MB , DLX CC/M , DLX VFT/MBB , DLX MF/M , DLX pH-Rx-CL/M , DLX pH-Rx/MBB , DLX CD/M , PKX MA/A , PKX FT/A

最大压力; 20 Bar (290 PSI). The products are manufactured according CE regulation. Standard power supply (fluctuations not to exceed $\pm 10\%$): 230-240 V a.c. 50-60 Hz single phase. Optional power supply (fluctuations not to exceed $\pm 10\%$): 110 V a.c. 50-60 Hz single phase. 48V a.c., 24V a.c./d.c., 12V d.c. 型号列举 : DLX MA/MB 05-07

Solenoid metering pumps Diaphragm pump / metering / solenoid-driven max. 10 l/h, max. 6 bar | PKX series Diaphragm pump / metering / solenoid-driven max. 80 l/h, max. 10 bar | BT, BTB series Diaphragm pump / metering / solenoid-driven max. 20 l/h, max. 20 bar | DLS, PB series Diaphragm pump / metering / solenoid-driven max. 20 l/h, max. 15 bar | DLX, DLXB series Diaphragm pump / metering / solenoid-driven HD series Metering pump / chemical EONE PLUS Metering pump / chemical EONE MA Metering pump / chemical EONE MF Motor driven pumps Diaphragm pump / metering / motor-driven D-AA series Diaphragm pump / metering / mechanically-actuated D-BA series Piston pump / metering / motor-driven P-AA series Pump Pump HP-D series Peristaltic pumps Peristaltic pump / fixed-flow max. 10 l/h, max. 3 bar | B-F series Peristaltic pump / adjustable-flow Peristaltic pump / adjustable-flow max. 10 l/h, max. 3 bar | B-V series Peristaltic pump / metering max. 6 l/h, max. 3 bar | B-FC series Peristaltic pump / OEM 120 - 230 V | F series Peristaltic pump / adjustable-flow B3-V Control and Regulating Systems Cooling tower controller 10 l/h, 5 bar | CTC series Controllers PH controller OR PIP 65, 4 - 20 mAPH meter PH meter 110 V Chemical Holding Tanks Polyethylene tank / storage 60 - 5000 l Mixers Vertical agitator / rapid max. 1 400 rpm, 0.08 - 0.17 kW | AF series Electromagnetic flow meter Electrodes PH electrode PH electrode max. 6 bar

Probes Proximity switch Pt100 temperature probe max. 5 bar, 1/2" Conductivity probe

Hydropa DS-302/F-55 5-55bar Hydropa DS-302/SCH/V2-100 Hydropa DS-307/SS-100/PO Hydropa DS-307-100 10-100 BAR Hydropa DS-307-150 Hydropa DS-307-55 5-55 BAR Hydropa DS-507/FV2-100 Hydropa ZN6DRAB HydroWer-Hydraulik GmbH SV-E4-G24

IBC 71926E.T.P2H.UL IBIS 348-0028 IBIS 348-0029 IBIS 380-0207 IBIS MI2100/2K 900-2510 IC AUTOMATION 21E014600/02M IC AUTOMATION 99E040135 ICAR MLR 25 L 40100 3583/A/UL ICOMatic Sensortechnik GmbH I-O12/G16T-02-PSKL-S1-75mm ifak system GmbH is HRT USB NR.14200-0102 IFE Aufbereitungstechnik GmbH Type LM445T No.5T-S407728R01 IFSYS FC1000-230V Nr 10462 IFSYS Magnet WI311/9-230V IGEMA Artikel-Nr.10390 LG40 Ihne & Tesch 1174615 PE 16D 1050L 230V 2000W Ihne & Tesch 1pce2081021,1150-212-34-107 IHSE 260-4E IHSE 455-4G IHSE K235-9w VTO2/VRO2 V6 VGA-Fibre-KVM-Extender with local Access IHSE K461-DU ILT 03ELF120622-1 ILT 03ELF351800-1 ILT 03FIL002211 ILT KV35-1260/6A 03ELF351200-1 IMAV MGZ-06A-A1/B2/10-04+RVBD-10N-C-0-30 IMAV MGZ-06A-A1/T2/10+B1/T2/10-04,Nr.1406-1592-514-2400 IMAV MGZ-06A-P2/T1/10+MTA-04 Art.Nr. 4306-1592-514-0050 IMAV RVZ-25S-P IMAV SBLZ-06A-B01CA/30 IMAV SBLZ-06S-BPGC/50 IMAV SV2-20N-C-0-240AG 2920-4252-114-0015 IMG IMG40S-100-ABN-PT-07-NT IMG IMG40S-500-ABN-PT-07-NT IMG IMG58B-10/400/1-ABC-PT-62 IMPAC 3902060+3821640 IMPAC IMPAC IN300 Artikel-Nr.3856330 2-Leiter-Pyrometer 4...20 mA IMPAC IN300 Nr:3856320 INA BE20 INA F-204754RNU INA GAL20-UK INA GAR20-UK INA KGSNO 16 PPAS INA KR35-PP-A INA KUME 15 CW1G2V1/0100 INA KWSE 25L G3 V1 (KUVE) INA LFKL 25 SF INA LFS 25- X 1750. 31200944 INA MKUSE 25ZR AL-1176-670-0 INA NNTR 70x180x85 2ZL INA PCJ25-N INA PCJT20-N INA TKSD 20 G3 X 0500 (KUVE) INC. BEI IDEACOD MHM5-DPC1B-1213-C100-H3P Indukey KG14029 TKG-083b-touch-modul-USB-US Indukey TKS-105a-TB38-MODUL Indus UNIGATE RS232/485-PBDP V2753 Industrietechnik SF6E Inelta IMA2-LVDT 2.5B 24V 4-20mA innomatec GmbH KA05-07 innomatec GmbH KI-S 10.6/11.5/02-same as S13091.11.001 INOR 70IP4L0002 - IPAQ-4L INOR IPAQ-4L-70IP4L0002 InterApp D10600.22.2AE.4A.2AR.E + IA700D.F1665-125 InterApp ES2.P01H

InterApp IA300D.F05-F07-F1017 InterApp IA500D.F10-F1222 INTERNORMEN 01.NR
1000.40G.10.B.P.- INTERNORMEN AOR.2,5.V.VA INTERNORMEN DU.101.40G.16.S1.P.-.FS.6.-.-.
AE70.2.5.P.-.B 8096300024 INTERNORMEN DU.101.80G.16.E.P.-.FS.6.-.-. AE80.1.5.P.-.B.-
INTERNORMEN MK09U-1C90-BV258 INTERNORMEN TSW.625.80G.B.P.FS.8.S.-.-
INTERNORMEN TSW.625.80G.B.P.FS.8.S.-.- IPF IB080170 IPF IB120152 IPF OT 080100
IPF VK991198 IPR EC-12-MIL-IP65.T Nr15030055