

XY-3X液压打井机 轮式打井机 恒旺水井钻机

产品名称	XY-3X液压打井机 轮式打井机 恒旺水井钻机
公司名称	济宁鲁钻机械有限公司
价格	.00/个
规格参数	
公司地址	山东省济宁市任城区金宇路6号海能智慧广场C座24层2403 (1) (注册地址)
联系电话	0537-2589768 17854312593

产品详情

直销XY-3X拖车式液压打井机 打深井用的水井钻机 轮式打井机价格

主要特点：(1). 该钻机装有轮式行走机构和液压油缸支柱，整机搬迁方便，便于钻机的水平调整(2). 具有液压给进系统，提高钻进效率(3). 具有孔底压力表指示压力，便于掌控孔内情况(4). 柴油机采用电启动，减轻人工劳动强度

Main features:(1). The rig is equipped with wheel running gear and hydraulic oil cylinder pillar, transferring, convenient and easy to drill horizontal adjustment(2). With hydraulic feed system, improve drilling efficiency(3). With a pressure gauge indicating pressure at the bottom of the bore, easy to control the hole(4). Diesel engine with electric start, reduce manual labor intensity功能应用：地质普查勘探，道路及高层建筑物基础勘探，以及各种混凝土结构检查孔，江河堤坝，路基灌溉孔和直接灌溉，民用水井及地温中央空调等。

Features:The exploration, geological roads and tall buildings foundation exploration, as well as a variety of concrete structure inspection hole, river dam, embankment hole irrigation and irrigation directly, civil water well and geothermal central air conditioning, etc.

整机参数

钻孔深度

100 250 300 600m

钻孔直径

300 200 150 75mm

开孔直径

300mm

终孔直径

75mm

钻杆

60mm

钻孔倾角

90 ° --65 °

立轴

立轴正转速度

30-1050r/min

立轴反转速度

29-137r/min

立轴行程

600mm

立轴内孔直径

96mm

主卷扬

单绳提升速度

0.5、 0.9、 1.4、 1.9m/s

钢丝绳直径

12.5mm

抱闸宽度

90mm

卷筒直径

300mm

卷筒容量

65m

单绳最大提升能力

30kN

泥浆泵 (选配)

卧式三缸BW-250型泥浆泵 BW-250 mud pump

流量

250L/min

工作压力

7Mpa

进水口直径

75mm

出水口直径

50mm

钻机动力

柴油机

云内YN27/功率39kw/2400rpm

电机

Y180L-4 22KW

轮式底盘

轮式底盘承载能力

3.5T

轮式底盘长度

2.6m

轮式底盘宽度

2m

轮式底盘高度

0.6M

联系方式：

联系人：李国腾

手机：13258012138

电话：0537-2589768

传真：0537-2583028