

OMNI Bead Ruptor12样品均质器

产品名称	OMNI Bead Ruptor12样品均质器
公司名称	北京平利洋经贸有限公司
价格	.00/个
规格参数	
公司地址	北京市丰台区石榴园南里32号楼1层甲1、甲2
联系电话	13581963618

产品详情

Bead Ruptor 12 Homogenizer

严正声明 :我司作为OMNI中国地区授权代理商 为了保护用户利益 保证相应的售后服务承诺 如从其它经销商处订购OMNI系列产品 请务必查看我公司出具给经销单位的授权书 并留好购置发票复印件

24小时服务热线135 8196 3618

Bead Ruptor 12 Homogenizer

The Bead Ruptor 12 is the most powerful and economical bead mill homogenizer available today. It is an ideal solution for a variety of applications that require grinding, lysing, and homogenization of biological samples prior to molecular extraction. Using disposable sample tubes pre-filled with a variety of lysing beads, the Bead Ruptor 12 vigorously and uniformly shakes up to 16 tubes at a time providing an efficient, consistent homogenization and high-yield. Unlike most other bead mill homogenizers, the Bead Ruptor 12 does not require a cool down period between runs. This means more samples can be processed in a smaller amount of time.

Benefits of the Bead Ruptor 12 Homogenizer include:

Simultaneously homogenize up to 12 x 2mL or 0.5mL tubes and 4 x 7mL tubes

Convenient front-loading tube holder position for ease of use and optimal bead/sample interactions

Processing range is ideal for soft tissue samples

No cool-down required between runs = non-stop processing

Disposable tubes ensure no threat of cross-contamination

No sample degradation due to quick processing

Features and integrated lid lock

Compelling performance at a compelling price

The Bead Ruptor 12 is designed with a unique tube carriage motion to ensure that the intra-tube bead movement reduces swirling and results in the a high bead impact force. The Bead Ruptor 12 is more powerful than competitor bead mills that are twice the cost making it an excellent solution for any lab working with tissues or cellular material.

Bead impact forces generated by commercially available bead mills. Bead impact forces are calculated as a function of tube acceleration, tube displacement and the motor force applied to the tube. The Bead Ruptor 12 and Bead Ruptor Elite have the broadest force range and produce the highest impact forces of any bead mill on the market. This results in an increased processing efficiency on the Bead Ruptor platforms

Unique snap in tube carriage design

The Bead Ruptor 12 eliminates the tedious task of screwing down finger plates which are present other bead mills. The patent pending snap in tube carriage allows tubes to be “ snapped in ” and “ snapped out ” easily thus decreasing workload and increasing safety. The Bead Ruptor 12 is an ideal bead mill for core laboratories or as a shared resource with its short learning curve and ease of use.

Wide range of bead kits for any sample type

Omni International offers users ultimate flexibility with a range of bead beating tubes and lysing matrices to support homogenization of any sample type.

Bead Ruptor 96	Bead Ruptor Elite	Bead Ruptor 12	Bead Ruptor 4	Maximum Sample Capacity	57	69	61	64	Tube
Capability	0.5, 1.5, 2 mL	0.5, 1.5, 2, 7, 15, 30, 50 mL	0.5, 1.5, 2, 7 mL	0.5, 1.5, 2, 7 mL	Well Plates	Speed Control	3 - 30	Hz	0.8 - 8 ms
	0.8 - 6 ms	1 - 5 ms	Run Time	5sec - 99min	1sec - 9.59min	1sec - 9.59min	1sec - 5min	Processing Range	25 l - 50 mL
	25 l - 50 mL	25 l - 7 mL	25 l - 7 mL	Savable Protocols	Weight	92 lb	65 lb	65 lb	16.5 lb
	Inches	W: 15, H: 17, L: 9.5	W: 15, H: 17, L: 13	W: 10, H: 8.5, L: 11.5	Touch Screen	VIEW PRODUCT	VIEW PRODUCT	VIEW PRODUCT	VIEW PRODUCT

Ordering Information: Includes Bead Ruptor 12 Drive Unit, tube carriage, user manual and 1-year warranty.

技术参数：

1.均质速度0.8 - 6m/s，0.15m/s可调

2.单个样品处理体积范围 0.25-5ml

3.可设个循环，运行时间1s-9m59s，1s可调；暂停时间，可调

4. 嵌入式样品管固定方式，使得样品放置更方便、快捷，避免了真空压盖因压力不够脱落的危险

5. 研磨管无需平衡，即插即用，运行稳定

6. 过温保护，开盖保护 7. 液晶屏，薄膜按键

控制，实时显示程序进程、样品腔温度 8. 尺寸 (L × W × H) : 33 × 39 × 33cm

9. 重量 : 29Kg

10. 电源 : 100 – 230VAC / 50-60 Hz

研磨管选型表 :

研磨管规格

样品工作体积

0.5ml

20-300ul

1.5ml

0.6-1.2ml

2ml

0.8-1.8ml

7ml

2.5-5.5ml