

15CrMo齿轮钢直销供应

| | |
|------|-------------------------------------|
| 产品名称 | 15CrMo齿轮钢直销供应 |
| 公司名称 | 沈阳广纳金属材料销售有限公司 |
| 价格 | .00/千克 |
| 规格参数 | 规格:齐全可订做 材质:齿轮钢 厂家:兴澄 |
| 公司地址 | 辽宁省沈阳市沈北新区建设南一路2乙号(2-4-2) (注册地址) |
| 联系电话 | 15840580089 |

产品详情

沈阳广纳金属材料销售有限公司供应产品：不锈钢： 1cr13,2cr13,3cr13,4cr13,1cr17ni2,9cr18,9cr18mo,9cr18mov,1cr13mo,2cr17,4cr17nimo1,0cr17ni4cu4nb,304L , 316L , 321 , 321美标,431,304光圆,304六角棒,316L光圆,316L六角棒,9Cr18,17-4Ph,904L,310S,316ti, 1Cr18Ni9Ti, 1Cr18Ni9, 11Cr17, 440C, 1Cr17,F51,F53 , 06Cr25Ni20优特钢： 齿轮钢、轴承钢15CrMo,20CrMO,22CrMoH,20CrMnMo,20CrMnTi,30CrMnTi,20CrNiMo,8620,GCr15,SUJ2,G20CrNiMo ,G20CrNi2Mo,25CrNiMoV,25Cr2MoV,17CrNiMo6,34CrNiMo6,30CrNiMo8,Gr15SiMn,GCr15SiMo,GCr18Mo,G20CrMo,G20Cr2Ni4 ,G10CrNi3Mo,G20Cr2Mn2Mo ,G95Cr18,G102Cr18Mo,G65Cr14Mo

军工钢：40CrNiMoA,45CrNiMoV,20Ni4Mo,30CrMnSiA35CrMnSiA,38CrSi,12CrNi3A,20CrNi3A,30CrNi3A,34CrNi3A,37CrNi3A,34CrNi3MoA,37CrNi3MoA,PCrNiMoA,PCrNiMoA,PCrNi3MoA,12Cr2Ni4A,20Cr2Ni4A,18Cr2NI4WA ,25Cr2NI4WA

高强度合金结构钢20Cr,40Cr,30CrMo,35CrMo,42CrMo,20CrMnMo.30CrMnMo,40CrMnMo,38CrMoAL

低合金结构钢、易切削钢16Mn,Q345,Q235,20Mn,30Mn ,20Mn,45Mn2,15CrMn,20CrMn,16MnCr5 (德国) , 20MnCr5,16Mn

弹簧中厚板、薄板、带钢、圆钢：50CrVA,65Mn,85Mn,70Mn,50CrV4,60Si2MnA,60Si2CrV,55Si2CrV,55SiMnVB,60Si2Mn,60Si2CrA,55SiCrA,55CrMnA,60CrMnA,55Si2Mn,55Si2MnB,55SiMnVB,60Si2MnA,60Su2CrA,60Si2CrVA,55CrMnA,60CrMnA,60CrMnMoA,50CrVA,60CrMnBA,30W4Cr2VA

宝钢高速工具钢:

W18Cr4V2,W6Mo5Cr4V2,W6Mo6Cr4V2,W6Mo5Cr4V3,W6Mo5Cr4V4,W18Cr4V,W2Mo8Cr4V,W2Mo9Cr4V2,W3Mo3Cr4V2, W4MoCr4VSi,6542,

圆钢,板材

大同高速钢MH51,MH55, MH8

大同模具钢NAK80,NAK55,DC53,DC11,PX88,PAK90,SUS420J2,S50C

日立高速钢:SKH-9,SKH-51,SKH-55,SKH-56,SKH-57,SKH-59, HAP10,HAP40,HAP72, YXM1,YXM4,YXR3, YXR33

日本日立模具钢: SKD11,SKD61,SKD62, FDAC,TDAC,

一胜百高速钢: VANADIS-4,VANADIS-10, ASP23,ASP30,ASP60

瑞典一胜百模具钢: 618,618H,718,718H,738,S136,S136H,8402,8407,8416, 168S,635,ASSAB88

芬可乐模具钢: P20,A2,A6,A8,S7,8620,4130,4140

美国芬可乐模具钢:M2,M4,M35,M42

产品执行标准: GB/T6728-2002,GB/T6725-2002, GBT3094-2000 , JG 178-2005 , ASTM A500 JIS G3466,EN10210 , GB/T6728-2002,GB/T6725-2002, GBT3094-2000 JG 178-2005 ASTM A500 JIS G3466 GB/T3094-2000 (国标) 冷压异型矩形管

规格: 500X300X8.0--12.0mm 450X250X6.0--12.0mm 400X300X6.0--12.0mm 400X200X6.0--12.0mm 350X250X6.0--12.0mm 350X150X6.0--12.0mm 300X200X6.0--12.0mm 300X150X6.0--12.0mm 300X100X4.0--10.0mm 280X180X4.0--10.0mm 250X150X4.0--10.0mm 250X100X4.0--10.0mm 200X150X4.0--10.0mm 200X100X4.0--10.0mm 200X95X4.0--10.0mm 160X80X4.0--10.0mm 150X100X3.0--10.0mm 150X90X3.0--10.0mm 150X75X3.0--8.0mm 140X80X3.0--10.0mm 120X100X3.0--10.0mm 120X80X2.0--8.0mm 120X60X2.0--5.0mm 120X50X2.0--5.0mm 120X40X2.0--4.0mm 100X80X2.0--8.0mm 100X60X2.0--5.0mm 100X50X1.0--5.0mm 100X40X2.0--3.0mm 90X60X2.0--4.0mm 80X60X1.4--4.0mm 80X50X1.2--3.0mm 80X40X0.9--4.0mm 70X50X1.2--4.0mm 70X30X1.5--3.0mm 60X40X0.8--4.0mm 60X30X0.8--3.0mm 50X40X0.8--3.0mm 50X30X0.7--4.0mm 50X25X0.7--3.0mm 50X20X0.7--1.7mm 40X30X0.7--3.0mm 40X25X0.7--2.5mm 40X20X0.6--3.0mm 30X20X0.6--2.0mm 20X14X0.5--1.2mm 20X10X0.5--1.2mm

二、不锈钢:耐空气、蒸汽、水等弱腐蚀介质或具有不锈性的钢种称为不锈钢;而将耐化学介质腐蚀(酸、碱、盐等化学浸蚀)的钢种称为耐酸钢

不锈钢 货物主要经营: 201 316 316L 304 1Cr13 12Cr13 10Cr17 1Cr18Ni9 00Cr19Ni10 0Cr25Ni20 0CrM9NM9N (圆形管, 方形管, 钢板)

产品执行标准: GB1220-84 不锈棒材(I级) GB4241-84 不锈焊接盘圆(H级) GB4356-84 不锈焊接盘圆(I级) GB1270-80 不锈管材(I级) GB12771-91 不锈焊管(Y级) GB3280-84 不锈冷板(I级) GB4237-84 不锈热板(I级) GB4239-91 不锈冷带(I级)

规格： 6x1 34x2-8 70x3-10 152x3-20 8x1-2 36x2-8 73x3-10 159x3-25 10x1-2 38x2-8
76x2-16 168x3-30 12x1-3 40x2-8 80x2-16 180x3-30 14x1-4 42x2-8 83x2-16 219x4-35
16x1-4 45x2-8 89x2-16 245x5-35 18x1-4 48x2-8 95x2.5-16 273x5-40 20x1-5 50x2-8
102x2.5-18 325x5-40 22x1-5 51x2-8 108x2.5-18 355x7-40 25x1.5-5 57x2-10 114x2.5-18
377x8-45 27x2-5 60x2-10 120x3-18 426x8-50 28x2-5 63x2-10 127x3-18 456x8-50 30x2-8
65x3-10 133x3-18 530x8-50 32x2-8 68x3-10 140x3-20 630x10-40 板材

规格：1750宽，1500宽，可按照要求纵切，横切，分条，包装也可以按照要求。

三、合金钢管：主要用途是用于电厂，核电，高压锅炉，高温过热器和再热器等高压高温的管道上及设备，它是采用优质碳素钢，合金结构钢和不锈钢耐热钢做材质，经热轧（挤、扩）或冷轧（拔）而成。

合金钢管 产品货物主要经营：16-50Mn类、27SiMn、40Cr、12-42CrMo、T91 27SiMn 30CrMo 15CrMo 20G Cr9Mo 15Mo3、15CrMoG、45Cr、50Cr、等。

产品规格：10×2 12×2 95×4.5-6-8-10-12-14-16-20 325×28-32-34-38-42 12×2
102×4.5-5-6-7-8-10-12-14-16-20 351×10-16-20-25-40 14×2-2.5-3 108×4.5-5-6-7-8-10-12-14-18-20-22
355×6-18-20-25-30-40/52 16×2-2.5-4 114×4.5-5-6-7-8-10-12-14-18-20 377×8-12-15-20-24-28 18×2.3-4-5
121×4.5-5-6-7-8-10-12-14-16-20 377×30-37-40-45-50 60 20×2.5-3-5 127×4.5-5-6-7-8-10-12-14-16-20
402×10-15-20-25-30-35 24×2.5-3-4-5-6 133×4.5-6-8-12-14-16-18-20-25-30 406×10-20-25-28-35-40
34×4-5-6-8 159×4.5-6-10-12-14 80 500×10-12-14-16-20-25-34-40-50 36×3.5-5-6-8 159×16-18-20-22-25-30
510×10-12-14-16-20-25-34-40-50 39×3.5-5-8-10 180×8-12-16-25-30 105 560×10-14-16-20-25-30-40-50-60
42×3.5-4-5-6-7-8-9-10 180×32-34-38-40-45-50 580×10-14-16-20-30-40-50-70 45×3.5-4-5-6-7-8-9
194×6-8-12-16-20-25-30-40-45-50 600×10-14-18-25-20 51×3.5-4-5-6-7-8-9-10 203×32-36-40-45-50
620×14-20-30-35-45-50-60 56×3.5-4-5-6-7-8-9-10 219×6-8-12-16-18-20-25 630×10-20-30-40-55
57×3.5-5-6-7-8-9-10-12 219×30-40-45-50-55 640×12-25-32-40-50-65 60×3.5-4.5-5-6-7-8-9-12-14
219×55-58-60-65-70 650×15-20-30-40-50-60-65 63×3.5-4.5-5-6-7-8-9-10-12-14 245×8-10-14-17-20-22
680×20-25-35-45-65 73×4-4.5-5-6-7-8-9-10-12-15 273×30-35-38-40-45-50 750×20-35-45-60
76×4-4.5-5-6-7-8-9-10-12-14 299×8-12-16-20-24-28 780×45-65 65 83×4.5-5-10-12-14-16-18-20
299×30-32-36-38-40-45 820×12-20-35-50-65 70 89×4.5-8-10-12-14-16-18-20 325×8-12-14-18-38-42
830-710×25-35-43-65

板材规格：2000宽 1750宽，1500宽，可按照要求纵切，横切，分条，包装也可以按照要求。

24小时销售员：15840580089（具体价格电议，价格会有变动）