

# 佛山供应 sun-520 ppr管件自动包装机 弯头包装机

产品名称	佛山供应 sun-520 ppr管件自动包装机 弯头包装机
公司名称	佛山市晟奇奥机械有限公司
价格	155000.00/台
规格参数	品牌:晟奇奥 型号:520 产地:佛山
公司地址	广东佛山市南海区丹灶镇罗行社区校北大街3号
联系电话	86 0757 86604198 18038857967

## 产品详情

### SUN-520 管件全自动包装机

#### 技术特点：

- 1.中英文触膜屏显示，操作直观，简单。
- 2.PLC电脑控制系统，运行更稳定，可不停机调整任何参数。
- 3.可储存十组参数，更换品种更准确。
- 4.采用伺服电机拉摸，定位更准确。
- 5.独立温控系统，精确度可达±1 度。
- 6.横、纵封温度独立控制，能良好的适用各种复合膜、PE膜等包装材料。
- 7.包装的款式多样化，背封、插角、连袋、冲孔等。
- 8.生产制袋，封口，包装，打印日期一次性完成。
- 9.工作环境清净，噪音小。

Technical characteristics:

- 1.English and Chinese screen display ,operation is simple .
- 2.PLC computer system , function is more stable , adjustment any parameters not need stop machine.
- 3.It can stock ten dispose , simple to change variety.
- 4.Sever motor drawing film , position accurately.
- 5.Temperature independent control system ,precision get to  $\pm 1\%$  .
- 6.Horizontal , vertical temperature control ,suitable for various of mix film , PE film packing material.
- 7.Packing type diversification , pillow sealing, standing type ,punching etc.
- 8.Bag – making , sealing, packing, print date in one operation.
- 9.Work circumstance quiet, low noise.

#### 技术特点：

1.采用电子秤量方式，包装重量更精确，生产成本更低廉。

#### Technical characteristics:

1.Multihead weigher measuring , packing weight more precision, cost more low.

#### 适用包装范围：

适合包装颗粒状、块状、条状，包装范围在3000ML以内的产品。

#### Application :

Application for various of granule , strip , slice , packing range within 3000ml.

#### 技术参数 ( Technical parameters ) :

机型 ( Type )	SUN-520
制袋长度(Bag length)	80-400mm(L)
制袋宽度(Bag width)	150-250mm(W)
薄膜宽度(Max width of roll film)	520mm
包装速度(Packing speed)	5-60bags/min
计量范围(Measuring range)	MAX3000ml
气压(Air consumption)	0.65mpa
耗气量(Gas consumption)	0.4m/min
电压 ( Power voltage )	220V

功率 ( Power )	3KW
外型尺寸 ( Dimension )	(L)1500mm × (W)1140mm × (H)1540mm
机器重量 ( Deadweight of machine )	550KG

我们的地址：广东佛山市南海区丹灶镇罗行社区校北大街3号电话：86 0757  
86604198联系手机：18038857967 期待您的咨询