紫外滤光片介绍

产品名称	紫外滤光片介绍
公司名称	广东智上智能科技有限公司
价格	.00/个
规格参数	
公司地址	东莞市松山湖高新技术产业开发区工业南路6号3栋502室
联系电话	13829288966 15168331025

产品详情

NOTE:Filtersareavailableforallwavelengthsupto320nm.SpecificationsforFWHM,peaktransmission,andpeakwavelengthfallwithinpeakwavelengthrangeslistedabove.

UVBandpassFilters

AvailableDesignsforStandardBandpassFilters

Open-FacedDesign

Open-Faced-Theopen-faceddesignincludesasubstratewithanopticalfiltercoatingononesurface.Open-facedfiltersmustbehandledwithcareasthesoftfiltercoatingisexposed.Potentialdamagefrommoisture,atmosphericcontaminantsorhandlingcanbereducedbysealingthe

filterwithaprotectivefusedsilicacover,asshownbelow(availableabove190nmonly).

Covered/EdgeSealedCovered/EdgeSealed-Filtersabove190nmmaybesuppliedwithafusedsilicacoverforprotectivepurposes.Asshowninthediagram,aspacerringisplacedbetweenthesubstratestoformasmallairgap,thentheedgesaresealed.Thisdesignenablesthefiltertobehandledwithoutriskoftouchingthedelicatefiltercoating.Pleasenotethatcoveringafilterdecreasesitstransmissionby2-3%.

Edgesealingaddsapproximately0.010 ” (0.254mm)tothediameterofthefilter.Totalthicknessforacoveredandedgesealedfilterisapproximatelytwicethatofanopen-faceddesign.ExactdimensionsareavailablefromtheOpticsSalesDepartment.

Mounted-CoverdesigninmountingringsMounted-Open-facedorcoveredfilters(withoutedgesealant)canbesuppliedinmetalmountingrings,ifdesired.Theringsareconstructedfromaluminumandareblackanodized.Mountingafilterreducesclearapertureandincreasestheoutsidediameterasoutlinedbelow.

DiameterInformationfor-N,-B,-Wand-VBBFilters

NOTE:Filtersaresuppliedopen-facedunlessotherwisespecified

*2.0“ Diameter122-157nmfiltersare5mmthick

产品详情：http://www.chem17.com/st392572/product_30799097.html

http://www.chem17.com/st392572/erlist_1748836.html