

# 户外打猎相机

产品名称	户外打猎相机
公司名称	深圳市富扬物联科技有限公司
价格	.00/个
规格参数	Famica:1600万像素 FY-F01:1080P录像分辨率 深圳:500万像素传感器
公司地址	深圳市龙华新区大浪街道大浪白云山新村永宏丰 工业园A栋5楼
联系电话	18923478417

## 产品详情

Feature of Security Camera :

- 1.Capture 16 Mega Pixels images to SD card,installed with 2.4 inches color LCD screen
- 2.Shooting 1920\*1080P/1280\*720P Video with sound
- 3.IP65 Waterproof for outdoor use
- 4.With Timer ,this feature can work together with Time Lapse feature
- 5.The maximum capacity of its memory card is up to 32GB
- 6.Sharp and bright color pictures in daytime and clear,black/white pictures at night
- 7.Max standby operation 6 months using 8 good quality batteries
- 8.Languages:Swedish,English,Spanish,Norwegian,Russian,Deutsch,Portuguese,Japanese,French,Finnish,Romanian,Italian etc.
- 9.Motion activation with fast response time down to 0.6 seconds
- 10.Serial Number function enables you to code locations in the photos. This helps multi-cameras users identify the location when reviewing the photos

11.Date, time, temperature and moon phase will imprinted at the bottom of the iamges and videos

12.Password protection prevents others using the camera

#### Specifiction of Security Camera :

Name

M330 Trail Camera

Image Sensor

16 Mega Pixels Color CMOS

Max. Pixel Size

4000x3000

Lens

F=3.1; FOV=60 ° ; Auto IR-Cut

IR Flash

65 Feet/20 Meters

LCD Screen

48x35.69mm(2.36"); 480(RGB)\*234DOT; 16.7M Color

Operation Keypad

6 Keys

Picture Size

16MP=4608x3456;

12MP=4000x3000;

Video Size

1920\*1080P;

1280x720p; 720x480;

640x480; 320x240

PIR Sensitivity

High/Normal/Low

PIR Sensing Distance

65ft/20m(Below 77 ° F/25 ° C at the Normal Level)

Trigger Interval

0sec. - 60min; Programmable

Shooting Numbers

1~3

Video Length

3-30sec.; Programmable

Camera + Video

First take Picture then Video

Playback Zoom In

1~16 Times

Password

4-Digit Numbers

Device Serial No.

4 digits and 26alphabets set by yourself

Auto Power Off

Auto power off in 2 minutes while no keypad controlling

Interface

TV out (NTSC); USB; SD Card Slot; 6V DC External

Mounting

Strap; Tripod Nail

Waterproof

IP65

Operation Temperature

-22~+158 ° F/-30 ~+70 ° C

Operation Humidity

5% ~ 95%

Certificate

FCC & CE & RoHS