

布料油胶复合机

产品名称	布料油胶复合机
公司名称	江苏鑫利龙智能机械有限公司
价格	88800.00/台
规格参数	规格: 1500*2000mm 加热方式:电加热 总功率:65KW
公司地址	盐城市盐都区大冈镇双创产业园经天路西侧 (N)
联系电话	0515-88801588 13851340306

产品详情

江苏鑫利龙智能机械有限公司总有一款适合您的复合机械实体工厂，专业团队，可来图来样加工定制各式特殊机型 专业团队服务 三维绘图设计 手机视频对接 生产进度跟踪 上门安装调试 提供技术培训 我们每款机器出厂前必须要经过您的试样才能够出厂我们的售后承诺：一年保修，终身维护，定期提示保养现场视频对接手机（微信）13851340306让客户面对面观看我们工厂生产现场及您的机器组装过程中的各个细节部分并加以指导改良.....我厂由三十多年复合机制造行业经验的工程师领导下的设计团队，为每一位客户设计出适合您生产需要的复合机械，从而不让您多花一分冤枉钱！真诚期待与您的合作，也希望能把我们好的服务，好的产品传递给您！

Jiangsu Xin Li Long Intelligent Machinery Co., Ltd. always has a compound machine for you.Solid factory and professional team can customize all kinds of special models.Professional team service, 3D graphic design, mobile video docking.Production progress tracking, on-site installation and commissioning, technical training.Every machine must pass through your sample before going out.Our after-sale commitment: one year warranty, life-long maintenance, regular maintenance.Live video docking mobile (WeChat) 13851340306 let customers face to see our factory production site and your machine assembly process of the details of the process and to guide the improvement...The design team under the leadership of senior engineers of more than thirty years of complex machine manufacturing industry is designed for each customer to design the most suitable compound machinery for your production needs, so that you do not allow you to spend a minute more! Sincerely look forward to working with you, and also hope to deliver our good service and good products to you!

胶点转移复合机

用途：

主要用于服装面料、不倒绒、摇粒绒、长毛绒、无纺布、毛巾布、棉布、牛仔布、TC布、蕾丝布、皮革

、海绵、机织布、PU革、PVC革等材料之间的复合。广泛适用于服装冲锋衣、防寒服、保暖内衣、隔尿垫、汽车内饰、鞋帽、箱包、装饰、家纺等行业。

特点：

- 1、整机在常规的胶点复合机的基础上升级了自动纠偏、自动对中、自动开幅、自动吹废料边等功能。使复合的材料更具有涂胶均匀、复合平整、无拉伸变形、不起泡、不起皱、柔软、透气性好、收卷整齐等优点。
- 2、复合材料品种多，尤其适用于面料与面料、面料与双面或四面弹力型针织布、无纺布与皮革、海绵与绒布、海绵与皮革等材料的涂布复合；
- 3、收、放卷可根据不同的材料，来选择适合的配置；
- 4、根据不同材料的特性，可增减部分装置；
- 5、适用于水溶性和溶剂型胶涂布复合，实现一机多用的功能。
- 6、涂胶量与涂胶样式可根据材料及实际需要调整。
- 7、滚筒加热可采用电、蒸气或导热油的方式来进行加热。
- 8、机器辊面幅宽可根据实际材料的大幅宽来特定。
- 9、整机系统可采用智能PLC程序触摸屏或机械式来操作控制。

Use:It is mainly used for the combination of fabric, velvet, fleece, velvet, nonwoven fabric, towel cloth, cotton cloth, denim, TC cloth, lace, leather, sponge, machine cloth, PU leather, PVC leather and so on. It is widely used in clothing, clothing, cold clothing, thermal underwear, urine pad, car interior, shoes and hats, bags, decorations, home textiles and other industries.Characteristic : 1. On the basis of the conventional glue dispenser, the whole machine has upgraded the functions of automatic deviation correction, automatic alignment, automatic opening and automatic blowing of scrap edges. The composite material has the advantages of even glue, compound leveling, no deformation, no blister, no wrinkle, softness, excellent air permeability, and neat winding.2, there are many varieties of composite materials, especially for fabric and fabric, fabric and double or four sided elastic knitted fabric, non-woven fabric and leather, sponge and flannelette, sponge and leather and other materials.3, collection and release can be based on different materials to choose the appropriate configuration.4. According to the characteristics of different materials, some devices can be increased or reduced.5. It is suitable for water soluble and solvent based adhesive coating.6, the amount of glue and the type of coating can be adjusted according to the material and actual needs.7, drum heating can be heated by means of electricity, steam or heat conducting oil.8, the width of machine roll surface can be specified according to the width of actual material.9, the whole system can use intelligent PLC program touch screen or mechanical operation control.

操作要求：

操作者只有在完全熟悉，掌握机器的性能，工作原理后方可操作本设备。本设备必须有专人操作，非操作人员不能乱开，乱动。

生产前应检查电缆、断路器、接触器、电机等电器是否符合要求。

生产前须检查三相电源是否均衡，严禁缺相启动设备。

生产期应检查各旋转接头是否安全，管路是否畅通，有无破损，漏油，并及时排除。

生产前须将热油机打开，待温度升至工艺要求温度后，方可生产。生产前应检查各气压表压力是否正常，气路有无漏气，并及时修复。

设备大批量生产前，应先做小量试验，成功后方可大批生产。

生产前，应检查各液压站、减速机、轴承瓦盒、丝杠等润滑情况，应正确及时的加注液压油和润滑油。

停机后，必须及时清洗胶槽及刮胶附件，网纹辊，清除机器各部分残胶及污垢，以备下次使用。

江苏鑫利龙智能机械有限公司是复合机、裁断机等产品专业生产加工的公司，拥有完整、科学的质量管理体系；以诚信、实力和产品质量获得业界的认可；是复合机械、制鞋机械、橡塑机械箱包机械研制生产骨干企业。鑫利龙公司坚持走科技创新发展道路，先后与意大利、德国、日本、韩国、捷克、俄罗斯、越南等**和地区同行结成紧密技术和贸易合作关系，产品畅销20多个**和地区。企业座落在美丽富饶闻名遐尔的“中国鞋机城”江苏省盐城市大冈经济开发区南首。企业交通便捷，环境宜人。宁靖盐高速、盐淮高速、宁盐一级公路贯穿镇区毗邻宁靖盐高速大冈立交进出口1000米，东距盐海高速、盐城机场、港口、铁路、204国道仅20公里。企业一贯坚持科技创新发展理念，引进先进技术和先进管理经验，产品技术性能指标达同类产品先进水平。产品研发已建立健全研制开发、生产安装、检测销售、跟踪服务体系。“江苏鑫利龙”牌机械现已形成裁断、压合、烫印、复合、包装等多个品种，可广泛适用于制鞋、箱包、皮件、服装、帽业、木业、玩具、汽车内饰、包装、文具、吸塑、聚胺酯加工等行业，产品深受国内外客商的青睐。主导产品：复合机，急速冷冻定型机、急速湿热定型机、真空加*机等系列产品成为我国制鞋冷冻机械产品，被誉为鞋机复合机械专家。国内外办事处：本公司在柯桥、盛泽、海宁、常熟、江阴、上海、杭州、湖州、义乌、温州、宁波、温岭、晋江、莆田、福州、广州、湖北、河北、北京、青岛、东北、越南等**和省市建立办事处及营销机构，实行24小时跟踪服务。竭诚欢迎社会各界朋友和新老客商前来我厂考察、指导、洽谈，共商经济发展大业！