

# 全国直销 威尔曼双轴撕碎机

产品名称	全国直销 威尔曼双轴撕碎机
公司名称	张家港保税区威尔曼机械设备有限公司
价格	10000.00/台
规格参数	功率:45KW × 2 重量:7500kg 尺寸:3500L × 1250W ×
公司地址	张家港市乐余镇
联系电话	15366258293

## 产品详情

### 特点：

1. 独创平行双轴棍式撕碎系统，双轴同步向心转动，保障协调稳定撕碎。
2. 独特一面四角动刀结构，与锯齿状定刀完美衔接，保障撕碎产能、减小碎后物料尺寸。
3. 机器配备两套独立动力系统，维持低转速高扭矩生产，避免缠轴与卡轴现象。
4. 电控系统为PLC自主编程，配备启动、停止、正传、反转和过载自动保护等功能。整机自动化，保障工作环卫安，节省劳动成本，延长机器寿命。

### 用途：

1. PE,PP,BOPP, PU, PET薄膜、编织袋、吨包装袋
2. 渔网、布料
3. 城市固态废弃物
4. 农业废弃秸秆

Features :

1. Unique parallel double shaft shredding system, synchronous centripetal rotating, ensure shredding coordination and stability.
2. Moving knife adopts four angles structure, perfectly matched with serration fixed knife. Realize high capacity and small output size.
3. Equipped with two independent power system, low rotation rate and high torque, avoid winding and stuck.
4. Electrical system adopts PLC program , features start, stop, reverse functions along with automatic overload return mechanism to prevent damage to working parts. Lower labor intensity and longer machine service life.

Usage :

1. PE,PP ,BOPP film, woven bag, jumbo bag, ton bag.
2. Fishing nets, waste fabrics.
3. Municipal solid waste
4. Agricultural waste straw.

双轴撕碎机

技术参数 Technical parameter

撕碎机型号

Model

WM-D600

WM-D800

WM -D1000

WM -D1200

WM -D1600

WM -D2000

刀轴直径

Shaft diameter

350mm × 2

350mm × 2

400mm × 2

500mm × 2

动刀数量

Moving knife qty.

60pcs

78pcs

96pcs

114pcs

150pcs

200pcs

固定刀数

Fixed knife qty.

4pcs

4pcs

4pcs

8pcs

8 pcs

8 pcs

产量

Maximum capacity

750kg/h

950kg/h

1250kg/h

1500kg/h

2000kg/h

3000kg/h

主电机功率

Motor power

22KW × 2

30KW × 2

37KW × 2

45KW × 2

55KW × 2

75KW × 2

撕碎室口径

Chamber size

660L × 950W

860L × 950W

1060L × 1030W

1260L × 1030W

1660L × 1100W

2060L × 1400W

主机重量

Host weight

3600kg

4000kg

6500kg

7500kg

8500kg

10000kg

## 外形尺寸

### Dimensions

3000L × 1250W × 2300H

3200L × 1250W × 2350H

3500L × 1250W × 2400H

3750L × 1250W × 2450H

4200L × 1450W × 2500H

4650L × 1650W × 2800H