

全国直销 威尔曼四轴撕碎机

产品名称	全国直销 威尔曼四轴撕碎机
公司名称	张家港保税区威尔曼机械设备有限公司
价格	10000.00/台
规格参数	功率:22KW × 2 重量:6500kg 尺寸:3360L × 1170W ×
公司地址	张家港市乐余镇
联系电话	15366258293

产品详情

特点：

1. 主轴经加工中心整件加工，周身无焊点；剪切式动刀采用分体式紧固连接，通过螺丝锁定于刀轴。利于降低磨损成本和后期更换的操作时间。
2. 传动系统为电机、减速机、联轴器紧凑衔接，主动轴与从动轴通过齿轮无隙连接，保障高效率、低转速、高扭矩与低噪音。
3. 电控系统为PLC自主编程，配备启动、停止、正传、反转和过载自动保护等功能。整机自动化，保障工作环卫安，节省劳动成本，延长机器寿命

用途：

1. 塑料桶、塑料瓶
2. 金属罐、金属桶
3. 轮胎、汽车保险杠、路障、电路板
4. 洗衣机、冰箱等废旧家电
5. 生物肥料

Features:

1. Shaft is specially processed by machinery center, whole body without a welding spot. Shear type moving knife adopts separated connection method, bolted into shaft with screws. Reduce wearing cost and future maintenance time.
2. Transmission system is composed of motor, reducer and coupling, tightly connected. While driving and driven shaft is linked by gears. Ensure high efficiency, low rotating rate, high torque and low noise.
3. Electrical system adopts PLC program , features start, stop, reverse functions along with automatic overload return mechanism to prevent damage to working parts. Lower labor intensity and longer machine service life.

Usage:

1. Plastic barrel, plastic bottle
2. Metal drum , metal cans
3. Tire, bumper, roadblock, battery
4. Washer, fridge and other waste home appliances.
5. Carcass

四轴撕碎机

技术参数Technical parameter

撕碎机型号

Shredder model

WM-F600

WM-F800

WM-F1000

WM-F1200

WM-F1600

刀轴直径

Shaft diameter

320mm × 4

320mm × 4

360mm × 4

360mm × 4

430mm × 4

动刀数量

Moving knife qty.

24pcs

32 pcs

40 pcs

48 pcs

64 pcs

产量

Maximum capacity

500kg/h

800kg/h

1000kg/h

1300kg/h

1600kg/h

主电机功率

Motor power

15KW × 2

18.5KW × 2

22KW × 2

30KW × 2

45KW × 2

撕碎室尺寸

Chamber size

600Lx1030W

800Lx1030W

1000Lx1080W

1200Lx1080W

1600Lx1260W

主机重量

Host weight

3500kg

5000kg

6500kg

8000kg

9000kg

外形尺寸

Dimensions

2960L × 1110W × 2300H

3160L × 1130W × 2400H

3360L × 1170W × 2500H

3560L × 1200W × 2550H

3760L × 1360W × 2600H