德国NSF食品级高温白油，高温长周期顶针润滑剂TCE800

产品名称	德国NSF食品级高温白油，高温长周期顶针润滑剂TCE800
公司名称	广州百杰通贸易有限公司
价格	.00/个
规格参数	品牌:JOST 型号:TCE800 特点:不在制品表面留印
公司地址	广东省广州市番禺区大龙街东怡新区一街7号
联系电话	020-84649832 13342861850

产品详情

产品名称：Jost TCE-Grease 800

核心优势：

1.符合NSF食品规范

2.注塑制品表面不留黑印

3.模具3万模长周期润滑

附加优势：

1.耐温280 ° C

2.不留油迹在模具活动部位

3.可防止模具顶针出现磨损和卡住现象

4.德国进口，品制保证

产品说明：

成分：固态润滑脂。

功能：润滑模具活动部件，同时避免润滑油从模具顶针转移至成品表面。

主要应用：

1.注塑机模具的滑块和顶针润滑

2.280°C以内的高温润滑

3.普通零件的润滑以及热电偶/挤出模头的润滑等

典型性能：

颜色

白色

工作温度，°C

-30 – 280

VKA-Weld load:

>6000

NLGI， DIN 51818

2

密度，g/cm

1.91

闪点

不适用

包装：瓶装，200克每瓶，1公斤每罐

TCE – GREASE 800

Synthetic high-performance grease temperature stable up to 280 ° C

PRODUCT DESCRIPTION

Long term lubrication of ejectors, molding forms, slide gate valves, column-guidance, spindles, pressure plates, roller bearings, calanders, clamping frames….

- Highest number of shots without reapplication

- Thermally stable up to 280 ° C
- High pressure lasting
- Steady against aggressive media
- Neutral against plastics, elastomers – chemical inert
- High affinity to metal surface
- Minimum quantities required
- No transfer to moulded parts
- Silicone free

APPLICATION

First lubrication: Tool surface must be clean before the use of TCE-GREASE 800 or any other grease must be removed. Only in use of clean surfaces the product can bring the best results and a long-term lubrication is granted. For this procedure we recommend our cleaner TCE-FLUID 010.

Putting on the grease should be evenly and economically with brush, fingers or similarly.

TCE-GREASE 800 is mot miscible with greases of different basic oils !

DATA

Colour:

white

Temperature range:

-30 ° C - +280 ° C

Worked penetration:

265 – 295

NLGI-class:

2

VKA-Weld load:

>6000

Flashpoint:

none

Density (20 ° C):

app. 1,91 g/cm

Packaging:

200g dispenser, 250g can, 800g cartouche

我公司主要经营德国进口螺杆清洗剂，防锈剂，脱模剂，模具清洗剂，顶针油等差别化产品

我们的地址：广东省广州市番禺区大龙街东怡新区一街7号电话：020-84649832联系手机：13342861850
期待您的咨询