

华浔电气 不锈钢铠装隔爆型电缆防水接头 格兰头

产品名称	华浔电气 不锈钢铠装隔爆型电缆防水接头 格兰头
公司名称	嘉兴华浔电气有限公司
价格	13.50/套
规格参数	品牌:华浔电气/Washeen 型号:WAS-SSGL-RCK 产地:嘉兴
公司地址	浙江省嘉兴市秀洲区高照街道瑞丰街39号-602 (注册地址)
联系电话	15053171320

产品详情

铠装防爆电缆接头 不锈钢电缆接头 电缆防水连接 304不锈钢电缆接头 电缆防水连接器 塑料电缆防水连接器 不锈钢格兰头 金属电缆防水接头 电缆连接 不锈钢接头 接头

WAS-SSGL-RCK

不锈钢铠装隔爆型电缆防水接头

产品材质：采用优质304不锈钢制成，密封件采用硅橡胶、氯丁橡胶。

工作温度：-40 至+100

防护等级：IP68

螺纹规格：公制（M）、英制（G）

应用领域：适用于1区、2区危险气体区域和21区和22区粉尘易爆区域，室内室外均可使用。

规格选型：

订货号（公制）

公制螺纹A

电缆范围D

铠装层

电缆内经C

WAS-SSGL-RCK-M20-13

M20 × 1.5

6.0-13.4

0-0.9

3.1-8.6

WAS-SSGL-RCK-M20-15

9.5-15.9

0-1.25

6.1-11.6

WAS-SSGL-RCK-M20-20

12.5-20.9

6.5-13.9

WAS-SSGL-RCK-M25-26

M25 × 1.5

17.0-26.2

0-1.6

11.1-19.9

WAS-SSGL-RCK-M32-33

M32 × 1.5

22.9-33.9

0-2.0

WAS-SSGL-RCK-M40-40

M40 × 1.5

26.0-40.4

22.0-32.1

WAS-SSGL-RCK-M50-46

M50 × 1.5

35.0-46.7

0-2.5

29.5-38.1

WAS-SSGL-RCK-M50-53

38.0-53.1

35.6-44.0

WAS-SSGL-RCK-M63-59

M63 × 1.5

45.6-59.4

40.1-49.9

WAS-SSGL-RCK-M63-65

54.6-65.9

0.2.5

47.2-55.9

WAS-SSGL-RCK-M75-72

M75 × 1.5

57.0-72.1

52.8-61.9

WAS-SSGL-RCK-M75-78

60.4-78.5

0-3.15

59.1-67.9

WAS-SSGL-RCK-M90-90

M90 × 1.5

69.2-90.4

66.6-79.3

订货号 (美制)

美制螺纹A

WAS-SSGL-RCK-1/2NPT-13

1/2NPT

WAS-SSGL-RCK-1/2NPT-15

WAS-SSGL-RCK-1/2NPT-20

WAS-SSGL-RCK-3/4NPT-26

3/4NPT

WAS-SSGL-RCK-1NPT-33

1NPT

WAS-SSGL-RCK-1-1/4NPT-40

1-1/4NPT

WAS-SSGL-RCK-1-1/2NPT-46

1-1/2NPT

WAS-SSGL-RCK-2NPT-53

2NPT

WAS-SSGL-RCK-2NPT-59

WAS-SSGL-RCK-2-1/2NPT-65

2-1/2NPT

WAS-SSGL-RCK-2-1/2NPT-72

WAS-SSGL-RCK-3NPT-78

3NPT

WAS-SSGL-RCK-3NPT-90

订货号 (英制)

英制螺纹A

WAS-SSGL-RCK-G1/2-13

G1/2

WAS-SSGL-RCK-G1/2-15

WAS-SSGL-RCK-G1/2-20

WAS-SSGL-RCK-G3/4-26

G3/4

WAS-SSGL-RCK-G1-33

G1

WAS-SSGL-RCK-G1-1/4-40

G1-1/4

WAS-SSGL-RCK-G1-1/2-46

G1-1/2

WAS-SSGL-RCK-G2-53

G2

WAS-SSGL-RCK-G2-59

WAS-SSGL-RCK-G2-1/2-65

G2-1/2

WAS-SSGL-RCK-G2-1/2-72

WAS-SSGL-RCK-G3-78

G3

WAS-SSGL-RCK-G3-90