

研华ADAM-4018+ 8路热电偶输入模块

产品名称	研华ADAM-4018+ 8路热电偶输入模块
公司名称	深圳市元兴丰电子科技有限公司
价格	100.00/个
规格参数	品牌:研华 型号:ADAM-4018+ 产地:台湾
公司地址	深圳市罗湖区
联系电话	18476322303

产品详情

ADAM-4018+ 8路热电偶输入模块

16位分辨率

8路差分输入

T/C软件组态，低电压电流输入

隔离电压：3000 Vdc

支持Modbus/RTU控制

支持4~20mA

线路烧坏检测功能

Display

Power Supply

Analog Input

General

Yes

RESISTOR-0125-AADAM-4914V-AEADAM-4011-D2ADAM-4012-DEADAM-4013-DEADAM-4015-BEADAM-4015T-AEADAM-4016-A2EADAM-4117-AEADAM-4017+-CEADAM-4017-D2EADAM-4118-AEADAM-4018+-BEADAM-4018-D2EADAM-4019+-AEADAM-4021-DEADAM-4022T-AEADAM4022TA8001E-TADAM-4024-B1EADAM-4150-AEADAM-4050-DEADAM-4051-BEADAM-4052-BEADAM-4053-AEADAM-4055-BEADAM-4056S-AEADAM-4056SO-AEADAM-4060-DEADAM-4168-AEADAM-4068-BEADAM-4069-AEADAM-4080-DEADAM-4510-DEADAM-4510I-AEADAM-4510S-DEADAM-4520-D2EADAM-4520I-AEADAM-4521-AEADAM-4522-AEADAM-4541-AEADAM-4542+-AEADAM-4561-AEADAM-4562-AEADAM-4500-AEADAM-4501-AEADAM-4502-AEADAM-6015-BEADAM-6017-BEADAM-6018-BEADAM-6022-AEADAM-6024-AEADAM-6024-A1EADAM-6050-BEADAM-6051-BEADAM-6052-BEADAM-6060-BEADAM-6066-BE

Serial: 1.2 km

Serial: From 1,200 to 115.2 k

ASCII command & Modbus/RTU

3000 VDC

RS-485

-25~85 ° C (-13~185 ° F)

5~95 %RH

-10~70 ° C (14~158 ° F)

2 x plug-in terminal block (#14~22 AWG)

System (1.6 second) & Communication

Watchdog Timer

Connector

Temperature (Operating)

Humidity

Temperature (Storage)

Interface

Isolation Protection

Communication Protocol

Communication Speed

Comm. Distance

Data Flow Control

$\pm 6 \text{ V/ } ^\circ \text{C}$

$\pm 25 \text{ ppm/ } ^\circ \text{C}$

Thermocouple: 20 MOhm Current: 120 Ohm

16-bit

10 samples/second

Yes

Yes (All T/C)

J, K, T, E, R, S, B Thermocouple

$\pm 20 \text{ mA}$, 4~20mA

8 differential

Channels

Current Input

Direct Sensor Input

Burn-out Detection

Channel Independent Configuration

Sampling Rates

Resolution

Input Impedance

Span Drift

Zero Drift

10~30 VDC

Power Requirement

Power

LED Indicators