

UL认证电缆，UL电缆厂家

产品名称	UL认证电缆，UL电缆厂家
公司名称	上海埃因电线电缆有限公司
价格	8.23/米
规格参数	品牌:埃因 认证:美标 认证:300/600V
公司地址	上海市奉贤区青村镇奉村路333号
联系电话	18930108807 18930108807

产品详情

UL认证电缆，UL电缆厂家

Description:

Related temperature: 105 。

Rated voltage: 600V.

Reference standard: UL Subject 758 & UL1581/ CSA C22.2 No.210.05

Tinned or bare, stranded or solid copper conductor 30-3/0AWG

Color-coded PVC insulation

Uniform insulation thickness to ensure easy stripping and cutting

Passed UL VW-1 and CSA FT1flame test

说明:

额定温度：105 。

- 额定电压：600V
- 标准：UL758 & UL1581及CSA C22.2 No.210.05
- 导体使用30-3/0AWG

- 单根或绞合裸铜或镀锡软铜线

无铅聚氯乙烯绝缘

- 绝缘厚度均匀,方便剥皮及剪裁

- 通过UL VW-1及CSA FT1垂直耐燃测试

Application :

For internal wiring of electronic and electrical equipment

Can be substituted by UL3386

产品应用 :

用于电子,电器设备内部连线

可被UL3386代用

Part No产品编号 Conductor导体 Insulation Thickness

绝缘厚度 Insulation Diameter

绝缘直径 Standard Put-up标准长度 Conductor

Resistance at

20 Max

线号线数/线径英制公制大导体直流电阻

AWG No./mmmmmm Pt/coil M/coil /km

ANT50202267/0.1600.79 2.052000610150

ANT502022411/0.1602.20200061094.2

ANT502022217/0.1602.35200061059.4

ANT502022026/0.1602.55200061036.7

ANT502021816/0.2542.80200061023.2

ANT502021626/0.2543.05100030514.6

ANT502021441/0.2543.4510003058.96

ANT502021265/0.2543.9510003055.64

ANT502021065/0.3200.794.6020006103.54

ANT50202227/0.2542.35200061055.27

ANT50202207/0.3202.55200061034.5

ANT50202187/0.3910.792.80200061021.76

ANT50202261/0.4042.002000610143

ANT50202241/0.5112.10200061089.3

ANT50202221/0.6432.20200061056.4

ANT50202201/0.8132.40200061035.2

ANT50202181/1.0202.60200061022.2

ANT50202161/1.2902.90200061014.0

ANT50202141/1.6303.2010003058.78

ANT50202121/2.0503.6010003055.53

ANT50202101/2.5884.2010003053.47

UL认证电缆，UL电缆厂家