

# 1671003-001/003/006/008西门子VALCO阀

产品名称	1671003-001/003/006/008西门子VALCO阀
公司名称	北京域能汇通科技有限公司
价格	.00/个
规格参数	品牌:西门子 型号:1671003-003 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

## 产品详情

北京域能汇通科技有限公司主营西门子7ME/7MB/7MH/7ML/7MF/7NG/6DR/7KG/C79451/A5E等系列产品，常规货号备有库存，大部分备品备件货期4-6周，欢迎新老客户来电垂询！

北京域能汇通科技有限公司

联系人：王经理 QQ 47370-1981

电话：010-6591-1327

手机：186-1408-8757

地址：北京市朝阳区立清路8号院

Email:sales@uniecho.com

Valco Valves Valco 阀1671003-001 Valco Valve, 6 Port, 1/16" Fitting, Nitronic, 400 PSI, HighTemp., (ATC6WE)Valco6 端口阀, 1/16 " 组件, Nitronic, 400PSI, 高温, ( ATC6WE ) 1671003-002 Valco Valve, Dual 3-Way Air Operated, SST, (ATL6UW EAA)1/8" Fitting, 400 PSI, High TemperatureValco 阀, 双3 通道气动, SST, ( ATL6UW EAA ) 1/8 " 组件, 400PSI, 高温5-52 第5章 备件目录1671003-004 Valco Valve, Dual 3-Way, .067 Port, Hastelloy C,(ATL6UWEHCAA)1/8" Fitting, 400 PSI High TemperatureValco 阀, 双3 通道, .067 端口, 哈氏合金 C ( ATL6UWEHCAA ) 1/8 " 组件, 400 PSI, 高温1671003-005 Valco Valve, 6 Port, 1/16" Fittings 400 PSI, Hastelloy C,(ATC6WEHC)Valco 阀, 6 端口, 1/16 " 组件 400PSI, 哈氏合金 C, (ATC6WEHC)1671003-006 Valco Valve, Air Operated 4 Port, Int. Loop, Hastelloy C,(ATC14WEHCAA.06/1) 0.06/1.0 ul High Temp., 400 PSI LiquidInject, .06 Groove in use PositionValco 阀, 4 端口气动, 内部定量管, 哈氏合金 C, ( ATC14WEHC AA.06/1 ) 0.06/1.0 ul 高温, 400PSI

液体注射，在使用位置有 .06 凹槽1671003-060 Valco Valve, Air Operated 10 Port, Hastelloy C, (Valco p/nATC10UWEHC)Valco 阀，10 端口气动，哈氏合金 C，(Valco p/nATC10UWEHC) 1671003-008 Valco Valve, Air Operated 4 Port, Internal Loop, SST, (ATC14WE-.06/0.1-AA)0.06/0.1 ul High Temp., 400 PSI Liquid Inject, .06 Groove in use PositionValco 阀，4 端口气动，内部定量管，SST (ATC14WE-.06/0.1-AA) 0.06/0.1 ul 高温，400 PSI 液体注射，在使用位置有 .06 凹槽1671003-009 Valco Valve, Air Operated 4 Port, Int. Lp, HastelloyC, (ATC14WEHC-.06/0.1-AA) 0.06/0.1 ul High Temp., 400 PSILiquid Inject, .06 Groove in use PositionValco 阀，4 端口气动，内部定量管，哈氏合金 C (ATC14WEHC-.06/0.1-AA) 0.06/0.1 ul 高温，400PSI 液体注射，在使用位置有 .06 凹槽1672003-001 Valco Valve, 2ul, 1000 PSI, Hastelloy C, 75 ° C, (AC14UWPHC2) Rating for HF ApplicationsValco 阀，2ul，1000PSI，哈氏合金 C，75 ° C，(AC14UWPHC2) 用于 HT 应用的测量1672003-003 Valco Valve, with 6 Port Fused Silica Adapters and Actuator, (A4N6WT-ABB)Valco 阀，6 通道熔融石英适配器和气动部件 (A4N6WT-ABB) Valco PartsValco 部件1671003-011 Valco Valve, "Body" 4 Port, with .06/0.1 ul Rotor, (DC14WE.06/.1)Valco 阀 “阀体” 4 通道，有 .06/0.1 ul 转子，(DC14WE.06/.1) 1671003-010 Valco Valve, "Body" 6 Port, (DC6WE)Valco 阀 “阀体” 6 通道，(DC6WE) 1291500-018 Valco Valve, 4" Stand-Off, (4SOA)Valco 阀 4" 支架 (4SOA) 1291500-017 Valco Stand-Off Fitting, 1.35 OD x .625 ID X .310 TK, Clamp Ring, (CR3)Valco 支架组件，1.35 OD x .625 ID X .310 TK，夹紧环，(CR3) 1675000-001 Valco Valve Repair Kit for #6 Capillary 6 Port valveValco 阀维修工具套件，用于#6 毛细管 6 通道阀1675001-006 Valco Valve Pre-load Assembly for .06/.1 ul, (T5C10D)converts Valco "W" series to high pressure, (3000 PSI)Valco 阀预安装组件，用于 .06/.1 ul，(T5C10D) 将 Valco “W” 系列转换为高压，(3000PSI) 第 5 章 备件目录 5-531675001-002 Valco Valve "Rotor", 0.2/0.5 ul, Internal Loop, Valcon-E, (SSAC14WE.2/.5AA) for use in 1671003-003 & 006Valco 阀 “转子” 0.2/0.5 ul，内部定量管，Valcon-E，(SSAC14WE.2/.5AA) 用于 1671003-003 和 0061675001-004 Valco Valve "Rotor", Valcon-E, (SSAC6WE) for use in 1671003-001 & 005Valco 阀 “转子”，Valcon-E，(SSAC6WE) 用于 1671003-001 和 0051675001-005 Valco Valve "Rotor", Dual 3-Way, Valcon-E, (SSAL6UW EAA)for use in 1671003-002 & 004Valco 阀 “转子”，双 3 通道，Valcon-E，(SSAL6UWEAA) 用于 1671003-002 和 0041675001-015 Valco Valve "Rotor", 0.06/0.1ul, Valcon-E, (SSAC14WE.06/0.1AA)for use in 1671003-008 & 009Valco 阀 “转子”，0.06/0.1ul, Valcon-E，(SSAC14WE.06/0.1AA) 用于 1671003-008 和 009MAT Liquid Injection ValvesMAT 液态进样阀 (LIV) V19680 MAT Valve Seals, Heater & Probe, (101 205)MAT 阀密封件，加热器和探头，(101 205) 1672001-002 MAT Valve, Glass Lined 0.25 ul, Hastelloy C-4 (101-650)MAT 阀门，线纹玻璃 0.25ul，哈氏合金 C-4 (101-650) MATMAT Valve PartsMAT 阀部件1530000-001 MAT Valve Seal Set, Ceramic Teflon PTFE (101 002-3)MAT 阀门密封件，陶瓷特富龙 PTFE (101 002-3) 1530000-002 MAT Valve Seal Set, Teflon PTFE, Unfilled (101 002-04)MAT 阀门密封件，特富龙 PTFE，无填充物 (101 002-04) MAT1675001-010 MAT Valve Seal Set, 15% PTFE, Glass Filled, (101 002-06)MAT 阀门密封件，15% PTFE，玻璃填充，(101 002-06) V19687 MAT Valve Seal Set, Rulon-J (3 Piece Set), (101 002-1) MAT 阀门密封件，Rulon-J (每组 3 片)，(101 002-1) MAT1621002-001 MAT Valve Heater, 200 Watt, 200VAC, (010 032)MAT 阀加热器，200W，200VAC，(010 032) 1621002-002 MAT Valve Heater, 200 Watt, 120VAC, (010 030)MAT 阀加热器，200W，120VAC，(010 030) P85125 MAT Valve, 3 Meg, Dual Temp. Control Probe, (Older Models)SF6A/T-63A17/5MAT 阀，3Meg，双温控探头，(旧模块) SF6A/T-63A17/51622004-002 MAT Valve, RTD Probe, Length: 2.0" TOL. +/- .080"Dia. .118", Tolerance +.00\*1.052"/-.00\*1.056", (010 037)MAT 阀，RTD 探头，长度：2.0" TOL. +/- .080" Dia. .118"，公差 +.00\*1.052"/-.00\*1.056"，(010 037) 1675001-012 MAT Valve Gasket, (Pkg. = 10), (101 009)MAT 阀垫片，(1 包 10 个)，(101 009) 1675001-013 MAT Valve Spring Set (4 Pieces per pkg.), (101 013)MAT 阀门弹簧组 (每组 4 个)，(101 013) V19692 MAT Valve O-Ring Set, (001 043)MAT 阀 O 型密封圈组，(001 043) 1675001-014 MAT Valve Pressure Plate, (101 003)MAT 阀压力盘，(101 003) 1675001-016 MAT Valve Sample Connector, 1/8", (101 215)MAT 阀样品连接器，1/8"，(101 215) 5-54 第 5 章 备件目录1675001-017 MAT Valve Piston, (101 209)MAT 阀门活塞，(101 209) V19685 MAT Valve Stem, 0.25ul, Hastelloy "C-4", (101 202-025)MAT 阀门杆，0.25ul，哈氏合金 “C-4”，(101 202-025) V19686 MAT Valve Stem, 2ul, Hastelloy "C4", (101 202-2)MAT 阀门杆，0.25ul，哈氏合金 “C-4”，(101 202-2) V19688 MAT Valve Stem, 5ul, Hastelloy "C-4", (101 202-5) )MAT 阀门杆，5ul，哈氏合金 “C-4”，(101 202-5) V19689 MAT Valve Stem, 10ul, Hastelloy "C-4", (101 202-10) )MAT 阀门杆，10ul，哈氏合金 “C-4”，(101 202-10) V19690 MAT Valve Stem, 1.0 ul, Hastelloy "C-4", (101 202-1)MAT 阀门杆，1.0ul，哈氏合金 “C-4”，(101 202-1) V19691 MAT Valve Stem, 0.5ul, Hastelloy "C-4",

(101 202-05), Standard MAT 阀门杆, 0.5ul, 哈氏合金 “ C-4 ”, ( 101 202-05 ) 1000108-001 MAT Valve 1/8" Sample Chamber, (101 001) MAT 阀门 1/8 " 样品室, ( 101 001 ) 1000041-001 MAT Valve Conduit, (101 238) MAT 阀门管道, ( 101 238 ) 1000182-001 MAT Valve Vaporizer Assembly, (101 207) MAT 阀门汽化器组件, ( 101 207 ) 1000040-001 MAT Valve Control Cylinder Assembly, (101 241) MAT 阀门控制气缸组件, ( 101 241 ) 1000187-001 MAT Valve Adjusting Nut, (101 248) MAT 阀门调节螺母, ( 101 248 ) 1000177-001 MAT Valve Mounting Kit, (101 087) MAT 阀门安装工具套件, ( 101 087 ) 1000178-001 MAT Valve Hook Spanner, (101 088) MAT 阀门钩形扳手, ( 101 088 ) 1000179-001 MAT Valve Wrench, (101 058) MAT 阀门扳手, ( 101 058 ) Siemens Diaphragm Injection and Backflush Valves 西门子膜片进样阀和反吹阀 1900261-001 Diaphragm 6 way injection valve 膜片 6 通道进样阀 C79450-A3014-A11900239-001 Set: 20 Diaphragms and 8 plate springs for 6-way injection valve 一组: 20 个膜片、8 个板簧, 用于 6 通道进样阀 C79304-A3000-D71900125-001 Diaphragm 2-way backflush valve 膜片 2 通道反吹阀 C74402-A2244-A31900223-001 Set: 10 Diaphragms and 4 cup springs for 2-way backflush valve 一组: 10 个膜片和 4 个杯状弹簧, 用于 2 通道反吹阀 C79304-A3000-D11 Slide vane rotary valve, up to 220 ° C 滑片转阀, 最高 220 ° C C79211-A3022-B10 Slide vane (Valco) rotary valve, up to 220 ° C, complete oven mounted valve 滑片 ( Valco ) 转阀, 最高 220 ° C, 完全安装于柱箱的阀门 C79211A3022B10 C79211-A3022-A4 Slide vane (Valco) rotary valve, complete with external housing 滑片 ( Valco ) 转阀, 最高 220 ° C, 完全安装于外部机架 C79211A3022A4 C79304-A3000-D8 Set: 6 fittings for slide vane (Valco) rotary valve 一组: 6 个零件用于滑片 ( Valco ) 转阀 C7304A3000D8 C79211-A3022-B12 Slide vane (Valco) rotary valve 220 ° C without pneumatic drive C79211A3022B12 第 5 章 备件目录 5-55 滑片 ( Valco ) 转阀, 最高 220 ° C, 无气动 C79211-A3022-B13 Pneumatic drive for slide vane (Valco) rotary valve 气动, 用于滑片 ( Valco ) 转阀 C79211A3022B13 Sample Injector Modules 进样模块 C79211-A3002-A3 Liquid Injector Module, complete in external housing 液态进样模块, 完全在外壳内 C79211A3002A3 C79451-A3127-A1 Gas injection module, diaphragm, complete in external housing 气体进样模块, 膜片, 完全在外壳内 C79451A3127A1 C79304-A3000-C1 High temperature septum 高温屏蔽隔板 C79304A3000C11900156-001 Gasket for septum head (used on gas module) 屏蔽隔板头垫片 (用于气体模块) C79211-A3002-C241900157-001 Vaporizer tube, 1,5 mm 汽化器导管, 1.5mm C79211-A3002-C481900159-001 Vaporizer tube, 1,9 mm 汽化器导管, 1.9mm C79211-A3002-C581900158-001 Vaporizer tube, 1,9 mm, w/o constriction 汽化器导管, 1.9mm, 无收缩 C79211-A3002-C49 C79304-A3000-D40 Gaskets for vaporizer, set: 10 graphite gaskets and 10 aluminium gaskets 一组汽化器垫片: 10 个石墨垫片和 10 个铝垫片 C79304A3000D40 C79304-A3000-C48 Gasket for vaporizer, vespel 垫片, 用于汽化器, Vespel C79304A3000C481900268-001 Absorber 吸收器 C79451-A3040-B160 Live-T and Back-T Pneumatic Switch Components Live-T 和 Back-T 无阀切换部件 1900256-001 Capillary; Live-T-piece for columns I.D.= 0,2mm 毛细管; Live-T-piece 用于色谱柱内径=0.2mm C79450-A3012-B11900257-001 Capillary; Live-T-piece for columns I.D.= 0,25mm 毛细管; Live-T-piece 用于色谱柱内径=0,25mm C79450-A3012-B21900258-001 Capillary; Live-T-piece for columns I.D.= 0,32mm 毛细管; Live-T-piece 用于色谱柱内径=0,32mm C79450-A3012-B41900259-001 Capillary; Live-T-piece for columns I.D.= 0,53mm 毛细管; Live-T-piece 用于色谱柱内径=0,53mm C79450-A3012-B51900115-001 Gasket, LIVE-T-Piece, Polyamide 垫片, LIVE-T-Piece, 聚酰胺 C79450-A3012-C161901937-002 Capillary; Back-T-piece 毛细管; Back-T-piece C79304-A3000-B10 C74304-A16-B321 Packed, 2mm; Live-T-piece for columns I.D.= 2mm 填充柱, 2mm, Live-T-piece 用于色谱柱内径 2mm C74304A16B321 C74304-A16-B323 Packed, 2mm; Coupling capillary for Live-T-piece (Columns I.D. = 2mm) 填充柱, 2mm, Live-T-piece 用于色谱柱内径 2mm C74304A16B323 C74304-A16-B293 Packed, 3mm; Live-T-piece for columns I.D.= 3mm 填充柱, 3mm, Live-T-piece 用于色谱柱内径 3mm C74304A16B293 C74304-A16-B318 Packed, 3mm; Coupling capillary for Live-T-piece (Columns I.D. = 3mm) 填充柱, 3mm, Live-T-piece 用于色谱柱内径 3mm C74304A16B318 1900211-001 Packed; Back-T-piece for columns I.D.= 1/8" 填充柱, Back-T-piece 用于色谱柱内径 1/8 " C79304-A3000-B7