

DUSTHUNTER SB30西克粉尘仪DHSB-T30

产品名称	DUSTHUNTER SB30西克粉尘仪DHSB-T30
公司名称	北京域能汇通科技有限公司
价格	9999.00/个
规格参数	品牌:西克麦哈克 型号:DHSB-T30 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

产地	FWE200DH	是否进口	否
加工定制	否	货号	DUSTHUNTER SB30
型号	DUSTHUNTER SB50	类型	防爆粉尘采样仪
连续工作时间	DUSTHUNTER C200 (min)	测量范围	DUSTHUNTER SB100
尺寸	DUSTHUNTER SP100 (mm)	重量	DUSTHUNTER T50 (kg)
是否跨境货源	否	typ3	FWE200
typ1	FW101 Ex		

基于光散射原理的粉尘测量装置DUST HUNTER SB30

低、中浓度的粉尘连续测量

北京域能汇通科技有限公司

联系人：王经理 QQ 47370-1981

电话：010-6591-1327

手机：186-1408-8757

地址：北京市朝阳区立清路8号院

Email:sales@uniecho.com

您的受益

易于安装，调试和操作

成熟的测量手段，不受气体速度，湿度和粒子电荷的影响

单侧安装简单，性价比高；无需对准

具有自检测功能，降低了维护成本

按需维护

概览

低、中浓度的粉尘连续测量

DUSTHUNTER SB30 测量设备可例如在热的或腐蚀性气体中测量少量和中量的粉尘浓度。此测量基于成熟的光的背散射测量原理。安装非常简便，仅通过一侧通道便可完成。该设备具有两种不同的通道直径，能够适应各种不同的通道直径。

概览

适用于低、中浓度的粉尘含量

单侧安装，简便

自动检查零点和参考点

适合于在中等及大尺寸烟道上安装

推荐配件

其他配件

反射器及光学元件

安装支架/安装板

插头和电缆

应用适用领域

工业设施如电厂，供热厂，垃圾焚烧厂，钢铁和水泥生产中的排放监测

经过过滤设备后的粉尘浓度监测

经过粉尘过滤器之前或之后的粉尘浓度测量

Designation Part No. Sender/receiver unit DHSB-T30 400 mm ET 1054351 Sender/receiver unit DHSB-T30 800 mm ET 1077661

Designation Part No. Flange with tube, DN195, length 350 mm, St37 2046526 Flange with tube, DN195, length 700 mm, St37 2046492 Flange with tube, DN195, length 350 mm, 1.4571 2047288 Flange with tube, DN195, length 700 mm, 1.4571 2047287

Designation Part No. MCU-N control unit Control unit MCU-NWONN00000NNNE in wall-mounted enclosure (orange), Supply voltage 90 ... 250 V AC, without purge air unit, without display 1040667 Control unit MCU-N2ONN00000NNNE in wall-mounted enclosure (orange), Supply voltage 24 V DC, without purge air unit, without display 1040669 MCU-P control unit Control unit MCU-PWONN00000NNNE in wall-mounted enclosure (orange), Supply voltage 90 ... 250 V AC, with purge air unit, without display 1040668

Control unit MCU-P2ONN00000NNNE in wall-mounted enclosure (orange), Supply voltage 24 V DC, with purge air unit, with display 1040670 MCU remote control unit without power supply unit 2075567 MCU remote control unit with power supply unit 2075568

Designation Part No. Purge air unit with blower 2BH13 and purge air hose, length 5 m 1012424 Purge air unit with blower 2BH13 and purge air hose, length 10 m 1012409

Designation Part No. 7-pole socket for connection of power supply (plug connector 1) 6049886 7-pole plug for connection of AO and status signals (plug connector 2) 6049036 5-pole socket for connection of DI and Service (plug connector 3) 6009719

Designation Part No. Connection line, length 5 m 7042017 Connection line, length 10 m 7042018 Connection line, length 5 m for CAN bus connection 2043678 Connection line, length 10 m for CAN bus connection 2043679

Designation Part No. Non-return valve DN40 2035098 Purge air hose DN 40, sold by the meter 5304683 Hose clamp D32-52 5300809 Purge air heater with enclosure for fitting outdoors 230 V AC, 50/60 Hz, 3000 W, 1 ph 2021514 Purge air heater with enclosure for fitting outdoors 120 V AC, 50/60 Hz, 2200 W, 1 ph 2021513

Designation Part No. Assembly kit 2048677

Designation Part No. USB-RS485 adapter 2040718 Check filter set 2042339 Optic carrier for linearity test DUSTHUNTER SB50 2048281 Adjusting stand 20429077-pole connection line for CAN bus, length 5 m 2043678

Designation Number Part No. Filter element Micro-Top element C11 100 4 5306091 Optics cloth (for optional external
purge air unit) 4 4003353