

# 一级代理分销经销通路供应NCEPOWER新洁能NCE原厂授权一级代理分销经销通路供应商

产品名称	一级代理分销经销通路供应NCEPOWER新洁能NCE原厂授权一级代理分销经销通路供应商
公司名称	深圳市光与电子有限公司
价格	.00/件
规格参数	NCE20T:NCE20TS120T
公司地址	深圳龙华大为商务时空E101
联系电话	0755-82574660 13510763621

## 产品详情

一级代理分销经销通路供应NCEPOWER新洁能NCE原厂授权一级代理分销经销通路供应商

N NCE80H16WD TO-263T 80 160 310 ± 20 3 3.4 4.5

N NCE8290 TO-220 82 90 170 ± 20 2.85 7.5 8.5

N NCE8290B TO-220 82 90 160 ± 20 2.85 7.8 8.5

N NCE8290C TO-220 82 90 130 ± 20 3 10 12

N NCE8295A TO-220 82 95 170 ± 20 2.85 7.2 8.5

N NCE8295AWD TO-263T 82 95 180 ± 20 2.85 6.9 8.2

N NCE82H110 TO-220 82 110 200 ± 20 2.9 5.9 7

N NCE82H110D TO-263 82 110 200 ± 20 2.9 5.9 7

N NCE82H110WD TO-263T 82 110 210 ± 20 2.9 5.7 7

N NCE82H140 TO-220 82 140 250 ± 20 3 4.3 6

N NCE82H140D TO-263 82 140 250 ± 20 3 4.3 6

N NCE82H140WD TO-263T 82 140 260 ± 20 3 4.2 5.8

N NCE8580D TO-263 85 80 170 ± 20 2.85 7.4 8.5

N NCE8580 TO-220 85 80 170 ± 20 2.85 7.4 8.5

N NCE85H21T TO-247 85 210 330 ± 20 3 2.9 3.5

N NCE85H21 TO-220 85 210 310 ± 20 3 3.2 3.8

N NCE85H21C TO-220 85 210 300 ± 20 3.2 4.2 4.95

N NCE85H21TC TO-247 85 210 300 ± 20 3.2 4.2 4.95

N NCEP8588 TO-220 85 88 125 20 3.3 6.4 7.5

N NCEP85T11 TO-220 85 110 145 20 3.3 5.3 5.8

N NCEP85T10G DFN5\*6 85 100 88 20 3.3 5 5.5

N NCEP85T12 TO-220 85 120 160 20 3.3 5 5.5

N NCEP85T12D TO-263 85 120 160 20 3.3 5 5.5

N NCEP85T12WD TO-263T 85 130 160 20 3.3 4.7 5.2

N NCEP85T14 TO-220 85 140 200 20 3.1 3.6 4.1

N NCEP85T14WD TO-263T 85 145 200 20 3.1 3.4 3.9

N NCEP85T15 TO-220 85 150 210 20 3.2 3.3 3.8

N NCEP85T16 TO-220 85 160 220 20 3.3 3.1 3.6

N NCEP85T16D TO-263 85 160 220 20 3.3 3.1 3.6

N NCEP85T25 TO-220 85 250 300 20 3.5 2.2 2.6

N NCEP85T25D TO-263 85 250 300 20 3.5 2.2 2.6

N NCEP85T25T TO-247 85 250 360 20 3.5 2.1 2.6

N NCEP85T30T TO-247 85 300 400 20 3.5 1.75 2.2

N NCEP85T35T TO-247 85 350 520 20 3.8 1.4 1.85

N NCEP8814AS SOP-8 88 14 3.5 20 1.7 8.8 10.2

N NCEP8816AS SOP-8 88 16 3.5 20 1.7 6.8 8.2

N NCEP8818AS SOP-8 88 18 3.5 20 1.7 6.1 7.5

N BSS123 SOT-23 100 0.1 0.35 ± 20 1.5 3 7

N NCE0101 SOT-23 100 1 1 ± 20 1.5 530 680 560 700

N NCE0102Z TO-92 100 2 1.25 ± 20 1.8 210 240 215 260

N NCE0102 SOT-23 100 2 1.25 ± 20 1.8 195 240 204 260

N NCE0102M SOT-89 100 2 1.25 ± 20 1.8 210 240 200 230

N NCE0103 SOT-23 100 1.5 1.5 ± 20 1.5 138 170 142 175

N NCE0103M SOT-89 100 3 1.5 ± 12 1.1 137 170 140 175

N NCE01ND03S SOP-8 100 3 2 ± 20 1.5 85 100 90 120

N NCE0106Z TO-92 100 6 3 ± 20 1.5 108 130 115 150

N NCE0106R SOT-223 100 6 3 ± 20 1.5 108 130 115 150

N NCE0107AK TO-252 100 7 30 ± 12 1.1 138 170 144 180

N NCE0108AS SOP-8 100 8 2.6 ± 20 1.8 28 32 33 40

N NCE0110K TO-252 100 9.6 30 ± 20 1.8 105 140 114 150

N NCE0110AK TO-252 100 10 45 ± 20 1.5 95 130 100 140

N NCE0110AS SOP-8 100 10 3.1 ± 20 1.1 14 17 18 26

N NCE0115K TO-252 100 15 42 ± 20 1.5 80 100 82 120

N NCE0115AK TO-252 100 15 45 ± 20 1.2 75 90 80 110

N NCE0117 TO-220 100 17 55 ± 20 1.5 44 65 46 70

N NCE0117K TO-252 100 17 55 ± 20 1.5 46 65 48 70

N NCE0125AK TO-252 100 25 73 ± 20 1.2 31 40 32 45

N NCE0130KA TO-252 100 30 85 ± 20 1.8 25 32 28 35

N NCE0130A TO-220 100 30 85 ± 20 1.8 24 28 27 34

N NCE0140K TO-252 100 40 140 ± 20 3 14 17

N NCE0140KA TO-252 100 40 140 ± 20 1.1 12 17 13 18

N NCE0140IA TO-251 100 40 140 ± 20 1.1 12 17 13 18

N NCE0140K2 TO-220 100 57 160 ± 20 3 14 17

N NCE0157A TO-220 100 57 160 ± 20 3 14 17

N NCE0157A2 TO-220 100 57 160 ± 20 3 14 17

N NCE0157 TO-220 100 57 160 ± 20 3 12 16

N NCE0157T TO-247 100 57 180 ± 20 3 11.7 16

N NCE70N100I TO-251 100 57 160 ± 20 1.1 12 16 16 22

N NCE0157AK TO-252 100 57 160 ± 20 1.5 12 16 16 22

N NCE0159 TO-220 100 57 160 ± 20 3 12 16

N NCE0160AG DFN5X6-8L 100 60 65 ± 20 3 13.5 17

N NCE0160G DFN5X6-8L 100 60 105 ± 20 3 11.7 16

N NCE01H10 TO-220 100 100 200 ± 20 3 9.9 13

N NCE01H10D TO-263 100 100 200 ± 20 3 9.9 13

N NCE01H11 TO-220 100 110 220 ± 20 3 6.8 8

N NCE01H13 TO-220 100 130 285 ± 20 3 5.5 6.8

N NCE01H13D TO-263 100 130 285 ± 20 3 5.5 6.8

N NCE01H13WD TO-263T 100 130 285 ± 20 3 5.3 6.6

N NCEP0135A TO-220 100 35 75 20 2 18 23

N NCEP0140AG DFN5\*6-8L 100 40 50 20 2 18 23

N NCEP0140AL TO-251S 100 45 110 20 2 18 23

N NCEP0155AG DFN5\*6 100 55 78 20 1.8 10 12

N NCEP0112AS SOP-8 100 12 3.5 20 1.7 9.9 13

N NCEP0114AS SOP-8 100 14 3.5 20 1.7 8.8 11

N NCEP0160AG DFN5\*6-8L 100 60 105 20 1.7 7.2 8.5

N NCEP0160F TO-220F 100 60 40 20 3 9.2 10.8

N NCEP0160G DFN5\*6-8L 100 60 105 20 3 7.7 8.5

N NCEP0178 TO-220 100 78 125 20 3.5 7.2 8.5

N NCEP0178A TO-220 100 78 125 20 1.7 7.2 8.5

N NCEP0178AF TO-220F 100 78 40 20 1.7 7.2 8.5

N NCEP0178AK TO-252 100 78 125 20 1.7 7.2 8.5

N NCEP0178AL TO-251 100 78 125 20 1.7 7.2 8.5

N NCEP0116AS SOP-8 100 16 3.5 20 1.7 7.9 9.5

N NCEP0190G DFN5\*6-8L 100 90 135 20 3.2 5.8 6.4

N NCEP01T11 TO-220 100 108 160 20 3.3 5.7 6.5

N NCEP01T12 TO-220 100 129 185 20 3.3 4.5 5

N NCEP01T13A TO-220 100 135 210 20 3.3 3.8 4.6

N NCEP01T13AD TO-263 100 135 210 20 3.3 3.8 4.6

N NCEP01T13 TO-220 100 135 220 20 3.3 3.7 4.5

N NCEP01T13D TO-263 100 135 220 20 3.3 3.7 4.5

N NCEP01T13WD TO-263T 100 140 220 20 3.3 3.4 4.2

N NCEP01T13B TO-220 100 135 220 20 1.9 3.7 4.3

N NCEP01T15 TO-220 100 150 250 20 3.5 3.2 3.8

N NCEP01T18 TO-220 100 180 300 20 3.5 2.8 3

N NCEP01T18D TO-263 100 180 300 20 3.5 2.8 3

N NCEP01T18T TO-247 100 180 300 20 3.5 2.7 3

N NCEP01T25T TO-247 100 250 380 20 3.6 2.2 2.5

N NCEP01T30T TO-247 100 300 520 20 3.5 1.8 2.1

N NCEP1278 TO-220 120 78 125 20 3.5 7.7 9

N NCEP12T11 TO-220 120 108 160 20 3.3 6.1 6.8

N NCEP12T12 TO-220 120 129 185 20 3.3 4.8 5.3

N NCEP12T13A TO-220 120 135 210 20 3.3 4.1 4.6

N NCEP12T13 TO-220 120 135 220 20 3.3 4.00 4.5

N NCEP12T15 TO-220 120 150 250 20 3.5 3.5 4

N NCEP12T18 TO-220 120 180 300 20 3.5 3 3.5

N NCE1490 TO-220 140 90 310 ± 20 3.1 10.5 13

N NCE1502R SOT-223 150 2 3 ± 20 2 266 300

N NCE1505S SOP-8 150 5.2 3.5 ± 20 3.5 31 44

N NCE1507I TO-251 150 7 30 ± 20 2 255 290

N NCE1520 TO-220 150 20 90 ± 20 3.4 65 80

N NCE1520K TO-252 150 20 90 ± 20 3.4 65 80

N NCE1520AK TO-252 150 20 90 ± 20 1.6 62 75 68 85

N NCE1540K TO-252 150 40 140 ± 20 3 35 45

N NCE1540I TO-251 150 40 140 ± 20 3 35 45

N NCE1540AD TO-263 150 40 150 ± 12 1.05 35 45 36 48

N NCE1540KA TO-252 150 40 140 ± 12 1.05 35 45 36 48

N NCE1550 TO-220 150 50 220 ± 20 3.2 19.5 23

N NCE1550F TO-220F 150 50 65 ± 20 3.2 19.5 23

N NCE1570 TO-220 150 70 310 ± 20 3 14 18

N NCE1579C TO-220 150 79 310 ± 20 3.1 11 13

N NCE15H10 TO-220 150 100 370 ± 20 3.2 9.8 12

N NCE15H10A TO-220 150 100 370 ± 20 3.2 9.5 11

N NCE15H10D TO-263 150 100 370 ± 20 3.2 9.5 11

N NCE15H10TA TO-247 150 100 370 ± 20 3.2 9.5 11

N NCEP1550JG DFN5\*6-8L 135 50 125 20 3.5 15 19

N NCEP1590J TO-220 135 90 220 20 3.5 8.1 9

N NCEP15T11J TO-220 135 110 300 20 3.5 6.3 7

N NCEP15T11JD TO-263 135 110 300 20 3.5 6.3 7

N NCEP15T11JT TO-247 135 110 300 20 3.5 6.3 7

N NCEP15T18JT TO-247 135 180 520 20 3.9 4.4 5

N NCEP1520K TO-252 150 20 68 20 3.7 71 85

N NCEP1550G DFN5\*6 150 50 125 20 3.5 21 25

N NCEP1560 TO-220 150 60 160 20 3.5 21 25

N NCEP1590 TO-220 150 90 220 20 3.5 9.5 11.5

N NCEP15T11A TO-220 150 110 300 20 1.9 8.3 8.9

N NCEP15T11 TO-220 150 110 300 20 3 7.6 8.2

N NCEP15T11D TO-263 150 110 300 20 3 7.6 8.2

N NCEP15T11T TO-247 150 110 300 20 3 7.6 8.2

N NCEP15T14 TO-220 150 140 320 20 3 5.6 6.2

N NCE0202ZA TO-92 200 2 3 ± 20 1.7 520 580 540 600

N NCE0202M SOT-89 200 2 3 ± 20 1.7 520 580 540 600

N NCE0203S SOP-8 200 3.9 3 ± 20 3 56 79

N NCE0205IA TO-251 200 5 30 ± 20 1.7 520 580 540 600

N NCE0208KA TO-252 200 5 30 ± 20 1.7 260 300 280 320

N NCE0208IA TO-251 200 8 55 ± 20 1.7 260 300 280 320

N NCE0224K TO-252 200 24 150 ± 20 3.2 64 80

N NCE0224F TO-220F 200 24 45 ± 20 3.2 64 80

N NCE0224D TO-263 200 24 150 ± 20 3.2 64 80

N NCE0224A TO-220 200 24 150 ± 20 1.5 61 80 62 85

N NCE0224AK TO-252 200 24 140 ± 20 1.5 61 80 62 85

N NCE0224AF TO-220F 200 24 50 ± 20 1.5 61 80 62 85

N NCE0224DA TO-263 200 24 150 ± 20 1.5 61 80 62 85

N NCE0240 TO-220 200 40 220 ± 20 3.2 36.4 41

N NCE0240F TO-220F 200 40 60 ± 20 3.2 36.4 41

N NCE0250D TO-263 200 50 270 ± 20 3.2 30 40

N NCE0260 TO-220 200 60 285 ± 20 3.2 24 30

N NCE0260P TO-3P 200 60 285 ± 20 3.2 24 30

N NCE0275 TO-220 200 75 370 ± 20 3.6 18 24

N NCE0275T TO-247 200 75 380 ± 20 3.6 18 24

N NCE02H10T TO-247 200 100 400 ± 20 3.6 13.5 17

N NCE60T2K4I TO-251 600 1.7 20 30 3.5 2200 2400

N NCE60T2K4K TO-252 600 1.7 20 30 3.5 2200 2400

N NCE60T2K2I TO-251 600 1.8 21 30 3.5 1900 2200

N NCE60T2K2K TO-252 600 1.8 21 30 3.5 1900 2200

N NCE60T2K1I TO-251 600 2 21.5 30 3.5 1700 2100

N NCE60T2K1K TO-252 600 2 21.5 30 3.5 1700 2100

N NCE60T1K5I TO-251 600 3 22 30 3.5 1300 1500

N NCE60T1K5K TO-252 600 3 22 30 3.5 1300 1500

N NCE65T2K4I TO-251 650 2 21 30 3.5 2200 2400

N NCE65T2K4K TO-252 650 2 21 30 3.5 2200 2400

N NCE65T1K9I TO-251 650 3 22 30 3.5 1600 1900

N NCE65T1K9K TO-252 650 3 22 30 3.5 1600 1900

N NCE65T1K2I TO-251 650 4 41 30 3.5 950 1100

N NCE65T1K2F TO-220F 650 4 28.4 30 3.5 950 1100

N NCE65T1K2K TO-252 650 4 41 30 3.5 950 1100

N NCE65T900K TO-252 650 5 46 30 3.5 750 900

N NCE65T900I TO-251 650 5 46 30 3.5 750 900

N NCE65T900F TO-220F 650 5 29.8 30 3.5 750 900

N NCE65T900 TO-220 650 5 46 30 3.5 750 900

N NCE65T680K TO-252 650 7 60 30 3.5 600 680

N NCE65T680I TO-251 650 7 60 30 3.5 600 680

N NCE65T680D TO-263 650 7 60 30 3.5 600 680

N NCE65T680 TO-220 650 7 60 30 3.5 600 680

N NCE65T680F TO-220F 650 7 31.4 30 3.5 600 680

N NCE65T540K TO-252 650 8 69 30 3.5 460 540



N NCE65T540I TO-251 650 8 69 30 3.5 460 540

N NCE65T540D TO-263 650 8 69 30 3.5 460 540

N NCE65T540 TO-220 650 8 69 30 3.5 460 540

N NCE65T540F TO-220F 650 8 31.6 30 3.5 460 540

N NCE65T360K TO-252 650 11.5 101 30 3.5 290 360

N NCE65T360I TO-251 650 11.5 101 30 3.5 290 360

N NCE65T360 TO-220 650 11.5 101 30 3.5 290 360

N NCE65T360F TO-220F 650 11.5 32.6 30 3.5 290 360

N NCE65T360D TO-263 650 11.5 101 30 3.5 290 360

N NCE65T260 TO-220 650 15 131 30 3.5 220 260

N NCE65T260F TO-220F 650 15 33.2 30 3.5 220 260

N NCE65T260D TO-263 650 15 131 30 3.5 220 260

N NCE65T260T TO-247 650 15 131 30 3.5 220 260

N NCE65T180D TO-263 650 21 188 30 3.5 150 180

N NCE65T180 TO-220 650 21 188 30 3.5 150 180

N NCE65T180T TO-247 650 21 188 30 3.5 150 180

N NCE65T180F TO-220F 650 21 33.8 30 3.5 150 180

N NCE65T130T TO-247 650 28 260 30 3.5 110 130

N NCE65T130 TO-220 650 28 260 30 3.5 110 130

N NCE65T130F TO-220F 650 28 35 30 3.5 110 130

N NCE70T2K2I TO-251 700 2 22 30 3.5 2200 2500

N NCE70T2K2K TO-252 700 2 22 30 3.5 2200 2500

N NCE70T1K2I TO-251 700 4 41 30 3.5 1100 1300

N NCE70T1K2K TO-252 700 4 41 30 3.5 1100 1300

N NCE70T1K2F TO-220F 700 4 28.4 30 3.5 1100 1300

N NCE70T900K TO-252 700 5 46 30 3.5 820 950

N NCE70T900I TO-251 700 5 46 30 3.5 820 950

N NCE70T900F TO-220F 700 5 29.8 30 3.5 820 950

N NCE70T900 TO-220 700 5 46 30 3.5 820 950

N NCE70T680K TO-252 700 7 60 30 3.5 680 780

N NCE70T680I TO-251 700 7 60 30 3.5 680 780

N NCE70T680D TO-263 700 7 60 30 3.5 680 780

N NCE70T680 TO-220 700 7 60 30 3.5 680 780

N NCE70T680F TO-220F 700 7 31.4 30 3.5 680 780

N NCE70T540 TO-220 700 8 69 30 3.5 540 600

N NCE70T540F TO-220F 700 8 31.6 30 3.5 540 600

N NCE70T540I TO-251 700 8 69 30 3.5 540 600

N NCE70T540D TO-263 700 8 69 30 3.5 540 600

N NCE70T540K TO-252 700 8 69 30 3.5 540 600

N NCE70T360 TO-220 700 11.5 101 30 3.5 330 390

N NCE70T360F TO-220F 700 11.5 32.6 30 3.5 330 390

N NCE70T360D TO-263 700 11.5 101 30 3.5 330 390

N NCE70T360K TO-252 700 11.5 101 30 3.5 330 390

N NCE70T360I TO-251 700 11.5 101 30 3.5 330 390

N NCE70T260 TO-220 700 15 131 30 3.5 260 290

N NCE70T260F TO-220F 700 15 33.2 30 3.5 260 290

N NCE70T260D TO-263 700 15 131 30 3.5 260 290

N NCE70T260T TO-247 700 15 131 30 3.5 260 290

N NCE70T180D TO-263 700 21 188 30 3.5 170 199

N NCE70T180 TO-220 700 21 188 30 3.5 170 199

N NCE70T180F TO-220F 700 21 33.8 30 3.5 170 199

N NCE70T180T TO-247 700 21 188 30 3.5 170 199

N NCE80T1K2 TO-220 800 5 69 30 3.5 1000 1200

N NCE80T1K2F TO-220F 800 5 31.8 30 3.5 1000 1200

N NCE80T1K2K TO-252 800 5 69 30 3.5 1000 1200

N NCE80T1K2I TO-251 800 5 69 30 3.5 1000 1200

N NCE80T900I TO-251 800 6 98 30 3.5 750 900

N NCE80T900F TO-220F 800 6 32.4 30 3.5 750 900

N NCE80T900K TO-252 800 6 98 30 3.5 750 900

N NCE80T900 TO-220 800 6 98 30 3.5 750 900

N NCE80T560F TO-220F 800 9 33.2 30 3.5 480 560

N NCE80T560K TO-252 800 9 131 30 3.5 480 560

N NCE80T560I TO-251 800 9 131 30 3.5 480 560

N NCE80T560D TO-263 800 9 131 30 3.5 480 560

N NCE80T560 TO-220 800 9 131 30 3.5 480 560

N NCE80T420F TO-220F 800 11 33.8 30 3.5 350 420

N NCE80T420 TO-220 800 11 188 30 3.5 350 420

N NCE80T420D TO-263 800 11 188 30 3.5 350 420

N NCE80T320F TO-220F 800 17 35 30 3.5 260 290

N NCE80T320 TO-220 800 17 265 30 3.5 260 290

N NCE80T320D TO-263 800 17 265 30 3.5 260 290

N NCE80T320T TO-247 800 17 265 30 3.5 260 290

N NCE60R2K2I TO-251 600 2 23 30 3 1800 2200

N NCE60R2K2K TO-252 600 2 23 30 3 1800 2200

N NCE65R2K4I TO-251 650 1.8 22 30 3 2200 2400

N NCE65R2K4K TO-252 650 1.8 22 30 3 2200 2400

N NCE65R1K2I TO-251 650 4 46 30 3 1000 1200

N NCE65R1K2K TO-252 650 4 46 30 3 1000 1200

N NCE65R1K2F TO-220F 650 4 28.5 30 3 1000 1200

N NCE65R1K2 TO-220 650 4 46 30 3 1000 1200

N NCE65R900 TO-220 650 5 49 30 3 780 900

N NCE65R900F TO-220F 650 5 29 30 3 780 900

N NCE65R900K TO-252 650 5 49 30 3 780 900

N NCE65R900I TO-251 650 5 49 30 3 780 900

N NCE65R540 TO-220 650 8 80 30 3 480 540

N NCE65R540F TO-220F 650 8 31.7 30 3 480 540

N NCE65R540I TO-251 650 8 80 30 3 480 540

N NCE65R540K TO-252 650 8 80 30 3 480 540

N NCE65R540D TO-263 650 8 80 30 3 480 540

N NCE65R360K TO-252 650 11 121 30 3 300 360

N NCE65R360 TO-220 650 11 121 30 3 300 360

N NCE65R360F TO-220F 650 11 32.7 30 3 300 360

N NCE65R360D TO-263 650 11 121 30 3 300 360

N NCE65R260 TO-220 650 15 145 30 3 230 260

N NCE65R260F TO-220F 650 15 33.5 30 3 230 260

N NCE65R260D TO-263 650 15 145 30 3 230 260

N NCE65R180 TO-220 650 21 200 30 3 150 180

N NCE65R180F TO-220F 650 21 34 30 3 150 180

N NCE65R180T TO-247 650 21 200 30 3 150 180

N NCE70R2K2I TO-251 700 2 23 30 3 2200 2500

N NCE70R2K2K TO-252 700 2 23 30 3 2200 2500

N NCE70R1K2I TO-251 700 4 46 30 3 1200 1400

N NCE70R1K2K TO-252 700 4 46 30 3 1200 1400

N NCE70R1K2F TO-220F 700 4 28.5 30 3 1200 1400

N NCE70R900 TO-220 700 5 49 30 3 840 950

N NCE70R900F TO-220F 700 5 29 30 3 840 950

N NCE70R900K TO-252 700 5 49 30 3 840 950

N NCE70R900I TO-251 700 5 49 30 3 840 950

N NCE70R540F TO-220F 700 8 31.7 30 3 540 600

N NCE70R540I TO-251 700 8 80 30 3 540 600

N NCE70R540K TO-252 700 8 80 30 3 540 600

N NCE70R360F TO-220F 700 11.5 32.7 30 3 360 400

N NCE70R360D TO-263 700 11.5 121 30 3 360 400

N NCE70R260F TO-220F 700 15 33.5 30 3 260 290

N NCE70R180 TO-220 700 21 200 30 3 165 190

N NCE70R180F TO-220F 700 21 34 30 3 165 190

N NCE80R1K2F TO-220F 800 5 31.5 30 3 1000 1200

N NCE80R1K2K TO-252 800 5 80 30 3 1000 1200

N NCE80R1K2I TO-251 800 5 80 30 3 1000 1200

N NCE90R1K2F TO-220F 900 5 32 30 3 1000 1200

N NCE90R1K2K TO-252 900 5 81 30 3 1000 1200

N NCE90R1K2I TO-251 900 5 81 30 3 1000 1200

N NCE25GD120T TO-247 1200 25 349 30 5.5 2 2.5

N NCE15GD135T TO-247 1350 15 235 30 5.5 2 2.5

N NCE25GD135T TO-247 1350 25 349 30 5.5 2 2.5

N NCE15TD60F TO-220F 600 15 35 30 5 1.8 2

N NCE15TD60D TO-263 600 15 105 30 5 1.8 2

N NCE15TD60 TO-220 600 15 105 30 5 1.8 2

N NCE40TD60T TO-247 600 40 306 30 5 1.7 1.9

N NCE40TD120T TO-247 1200 40 480 30 5.5 1.9 2.2

N NCE20TS120T TO-247 1200 20 320 30 5.5 1.6 1.8

NCEPOWER新洁能授权代理经销通路商NCEPOWER新洁能A级代理商一级代理商

一级代理NCEPOWER一级代理NCEPOWER代理一级代理新洁能一级代理新洁能代理

一级代理NCE一级代理NCE代理NCE授权代理经销通路商