

L型立式复合雨水篦子桥梁收水盒篦子590*270*100*20

产品名称	L型立式复合雨水篦子桥梁收水盒篦子590*270*100*20
公司名称	河北正天市政道路设施有限公司
价格	30.00/块
规格参数	品牌:正天 型号:590*270*100 产地:河北
公司地址	泊头市
联系电话	13343173974

产品详情

L型树脂篦子，立式复合雨水篦子，桥梁收水盒篦子590*270*100*20高分子SMC排水篦子。

我公司生产的雨水篦子具有聚合度高、密度大、抗冲击、抗拉伸等特点，同时还有耐磨损、耐腐蚀、不生锈、无污染、免维护等优点，雨水篦子色泽鲜艳，外形美观，耐压性好，强度好，环保、防滑、低噪声。主要产品有：树脂井盖,复合井盖，树脂国标水算,树脂方井盖,树脂圆井盖,树脂篦子,树脂草盆井盖,树脂盖板,树脂防滑板,隐形井盖,铸铁国标雨水口,铸铁国标方井盖,铸铁国标圆井盖,铸铁方井盖,铸铁雨水口,铸铁圆井盖,铸铁隐形井盖,不锈钢隐形井,塑钢爬梯 铸铁爬梯,塑料格栅,电力井盖，电信井盖，水表井盖，国标铸铁井盖，五防井盖，普通铸铁井盖，铸铁篦子,塑料检查井等。

我厂生产的新型高强度树脂复合井盖采用BMG3树脂、采用高温高压，一次模压成型技术、聚合密度高、密度大、有良好的抗冲击和拉伸强度，具有耐磨、耐腐蚀、不生锈、无污染、免维护等优点，各项指标均达到并超过相关国家标准。

本厂产品品种多，广泛应用于各类住宅、园区、厂区、市政工程、配套产品及电力、自来水、电信、燃气等各种管线检查井，都能满足客户所需。本厂以求精创新、质量保障、服

产品具备特点：高强度、抗老化、防腐蚀、抗酸碱度。可接受异形产品开模生产。热忱欢迎各界朋友光临惠顾，携手合作，共创美好未来！

Company since it was founded in 2005, with independent R & D and production of SMC and BMC composite products with leading technology, composite products in the domestic market has enjoyed a high reputation, the industry has good reputation.

The business development of the high strength composite power plate, manhole, water grate, into the new technology, new material, new technology as a whole, and greatly exceeded the shortcomings of the traditional power board, is the ideal substitute for cast iron, cement products.

The product is mainly to unsaturated resin, plastics, polystyrene particles as the main body, light calcium carbonate as accessories, no alkali glass fiber strengthened, reinforcing steel bar skeleton and and and add low shrinkage agent, curing agent, separating powder and paint mixing and the new synthetic materials, molding by 350 tons and 1000 tons of temperature press press. Company a reasonable formula, advanced technology, molding shrinkage rate is low, high size precision, processing performance good, its products have good electrical insulation, fire resistance, mechanical strength, service life of up to 20 years old, at the same time, because the product is no recycling value, from the fundamental solution this would solve the problem of stealing.

Company since the product launch market, has won the international, domestic electric power companies, municipal management departments of the unanimous favor, has become the preferred application of the construction industry products. Give full affirmation to the product.

Products have features: high strength, anti-aging, anti - corrosion, anti - pH. Acceptable special-shaped products mold production. Warmly welcome friends from all walks of life to visit us, work together to create a better future!

发货方式：

一、支持快运和专车

零担快运和包车专车第三方物流配送。我们会根据您的货物重量，体积，发合适的专线物流或配货车。

二、发货时间规则

客户当天16：00前下达的订单，在次日发出；16：00后下达的订单，在2日后发出。

三、快运和专车发货对货物的尺寸、重量限制

快运：单件重量不超过4000KG，单件长边在4M以内。

专车：单件重量和单件长边均无限制。

四、配送时效

订单发出后，根据收货地址不同运输时效不同，一般地区为2-4天，部分偏远地区为5-8天。

注：受车辆限行、路况、天气等因素影响，实际配送时效可能存在差异，敬请谅解！

五、配送运费

第三方物流配送运费根据商品类型、体积、重量及配送区域等因素计算，具体以下单时系统计算的运费为准，如有疑问请咨询客服。

L型立式复合雨水篦子桥梁收水盒篦子590*270*100*20

务至上。