

# 气动工具批发喷涂工具4001BG

产品名称	气动工具批发喷涂工具4001BG
公司名称	上海中捷恰尼喷涂机械有限公司
价格	.00/个
规格参数	类型:高压喷枪 品牌:其他 型号:4001BG
公司地址	上海市金山区朱泾镇仙居路218号1幢129室
联系电话	86 021 50109259 18917949290

## 产品详情

类型	高压喷枪	品牌	其他
型号	4001BG	喷嘴口径	1.8/2.0
材质	铝	适用范围	底漆和面漆
喷涂距离	0.5 (米)	涂料供给方法	重力式
涂料喷出量	3.5 ( ml/s )	用途	底漆和面漆
混合方式	外混式喷枪	特殊喷枪	长柄喷枪

model	description	nozzle size	cup size	fluid delivery	air pressure	air inlet
4001bg	高压喷枪	1.8/2.0	600ml	160-240ml/min	3.5kg/cm <sup>2</sup>	1/4

公司目前投放市场的产品有: 各型号精品喷枪/普通喷枪/自动喷枪/  
静电除尘器(枪)/静电空气喷枪/高压无气喷涂机公司目前开发的品种有: 中野牌/恰杰牌/罗韦尼牌/  
johgyia牌/chiger牌/luowaini牌。公司承接:涂装生产流水线/出口喷枪。

真诚欢迎各地经销商/外贸公司洽谈合作。the products in the market:all types of baotique spray gun/normal  
spray gun/automatic spray gun electrostatic dust removal machine/electrostatic air spray gun/high pressure airless  
spray machinethe developing products : johgyia brand/chiger brand/luowaini brandthe products undertake:coating  
production line/exporting spray gunsincerely welcome the dealers and export trade company to cooperate with us.

源于专业技术的—制造工艺卓越的涂料传递效果—高效省漆人体工程学设计—操控灵活喷涂目标—轻松  
实现完美效果from professional technology--manufacturing processexcellent passing result of the material--efficient,  
paint savingergonomics design--flexible controllingspraying aim--realizing easily,perfect result

喷枪选定的标准standard of the choosing of spray gun

喷漆工件的大小？小型、大型喷枪的选定小零件、玩具、小件物品、汽车修补等 . . . . . 小形 (Iph-50/100w-101) 大零件、车辆、建筑物，生产线喷漆，大件喷漆等 . . . . . 大形size of the item?choosing of s:small,large spray gunsmall parts,toys,small thins,vehicle repairing,etc.....(small(Iph-50/100/w-101)large parts,vehicles,buildings,production line paint spraying,large items paint spraying...large喷涂量或者面积？涂料供给方式的选定（重力式·吸上式@压送式）少量喷涂，换色频繁的情况下，使用重力式(g型) 涂料杯方便少量及中量喷涂、换色喷涂多的情况下，使用吸上式 (s)型容器罐方便。同色大量生产线喷涂等，用压送式 (p型) 涂料泵和加压容器罐方便。 quantity or area?choosing of the method of the spraying metrial(gravity,suction,pressure)under the condition of small quantity of paint,and changing color frequently,the gravity(g) will be used.under the conditon of small and medium quantity of paint,suction(s) will be used.under the condition of using large quantity of paint in the largeproduction linr,pressure(p) will be used.

喷涂的步骤和粘度？涂料喷嘴口径和空枪帽的选定面漆（成品）喷涂等，要求特别微粒化的涂料粒子，根据涂料喷出量必须选择空气量多的型号，特别是金属性喷涂等，空气量必须尽可能大。涂料粘度和涂料喷嘴口径的选定必须根据涂料粘度选定喷嘴口径，一般来说，涂料粘度低选择小口径，涂料粘度高选择大口径。压送式型号，喷嘴口径小也能在低粘度到高粘度比较广的范围内使用。

procedure and viscosity of the spraying:choosing of the nozzle gun cap of the spray gun:when spraying the surface of the items,special particle is required,according to the paint spraying quantity,the type of large air volume will be chosen,esp.the metal spraying.the nozzle must be chosen according to the viscosity.generally speaking,if the viscosity is low,the small nozzle will be chosen,otherwise the big one.the pressure type,the small nozzle can be used in a large field,from low to high viscosity.

中野喷漆枪分类kinds of spray gun of johgyia重力式（上壶）虹吸式（下壶）压送式（压力桶）gravity (top pot) siphon (under pot) pressure(pressure barrel)中野公司所有手动喷枪的压缩空气接口国内均为快速气接头，all the air connector in johgyia are quick connector.中野公司中小型手动喷枪的涂料接口均为1/4英寸（外螺纹） manual control spray gun: the size of the connector is 1/4 inch(male) 大型手动喷枪为3/8英寸（外螺纹） large manual contro spar gun:3/8 inch(male)也可根据客户要求样式配置。 the connector can also ne deployed according to the guests.

怎样选用中野喷枪how to choose johgyia spray gun?底漆喷涂 面漆喷涂 小修补喷涂primer paint surface paint repair paint小幅面底漆喷枪 传统高压喷涂 高流量低气压喷涂 低流量中气压喷涂 环保省漆小修补喷枪small format primer spray gun,troditional high pressure spray gun,high flow low pressure spray gun,low flow medium pressure spray gun, environmental repairing spray gun.大幅面高效底漆喷枪 传统面漆喷枪 环保省漆面漆喷枪 hvlp省漆高效面漆喷枪large format efficient primer spray gun,troditional surface paint spray gun,environmental surface paint spray gun,hvlp efficient surface paint spray gun

一、喷涂距离1.distance of spraying:传统高压喷枪：18~23cm hvlp高流量低压喷枪：13~17cmtroditional high pressure spray gun:18--23cmhvlp high flow low pressuer spray fun:13--17cm二、喷枪移动方式 moving method

2.轨道式喷涂：喷枪与待喷件保持一定垂直距离，匀速往复运行。 track style spraying:keep the gun the item verticle,move forward and backward三、喷枪与涂装表面角度the angle of the gun and surface

角度：喷涂时喷枪头部与被喷件永远保持垂直。 angle:when spraying, the head of the gun and the painted iten will keep verticle

上海中捷恰尼喷涂机械有限公司是一家机械及行业设备的企业，是经国家相关部门批准注册的企业。主营各类喷涂工具，公司位于中国上海上海市金山区仙居路218号。上海中捷恰尼喷涂机械有限公司本着“客户第一，诚信至上”的原则，与多家企业建立了长期的合作关系。热诚欢迎各界朋友前来参观、考察、洽谈业务。 源于德国技术的制造工艺，卓越的涂料传递效果高效省漆；人体工程学设计，操控灵活；

喷涂目标，轻松实现完美效果。本公司作为涂装设备制造商，拥有先进的生产设备和优秀的工程师，立志设计制造出先进且完美的喷涂设备来满足急速成长的中国市场。2009年，公司进一步加大投入，组织技术人员进行喷枪标准的制定，同时在全国进行销售网络的布局，公司推出的中野常用喷枪系列、罗维尼高档喷枪系列解决世界各地客户需求和对最先进配枪的需要。由衷感谢国内外客户惠顾。