

OPTIFLUX 2050C/2300F/2050W/2100C 科隆电磁流量计

产品名称	OPTIFLUX 2050C/2300F/2050W/2100C 科隆电磁流量计
公司名称	北京域能汇通科技有限公司
价格	9999.00/个
规格参数	品牌:科隆 型号:optiflux2000 产地:荷兰
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

水和污水行业的解决方案

电磁流量传感器OPTIFLUX 2000 水和污水行业

为供水和污水处理行业设计和生产

获得多种饮用水卫生认证

长期的可靠性和免维护

OPTIFLUX 2000电磁流量传感器是水和污水行业应用的解决方案。

其长期的可靠性和耐用性使它成为水行业中用于测量供水、饮用水、废水、生活污水和工业废水的标准流量传感器。

特点：

饮用水认证包括KTW、WRC、KIWA、ACS

适用于地下安装和长期水浸（IP68）

双向流量测量

贸易计量认证（MID MI-001、OIML R49、ISO 4064、EN 14154）

标准室内湿式流量标定，最大直径可达DN3000

安装快速，操作简便

选择虚拟参比的选项，可以省去接地环，安装得到简化

适用于所有水和污水行业应用的坚固的衬里

通过Magcheck进行现场检定

丰富的诊断功能

免维护

行业：

水

污水

纸浆和造纸

矿业

钢铁和冶金

电力

应用：

供水

水净化及脱盐

生活饮用水输配网络

收费计量或开具账单

泄漏检测

灌溉

工业用水

冷却水

废水

污水和污泥

海水

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE: OPTIFLUX 4300C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (Type:-OPTIFLUX 2300 CFM)

OPTIFLUX 4000 F

KROHNE MAGNETIC INDUCTIVE FLOW METER (TYPE: OPTIFLUX 4300 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 2100 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 1100 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 4300 CEx)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 4300 FEx)

KROHNE-MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 4300F EEX)

KROHNE MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 2100W)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE : OPTIFLUX 1050 W)

KROHNE MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 1050W)

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 1300 C)

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 4000 F)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 4300 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 4300 F)

KROHNE MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 2300F FM)

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 6000 F)

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 4300 C)

CERAMIC LINED MAGNETIC MASTER FLOW METER (MODEL: OPTIFLUX 5300 DN 80) ARTICLE No: A 15023095, A15023093 & A15023101(Re -

KROHNE MAGNETIC INDUCTIVE FLOW METER (TYPE: OPTIFLUX 4000 F)

CERAMIC LINED MAGNETIC MASTER FLOW METER (MODEL: OPTIFLUX 5300 DN 25) ARTICLE No: A 15021674 & A15021673 (Re - Import Ex

KROHNE MAGNETIC INDUCTIVE FLOWMETTER (TYPE: OPTIFLUX 4300 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTILUX 2050 W)PRIMARY HEAD OPTIFLUX 2000

LEVEL METER SUB ASSEMBLY / SPARE PARTS OPTIFLUX 1300 C (TYPE : GUIDED RADAR (TDR) LEVEL METER)

LEVEL METER SUB ASSEMBLY / PARTS (SPARE PARTS - OPTIFLUX 1300 C)

KROHNE MAGNETIC INDUCTIVE FLOWMETER (TYPE :- OPTIFLUX 5300 C)

FLOW METER SUB ASSEMBLY / PARTS (HEAD ASSY FOR OPTIFLUX 4000- UPPER HOUSING & LOWER HOUSING) (ARTICLE NO :- 3313395600

KORHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 4300 C)

KROHNE - MAGNETIC INDUCTIVE FLOW METER (TYPE : OPTIFLUX 5300 C)