

# 公牛GN-212 1.8M插头插座/插板/插排/排插/接线板/转换器

产品名称	公牛GN-212 1.8M插头插座/插板/插排/排插/接线板/转换器
公司名称	北京裕来发商贸有限责任公司
价格	20.00/个
规格参数	品牌:公牛 型号:GN-2121.8M 类型:电源转换器
公司地址	北京市东城区东革新里42号永外城文化用品市场 D1-06
联系电话	67229862 13910981342

## 产品详情

品牌	公牛	型号	GN-212 1.8M
类型	电源转换器	额定电压	250 ( V )
壳体材质	进口防火材料，防火特性突出，具有优良的电绝缘性能	导体材质	选用锡（磷）青铜，具有优良的硬度，弹性，导通性极好，通电时升温很低
额定电流	10 ( A )	有效负载	2500 ( KW )
产品认证	CCC认证		

公牛电器：专注于开关插座、转换器领域十余年，是目前国内主要的开关插座、转换器专业制造商之一。秉承“专业、安全”的理念，原创开发了许多深度消费者喜爱的产品。

### 新产品特点介绍

1儿童保护门children protector

防止儿童手指或手持金属物件意外插入而触电

2全面阻燃750 ° c 不燃烧 flame retardance up to 750 ° c

内外塑料部件全部采用阻燃工程塑料。750度高温不燃烧，有效防火，杜绝安全隐患。

3强劲弹性，正常使用8年不松动 high flexibility without loose in 8 years

优质铜片配合插套啮合技术，弹性强劲，啮合妥帖，有效防止电弧产生，正常使用8年不松动，并能适合多国插头。

4优质选材，365天满负荷不发烫

quality material ,no heat at full load in 365days

- 1)优质铜片经镀镍处理，不生铜锈，导电性能好；
- 2)标准铜芯导线，导电好发热少，使用安全放心；
- 3)采用银合金触电开关，耐电弧性能好，使用寿命长。

突破电气：突破电气是一家致力于为消费者提供安全的用电环境的高科技企业，是全国电器附件标准化委员会和全国电气安全标准化委员会的成员单位。

十余年来，突破电气秉承“科技创造安全”的理念，生产的突破插座、转换器倍受消费者的青睐与信任，已经成为中国插座，转换器行业最具有影响力的企业之一。

top electric as a high and new-tech company devote himself to supply safe electric environment for customers.it is a major member of national technical committee for standardization on electric accessory and electric safety .

more than decade ,top electric take “ technology for safety “ eidos, the sockets and adaptors are popular with our customers .became of the most influential company in adaptor industry.

philips

产品功能规格

1电源线内部铜芯为标准0.75mm<sup>2</sup>，且通过国家ccc认证，在2500w额定功率下持续使用，不易软化变形；

2可恢复式过载保护、总指示灯开关

在用电超过额定功率情况下，电源保护器自动断开电源，排除过载后，按下开关可恢复正常供电。指示灯亮起来表示处于正常供电状态；

3防触电插孔

国际领先智能防触电设计专利，尖，薄金属物从任一孔插入插座内都不会导致触电，有效保护家人特别是儿童的安全；

4独立指示灯及开关

独立开关控制对应孔位电源，方便对接入电器电源灵活管理，独立指示灯显示对应插孔是否通电，连接正常则工作指示灯亮起；

5国际多用插孔

适用于中国大陆、英、美、德、印度、南非等多个国家标准插头的接入，内部插套采用全磷青铜制作，传导和弹性度优良，且通过万次拔插测试；

## 6高阻燃pc合金外壳

采用插座板领域国际领先的特殊材料，高阻燃和防火性能卓越，同时抗刮擦和锈蚀，且绝缘性能优良。

### product features

#### anti-shock socket:

our international patented intelligent design against electric shock; any pointed or thin metals insertion does not result in electric shock if being inserted into the abstacle . which can effectively protect family especially for children .

#### high flame-retardant pc alloy shell:

a kind of international leading special materials in the field of receptacle ,with excellent flame-retardant and fireproof performances; simultaneously against scraping and rusting ,and with good insulation performance.

#### standard power cable:

its inner copper core is standard 0.75mm<sup>2</sup>, which passed state ccc authentication ;it can be used continuously under 2500w(rated power),and not easy to be intenerated and distorted .

#### recoverable overload protection/general indicator switch:

under the state of exceeding rated power .,the power protector will automatically cut power supply ,after eliminating the overload ,press the switch to restore power supply .

when the indicator works ,means it is in the state of regular power supply.

#### independent indicator and switch :

independent switch controls the power supply of jacks ,which is convenient for the agilely management of power supply of electric appliances linked; independent indicator shows a correspondent jack is galvanized or or not ,and it will brighten when the jack connecting is right .

#### international seril connector :

it is suitable for the connection of standard plug in many countries including chinese mainland ,u.k,u.s.a, germany , india ,south africa, and etc, its inner jack cover is made of full phosphor bronze ,with excellent transmission and elasticity plugging assurance .