

GE XMO2 GE PANAMETRICS巴纳氧分析变送器

产品名称	GE XMO2 GE PANAMETRICS巴纳氧分析变送器
公司名称	北京域能汇通科技有限公司
价格	9999.00/个
规格参数	品牌:GE 型号:XMO2 产地:爱尔兰
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

关键字：XMO2 智能 氧分析 变送器 GE

产品简介：

XMO2变送器在一个集成的，环境适应性强的在线变送器中结合了计算机增强和无漂移的氧含量测量仪。它可用于当准确可靠的长期氧含量测量对于过程 and 产品质量至关重要的任何情况。这些应用包括：惰性/封闭液体存储罐，反应器气体进料，火焰气，催化再生气，氧纯度检测和很多其它应用。

-----北京域能汇通科技有限公司联系人：赵经理 186-0192-5855QQ:
350-748-904电话：010-6591-1327地址：北京市朝阳区立清路8号院邮编：100107Email:
sales@uniecho.com-----

产品介绍

准确可靠的长期测量XMO2变送器在一个集成的，环境适应性强的在线变送器中结合了计算机增强和无漂移的氧含量测量仪。它可用于当准确可靠的长期氧含量测量对于过程 and 产品质量至关重要的任何情况。这些应用包括：惰性/封闭液体存储罐，反应器气体进料，火焰气，催化再生气，氧纯度检测和很多其它应用。

产品描述 XMO2的特殊设计使其克服了传统氧气分析仪的局限。它无需在有多种用途的地区分析安装，可以直接安装在检测点上。这降低了采样条件要求，保证了最佳采样和最快响应。不象其它的顺磁氧

气探头，XMO2没有可动部件，使其不受安装位置或振动的影响，并具备优异的长时间稳定性。独特的两腔氧池设计使其不受污染物和流速改变影响，使得零点和满量程校准只需每年两次。XMO2使用方便，可以在现场或通过RS232接口和三层、菜单驱动软件远程设置特定的应用数据。当需要校准时，可以快速简便的通过软件完成，无需用固件调整。一系列提高性能的附件使XMO2更容易使用。这些附件包括：为用户特别应用设计的采样系统和不同型号的数字显示装置。XMO2变送器要求24VDC的供电，提供了隔离的4到20mA输出信号，该信号通过编程设置零点和满量程。有防护外壳（NEMA 4X,IP65）或防爆外壳（NEMA 7）供选择，范围有从0到1%至0到100%，适合各种安装和应用场合。性能与优点·检测气体中的氧含量从0.01到100%·无可动部件；无需维护·防腐蚀·自动背景气补偿·单独使用或与TMO2D或XDP显示装置一起使用

IQ.probe-2W0000-0

IQ.probe-2R0000-0

DEW.IQ-1A1-0

DEW.IQ-451-0

MMS 3 Moisture Analyzer

MOISTURE.IQ-7-6-1-3-0-0-0

MOISTURE.IQ-6-6-1-1-1-0-0

XMTC-62-11-0-XMTC-CAL-D1-2-0

XMTC-62-11-0-XMTC-CAL-8620

XDP-221-20

MOISTURE.IQ-2-6-1-1-1-0-0

QMA401 + B1 + M0 + S4

QMA401 + B1 + M0 + S0

OXY.IQ-331-00

OX-1

PSR-12-223

OX-3

PSR-11-21

OX-2

OXY.IQ-011-00

OXY.IQ-111-00

OXY.IQ-311-00

OXY.IQ-311-10

OXY.IQ-312-00

OXY.IQ-112-00

DFOX-3-1-0

703 1361 02 assembly alarm clp & conn

INK CARTRIDGES - HP 792 Cyan and Light Cyan Printhead (WITHPRINT HEAD) / CN703A

FLOW METERS - MIS1, MIS2, & MMS3 CONTROLLER PCB (SERIAL NUMBERS 2001 AND HIGHER) (703-1250-02)

FLOW METERS - POWER SUPPLY FOR IS MIS (703-1161-03)

FLOW METERS - MIS IS CHANNEL PCB MOISTURE WITH ALARMS (703-1141-02)

703-1358-02 ASSY COMM PCB (MASTER)

POWER SUPPLY FOR IS MIS -703-1161-03

MIS1, MIS2 & MMS3 CONTROLLER PCB (SR. NO. 2001 AND HIGHER)- 703-1250-02 (PART OF MOISTURE ANALYSER)

ASSY DISPLAY PCB STD MMS3 -703-1167-02 (PART OF MOISTURE ANALYSER)

703-1167-03 ASSY DISPLAY PCB W/P MMS3

703 1161 03 POWER SUPPLY FOR IS MIS

703-1250 02 M1S1,M1S2 & MMS3 CONTROLLER PCB (SERIAL NUMBERS 2001 AND HIGHER

703 1141 09 MIS IS CHANNEL PCB MOISTURE WITH HERMETICALLY SEALED ALARMS

703 1141 03 MIS IS CHANNEL PCB MOISTURE WITH HERMETICALLY SEALED ALARMS

703-1253-04 ASSY POWER SUPPLY CARD, GX868 100-120VAC

703-1269-13 DUAL CHANNEL 100KHz RECEIVER

MIS IS CHANNEL PCB MOISTURE ALARMS 703 1141 02

POWER SUPPLY FOR IS MIS 703 1161 03

MIS1 MIS2 & MMS3 CONTROLLER PCB (SERIAL NUMBER 2001 AND HIGHER) 703 1250 02

703-1403-02 ASSY UNIV AC PWR SPLY BIPOLAR

ASSY OPT BD DUAL FREQ OUT 703 1215 05

703 1253 04 ASSY POWER SUPPLY CARD GX868 100 120VAC

703 1603 04 GF GF 868 MAIN BOARD SINGLE CHANNEL

TB-703/BLACK-12K GOLD W/ CLEAR- AR(DITA BRAND SUNGLASSES)

TB-703//TOKYO TORTOISE - BLACK IRON W/ CLEAR -AR(DITA BRANDSUNGLASSES)

703-1340 03 POWER SUPPLY PCB FOR APX AND XDP (PS2 1.25A/250V)

703-1342 CONTROLLER PCB FOR APX AND XDP

CN703A HP 792 Cyan and Light Cyan Printhead INK CARTRIDGES (WITH PRINT HEAD)

703-1589-03 XMT868i main PCB assembly (RS232)- replaces P/N 703-1422-03

ASSY MODBUS/TCP WALL MOUNT PCB 703 1476 05

ASSY AC PS 220/240V GX868 703-1253-05

ASSY UNIV AC PWR SPLY UNIPOLAR 703-1403-03

703-1284-05 ASSY RECEIVER (200K) NB

703-1603-04-GF GF868 Main Board Single Channel

703-1394-02 ASSY HART COMM PCB MASTER

703-1269-06 SINGLE CHANNEL 100KHZ RECEIVER

ASSY TERM RS232 SNGL CHAN AC 703 1440 06

ASSY UNIV AC POWER SUPPLY UNIPOLAR 703 1403 03

703-1418-00 BOM ASSY INTERCONN-DISPLAY PCB

703-1354 ASSY UNIV DC POWER SUPPLY PCB

703-1269-13 DUAL CHANNEL 100KHZ RECEIVER

GF868 MAIN BOARD SINGLE CHANNEL 703 1603 04 GF