

BMXAMM0600 BMXAMM0600 施耐德模块

产品名称	BMXAMM0600 BMXAMM0600 施耐德模块
公司名称	北京域能汇通科技有限公司
价格	999.00/个
规格参数	品牌:施耐德 型号:BMXAMM0600 产地:法国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

主要信息

产品系列 Modicon X80

产品类型 混合模拟量I/O模块

电气连接 20路 1个连接器

Isolation between channels 非隔离

输入等级 High level

模拟量输入数量 4

模拟量输入类型 电流 0...20 mA

补充信息

模拟量输入分辨率 12 bits 0...20 mA 12 bits 0...5 V 12 bits 1...5 V 12 bits 4...20 mA 13 位 0...10 V 14 bits +/- 10 V

输入端的允许过载 +/- 30 mA 0...20 mA +/- 30 mA 4...20 mA +/- 30 V +/- 10 V +/- 30 V 0...20 mA

内部转换电阻 250 Ohm

内部转换电阻的精度 0.1 % - 15 ppm/ ° C

过滤器类型 固件的一阶数字滤

快速读周期 1 ms + 1

标称读周期 5 ms 针对于 4 通道

测量误差 0.25 % of full scale 0...20 mA 25 ° C output 0.25 % of full scale 4...20 mA 25 ° C output \leq 0.35 % of

° C input \leq 0.35 % of full scale 0...10 V 0...60 ° C input \leq 0.35 % of full scale 0...5 V 0...60 ° C inp

1...5 V 0...60 ° C input \leq 0.5 % of full scale 0...20 mA 0...60 ° C input \leq 0.5 % of full scale 4...20 m

0.6 % of full scale +/- 10 V 0...60 ° C output \leq 0.6 % of full scale 0...20 mA 0...60 ° C output \leq 0.6

0...60 ° C output 0.25 % of full scale +/- 10 V 25 ° C output 0.25 % of full scale +/- 10 V 25 ° C inp

0...10 V 25 ° C input 0.25 % of full scale 0...5 V 25 ° C input 0.25 % of full scale 1...5 V 25 ° C input

mA 25 ° C input 0.35 % of full scale 4...20 mA 25 ° C

温度漂移 100 ppm/ ° C +/- 10 V output 100 ppm/ ° C 0...20 mA output 100 ppm/ ° C 4...20 mA ou

ppm/ ° C 0...10 V input 30 ppm/ ° C 0...5 V input 30 ppm/ ° C 1...5 V input 50 ppm/ ° C 0

mA input

重新校正 厂方校正输出内部 通电 输入

隔离电压 1400 V DC 通道和地之间1400 V DC 通道和总线之间750 V DC I/

输出等级 高水平

模拟量输出数量 2

模拟量输出 型号 电流: 0...20 mA电流:

模拟量输出分辨率 11 位, 0...20 mA11 位, 4...20 mA12 位, +/- 10 V

转换时间 <= 2 ms

最大转换值 +/- 11.25 V +/- 10 V output+/- 11.25 V +/- 10 V input0...30 mA 0...20 mA input

V input+/- 11.25 V 0...5 V input+/- 11.25 V 1...5 V input0...24 mA 0...20 mA ou

BMXAMM0600 ANALOGIC 4 INPUT U/I 2 OUTPUT U/I M340

BMXAMM0600 ANALOGIC 4 INPUT U/I 2 OUTPUT U/I M340

BMXAMM0600 ANALOGIC 4 INPUT U/I 2 OUTPUT U/I M340

DIGITAL INPUT BMXDD11602

FOC ITEM : BMXDD13202K X80 32-CHANNEL DIGITAL INPUT MODULE

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342000 CENTRAL PROCESSING UNIT FOR MODICON M340 LEVEL

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP3420102 CENTRAL PROCESSING UNIT FOR MODICON M340

BMXP3420102 CENTRAL PROCESSING UNIT FOR MODICON M340

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP3420102 CENTRAL PROCESSING UNIT FOR MODICON M340

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

CONTROLLER

BMXP3420302 CENTRAL PROCESSING UNIT FOR MODICON M340 PRO

LOGIC CONTROLLE

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC

BMXP342020H CENTRAL PROCESSING UNIT FOR MODICON M340

BMXP342020 CENTRAL PROCESSING UNIT FOR PROGRAMMABLE LOGIC