

## 倍可GS BM 220齿轮油 康泰达 宝鸡倍可

产品名称	倍可GS BM 220齿轮油 康泰达 宝鸡倍可
公司名称	深圳市康泰达贸易有限公司
价格	面议
规格参数	
公司地址	深圳市蛇口港湾大道B9号
联系电话	13510916585

## 产品详情

BECHEMBERUFORMVSM9BECHEMBERUFORMSTP290S

BECHEM BERUFORM VSM 9

BECHEM BERUFORM STP 290 S

倍可高速轴承润滑脂系列

BECHEM BERULUB KRYOTOX EP 2

BECHEM BERUTOX FB 22

倍可阀类润滑油脂系列

BECHEM BERULUB PALFLUID

BECHEM BERULUB FU 5

BECHEM BERUSOFT 30

BECHEM BERULUB FO 34

BECHEM BERULUB SIHAF 2

倍可高温低温防卡膏系列

BECHEM CERITOL PASTE PT 2

BECHEM BERULUB MEISSEL COMPOUND

## BECHEM BERULUB NIKELPASTE

混水冲深膏

应用实例

具有低成形度的拉深作业

材料

钢

特性

- 在肥皂基础上
- 易于清除
- 无氯\*

特征数据

## BECHEM BERUFORM STP 152 DL

## BECHEMBERUFORGE350BECHEMBERUFORGE200VW

## BECHEM BERUFORGE 350

块状成形润滑剂

应用实例

- 冷却和润滑

--+1280 ° C模锻

材料

钢

特性

- 释放效果良好
- 磨损保护
- 无石墨

## BECHEM BERUFORGE 200 VW

## 高性能锻造生产线的循环润滑剂

### 应用实例

- 高速锻造生产线

前向和后向挤压成形效果最佳

润滑油循环

适用于喷溅冷却润滑

### 特性

很好的油分离

- 抗有色金属腐蚀

BERUSYNTH CP 80 SF

链条润滑剂

### 应用实例

- 农业、材料和建筑业的链条和绳索

运输和运输系统

\*暴露在大气影响和尘埃中的链条和绳索

### 特性

- 基于MoS<sub>2</sub>固体润滑剂的良好应急运行性能

良好的润湿和粘附性能

\*良好的腐蚀和磨损保护

- 长再润滑间隔

高耐洗性

BECHEM BERUSYNTH CP 80 SF

Chain lubricant

Examples of Application

- Chains and ropes in agriculture, material and industry

- Transport and conveyor systems
- Chains and ropes to atmospheric influences and dust

#### Properties

- Good emergency running properties based solid lubricant MoS<sub>2</sub>
- Good wetting and adhesion properties
- Good corrosion and wear protection
- Long re lubricating intervals
- High wash out resistance