

# JUMO溶解氧变送器DTRANS O2 01,202610/80,202850/59

产品名称	JUMO溶解氧变送器DTRANS O2 01,202610/80,202850/59
公司名称	北京域能汇通科技有限公司
价格	5555.00/个
规格参数	品牌:JUMO 型号:202610/80 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

## 产品详情

测量水溶液中的溶解氧

简单、可靠无化学试剂的模块化结构

可靠的单点校验

2线制变送器（基本型和标准型）

测量信号（DO）与输出信号电隔离

方便融入现有控制系统（例如：PLC）

增强型可通过继电器独立进行控制

具有温度补偿、空气压力补偿和盐度补偿

测量点的温度输出

组态软件界面友好、易用，可将测量结果记录到文件中。

背景光使得在黑暗环境中读取显示值变得更加容易（增强型）

多种可选附件。

应用范围

城镇和工业废水处理、饮用水监测、水质保护、鱼类养殖（海水或淡水）...

## 产品描述

JUMO两线制溶解氧变送器用来监测水体中的氧气含量。它提供一个带电气隔离的4~20mA输出，变送器可通过PC编程软件或选择带显示面板的附件进行直接操作设置。仪器同时自带温度监测，并可进行输出（标准Pt1000电阻输出或4~20mA输出）。

仪器通过原电池的测量原理进行测量，可同时进行温度补偿，气压补偿和盐度补偿。

测量元件为模块化设计，易于养护及更换。

## JUMO PH探头 PH电极

201005/51-18-22-0000-00-120/000,000

201005/51-18-22-0000-00-120/052,000

201005/53-18-22-0000-00-120/000,000

201005/65-18-22-0000-00-120/000,837

201005/80-18-22-0000-00-120/000,837

201005/65-18-45-2000-76-120/000,837

201005/65-18-65-2000-76-120/000,837

201020/51-17-04-22-120/837

201020/51-17-07-22-120/837

201020/51-18-04-22-120/000

201020/51-18-07-22-120/837

201020/51-18-04-22-120/837

201020/51-18-10-22-120/837

201020/75-14-07-22-120/000

201020/75-12-11-22-120/837

201030/51-18-07-21-0-00-120/837

201050/04-50-28-615-58,2

201050/05-50-28-145-24

201081/89-18-22-0000-00-120

201083/89-04-07-22-0000-120

201085/89-1003-22-120

#### JUMO 电导率变送器 电导率传感器

202566/20-888-888-310-310-23/000

202581/8-01-0-0-0-0-00-00-00-00-00-00-23-00-08-2/213,214,269

202755/10-168-0-82/000

202755/15-168-0-82/000

202755/15-607-0-82/000

202552/01-8-01-4-0-00-23/000

202552/01-8-01-4-0-02-23/000

202565/20-888-000-310-000-23/000

202565/20-888-888-310-310-23/000

#### JUMO 电导率探头 电导率电极

202922/10-0100-0000-84-413-20-5000-120/000

202922/10-0100-1003-84-413-20-5000-120/000

202922/20-0010-1003-26-104-83-0-40/000

202923/0010-1003-105-37-86-26/000

202924/10-0001-0000-105-37-88-26/000

202924/10-0001-1003-613-37-31-31/000

202930/10-1005-31-997-83

202930/30-1005-31-997-83

#### JUMO 溶解氧变送器 溶解氧传感器

202610/81-405-2000-08-28

202610/82-006-2000-08-23

202553/01-8-01-4-0-00-23/000

## JUMO 溶解氧探头 溶解氧电极

4EA-80 0-16BAR

4ADS-10 049 2bar

4ADS-10 049 0.7bar

401001/000-999-405-511-20-604-36/000 0~30bar rel

401001/000-999-405-511-20-604-36/000 0 ~ 18bar rel

401001/000-999-405-511-20-604-61/000 0-30BAR

404366/000-999-405-502-20-61 0-20kpa

4341-242 0-6BAR

401006/000-999-420-562-20-36/000 0+200psi rel

401006/000-999-420-562-20-36/000 0+500psi rel

401006/000-495-405-503-20-36/631 0+25bar

404380/000-492-405-502-20-61 0~6bar abs

404385/0-461-405-604-20-06-1 0~25bar

404380/000-458-405-502-20-61 0~6bar

404385/0-457-405-512-20-06-1 0-4bar

401001/000-458-405-502-20-601-61 0-6bar

401001/000-463-405-502-20-601-61/000

401001/000-464-405-502-20-601-61

404366/000-466-405-502-20-61/000

402050/000-481-415-623-20-61

404366/023-488-405-504-20-61 0-1BAR ABS

404366/000-458-405-574-20-61

4ADS-10 2bar~25bar

608002/0150-832-841-6-102-26-26-100/000

608201/2110-843-02-4500-161-6-104-95-46-100/000 0-350C 100MM

902105/30-388-1001-1-6-65-11-2500/317

608002/0150-814-841-6-102-26-26-100/000

603021/02-1-025-30-0-00-20-13-46-300-8-6/000

602045/70-064-1000-40-10-00-00-000-00-6/574

602030/01-064-2000-40-13-450-10-00-00-000-00-4/757

603021/02-1-014-30-0-00-20-13-20-120-10-8/000

603070/0001-5-026-000-25-2000-40-10-00-00-000-00-6/402/707/7

603070/0002-5-026-000-25-2000-40-20-13-46-100-8-6/402/707

603026/0102-1-063-15-0-00-30-13-01-400-15-6/000

602030/02-026-000-500-40-00-0-10-00-00-000-00-6/000

TYA-110/3,150,400

95/00331505

95/00331507

95/00331508

956047/043 0-600C “ K ”

702044/88-888-000-23/061,210

701140/8888-888-22-064

955015/15-888,888-23 020,260,261

702040/88-888-101-22/061210

701050/811-31

701060/812-02

956533/991-001-069 -20+80C

956533/991-001-069 0+100C

902523/10-572-1001-1/000

90.503-F11

902004/10-386-1005-1-6-65-142-21

902004/10-386-1005-1-6-50-142-21

902221/10-415-2001-1-6-70000

90.515-F07

00398143 SUSPENSION FITTING FOR OXYGEN DATA SHEET:20.2610 TYPE:202850/59-000-0500-86  
PROCESS CONNECTION:000 FITTINGS LEN

00398143 SUSPENSION FITTING FOR OXYGEN DATA SHEET :20.2610TYPE:202850/59-000-0500-86  
PROCESS CONNECTION:000 FITTINGS LEN

00391336 2-WIRE TRANSMITTER FOR DISSOLVED OXYGEN JUMO DTRANS02 01 BASIC VERSION DATA  
SHEET:20.2610 TYPE :202610/80-500-

00398143 SUSPENSION FITTING FOR OXYGEN DATA SHEET :20.2610TYPE:202850/59-000-0500-PROCESS  
CONNECTION:000 FITTINGS LENGTH

00391336 2-WIRE TRANSMITTER FOR DISSOLVED OXYGEN JUMO DTRANSO2 01 BASIC VERSION  
DATA SHEET:20.2610 TYPE:202610/80-500-

00391357 2-WIRE TRANSMITTER FOR DISSOLVED OXYGEN JUMO DTRANSO2 01 STANDARD VERSION  
DATA SHHET:20.2610 TYPE :202610/81-

901109/30-835-1042-6-175-13-2500/309

902815/20-370-1013-2-6-150-380-24/000

902721/20-385-3-300-1/000

WOERNER KFA-A/G/S/N/N/Z3/200

DORNINGER 1100058139

WENGLOR 363272120 订货号81397

RINGSPANN 4470-065803-070H27

SPECK TK-401/150.0003

MTS RHM1750MD531P1024

PHOENIX TCP 20/DC32V - 0700020

SOMMER GP412XNC-C

AFRISO KP 63 Dif D911 35515911

SWAGELOKE SS-RL4M8F8-EP

REXROTH 1070080680

SOYER F01171 M6x70

STERLINGSIHI ZLND100315

MTS RH-M1480-S1-DH15-S3B60

PHOENIX TCP 25/DC32V - 0700025

ROEHM Nr.:1685175

BURKERT 00164242 sn 6391

BELLOFRAM YT-1000LSm13

MTA TAEvo TECH 020 2200283927

LARSON WAL-PFL-LED-120-25 ( 47559 )

E+H CM42-CAA002EAE00

BELIMO R2020-4-S2

MTS RH-M0100-S1-DH15-S3B60

TR LA 66 K 397mm 312-01729

HAZET 4672-14

SCHUNK PZB-plus 64-1-AS 0305152

UNION UTS-4520305/E10

FORT VALE 010/13212

DWYER ADPS-03-2-N

NORGREN 4344-01

ZIEHL-ABEGG 122163A RG63N-VDK.7Q1L

MANGER WITTMANN TSPBAND 1X1 NE22-20X50

PIRELLI TM00594 TIPO B 17X11 ( B49 ) SVIL.INT.= 1250 MM

HAZET 4672-4

KTR AB33-22/KD24-20/28-98

E+H FMB70-ABA1FA2CFCAA+Z1

BRINKMANN STH609S590-NCZ+ 003 BPI-22001797-08

KOBOLD 41R57

MAGTROL LMU217

TWK SWF 5b-01 L=5M

HAZET 4672-11

METTLER TOLEDO DMi141-SC

REXROTH R911332724

RHOPOINT NOVO-SHADE 45 ° /0 Opacity/Shade Met

WOERNER KFA-A/G/S/N/N/Z3/600

SICK WLL12-B5181 1011677

MOOG 62-418

ABB PFEA113

MTS RHV1000MH101A01

SPIETH DSK 15.28

HAZET 803-40

Gross ROTOR GAZ 62

ORGAPACK OR-T 260

TR CEW65M-71745

BRINKMANN A403-65X+087

MTS RH-M0420-S1-DH15-S3B60

PIMATIC PS-3/8

B+R X20BR9300

JAKOB ZSF4000

KUBLER 8.5020.4851.1000

SCHMERSRL SRB031MC

NEGELE NCS-11/PNP/X/X/X

TDK HWS300-12/PV bbbbb:100-240VAC 4.1A 50/60Hz OUTPUT:12V-27A

HUBNER carbon brush for GT7.08L/420

JUMO DTRANS P31 ; TN43012495 402050/000

BAUER BS02-64U/D04LA4-TF/C1

ALLEN-BRADLEY 1495-N8

NUMATICS VS32-04 P32B-04AG

IRT IH-800460 Stativ f ü r IRT 1 + IRT 2 PrepCure

BREVETT SR328 R280

FORT VALE 6104-0252

SCHUNK FSF-S 16-60 330134

SPS PP20

B+R X20BM01

KUBLER 8.5000.8352.1000

COMETAG MXR-100/30

E+H 9910-210 FOEN

BAMOCOR 321CE CODE:321500

NORGREN SXE9574-170-00

KUEBLER 8.7168.X201.G221

SOMMER GS1206-50x3

PERSKE KNS 50.11-2D 400VAC 1.5KW 2.9A 8660RPM

GWB DWG.7 393 90 06 00 000

PMA KS50 - 100 - 0000D - 000

TRON HS35AY1CX78

SITRON SUG30-8-V1-T4

KUBLER 8.5863.1222.B323

HYDAC Blase 50L\*M50x1.5/VG5 NBR20/P460(kompl

ITRON RR16-50-42-8N-033 ser.nr 3400792066

MTS 201542-2

ITRON BV DN5 CE-0085BN0063

VEGA VEGACAP62.XXEGSCAMX

MTS RHM0350MP031S1G2100

HAZET 4673-6

POGGI TM02062 770 5M COD 31E0770015

BAUSER TYPE260

SCHMERSAL MSP452-11/11Y-M20

BROOK CROMPTON WU-DA90LK-H

ITRON RR16-80-82-12N-033 ser.nr 3400754200

TECSIS P3297B076001 8-30V 4-20MA 0-16BAR

HYDRAULIK 540354

E+H 72F40-AA1AAA4AA

KTR ROTEX-24STHUB1.0 28H7KEY DIN688

BIFOLD FP06P-S1-04-32-NU-V-77N-24D-35-K85

FALLDORF S5D PC250

MTS RHM0660MD531P102

HAZET 803-55

NASON LS-07801-1

LUFFT WS500-UMB

TR CEV65M-10547

E+H CLS12-B1D1A

WURTH 071492 13(90)

BARBER COLEMAN 7SH496105000

HUBNER GT7.08L/420

HAINBUCH A001243.0004B

BIFOLD SH12-FR-SR-MD-10-X3-X5

HAZET 4673-3

ELCIS Z0B80EXS5-1024-18285-BZ-N-CV1-R-05

TR LA 66 K 250mm 312-00933

HEINRICHS 75790 BGF-S309BRPL0-0-S5C-X-H

SPIETH MSF 90\*2

PS PSQ67MA-2WE 230VAC 32s/90 ° 65Nm

NORDSON UVB945388T4

HONEYWELL D06FH-1/2B (VST06-A connectio

GEMU 610 15D 7 15611/N

SCHUNK PGN+200-1-V 39371105

HYDAC EDS1791-P-040-Y00

VOITH 25000415710

SCHMERSRL SRB301MC-ST-24V

AERIAL AD 430 SN:1710833023 ART-NR:0110-0430-050

ABB MODEL FAM541E1YOF1

BRONKHORST S/N : M5209708B F-203AI-1M0-AGD-00-V 53m3n/h , 11bar(g)/6bar(g)-20mA , DN15

AMETEK M16-FREE 8 WAY CABLE 100M P/N 807952

GIMATIC QC90-B

MTS RH-M0300-S1-DH10-S3B60

MFZOVITOR D30-STRIKO400V/H

PHOENIX TCP 30/DC32V - 0700030

OMEGA MODELE:6155AS C0 8 3 0 AR/43524 NO SERIE:4153003-69\*JFL

ABB D674A1018U02

REXROTH R911311716

RESATRON RSGEL500S10/10

KUBLER T8.5800.MPYG.2000.P0000

WOERNER KFA-A/G/S/N/N/Z3/100

KUBLER 8.5868.1232.3113 编码器

HAZET 803-30

CONTRINEX DW--703-M18-266

SETTIMA GR32 T 16B 75L

MAGTROL LB212-001/001

KRENZ A4T17NB4F\F-24\1450r/min\380v

HOYER HMA2-100L2-4 3KW (立式)

HENGSTLER HOZ-462-1499

TR ZE115M Art Nr.173-00001

KUEBLER 8.7168.G401.G321

KEWILL LV80-14H5F500AB

HAWE EV1M2-12/24

HYDAC HDA 4846-A-400-000

UNION UTS-NW-80635728AL03/SW

TR CEV65M-02502

GE PN.42718103

GEMU 1256000z00000

STOGER 300 004

E+H TMR31

SCHUNK PGN +80/1AS 371401

HIRSCHMANN CA6LS+CA6GD

WIKA 233.34.4.5/232.34-U-PG552E-GD-UZAQAZZ-ZZZ K1PB31ZIF12ZZ2Z

SCHUNK 0301471

DANIELI ID2200

TR CEW58M-2D2SXB

LIKA 101301995

GWB DWG.7 393 85 06 04 000

PIZZATO FA 4101-5DN F11 FA1-14407

NOVA 520.4310 9/16 1000-4400bar

KUEBLER 8.7068.F022.G221

MEGATRON RP20/7168

QUIRI 141227-200

HAWE DS7280-20 SEAL KIT FOR LP125-20

FLOWSERVE d3l-digital positioner

ROLLON TM02065 DBN35-290

PHOENIX TCP 15/DC32V - 0700015

HEIDENHAIN 557649-19

SCHUNK G-P-40-E-090 0304640

E+H TMR31-A1DAAAAE1AAA

SIMRIT B1UD4FX2 NO.358896

BURKERT 6213 A 20.0 FKM\1"\DC24V\0-1MPa

HAZET 803-35

TESCH TYP M210x805 FNr 072A0068

DELTA DC2000

JANITZA UMG 96L

SCHMERSRL SRB-NA-R-C 14/R2-24VDC

PARKER MR2500-P1N1N1C1N

GEMU 1252000z00000

UNION UTS-4520305/M2

SIEMENS 3~Mot 1LG4 223-4AA60-Z 225M

A WS12-2500-420T-L10-WH

KISTLER 1662A5

WIKA 733.02.100

UNION UTS-4520305/E31

Mitewell MODEL:VAM20 FREQU:50Hz POWER:AC220V bbbbb:D-20mA OUTPUT:4-20mA Serial  
NO:7022586

GEMU 1257000z00000

TESCOM 44-2262-241

HENGSTLER NO.0536388

902721/25-385-3-300-2/000

907021/20-1-10-005

907021 ( 22 ) /90-803/Edelstahl-Sinterfilt

909727/10-402-1001-1-6-500/000

906030/10-378-1001-1-10-100-04-2000/000

902005/10-386-1001-1-6-100-104-03-500/310 , 317

902002/10-390-2003-1-8-150-104

902005/10-386-2001-1-6-150-104-11-5000/317

902810/13-1001-2-6-40-613-24/330 -20+100C