

出口铜制热线夹 热线夹 1530

产品名称	出口铜制热线夹 热线夹 1530
公司名称	大连鸿骏源机械有限公司
价格	52.00/组
规格参数	品牌:热线夹 型号:1530 应用范围:通讯
公司地址	中国 辽宁 庄河市 光明山镇28号
联系电话	86 0411 89250059 13304266288

产品详情

品牌	热线夹	型号	1530
应用范围	通讯	种类	线束/连接线/端子线
接口类型	压	支持卡数	二合一
读卡类型	无	形状	其他
制作工艺	其他	接触件材质	铜
绝缘体材质	胶		

出口：中北美地区；

用途：线路断路连接器；

材质：铝青铜；

大连鸿骏源机械有限公司概况

n公司注册资本1000万，固定资产4800万，占地面积110亩，建筑面积18,570 m²。目前员工159人，其中高级工程师5人；

n公司以铸造为主，机加工为辅，兼营冲压、钣金和铆焊；

n铸造工艺为实型消失模、负压消失模、树脂砂，粘土砂和精密铸造等；

n材质：各种铸铁件、结构钢铸件、不锈钢铸件、铜合金等。

n年产铸件26000吨，可生产最重铸件45吨，最长铸件为10米，直径6米；

n机床件：床身、底座、工作台、立柱、主轴箱、变速箱等；

n汽车件：刹车盘、刹车毂、轮毂、皮带轮等；

n液压件：泵体、泵盖，阀体、阀盖等；

n通用机械零件以及出口北美的铜合金接线器等铸件和成品；

n熔炼设备：8吨冲天炉2台，0.5吨电炉2台；

n20吨树脂砂混砂机2台，15吨抛丸室1台，2吨抛丸机1台；

nz146造型机4台，射芯机2台；冲床及各种机械加工生产设备等；

niso9000:2008质量体系认证。

ncapital: 10,000,000 rmb; fixed assets:48,000,000 rmb;

narea : 73,260 m²; construction: 18,570 m²

nemployees:159 total .

nfocus on castings, also machinings, stampings and weldings.

nmain cast process: lost foam, resin bonded sand, green sand.

ncastings material: gray iron, ductile iron, steel, bronze, etc.

ncapacity: 26,000 tons/year.

ncastings,: max weight -45 t, max length-10m,max od-6m.

nproducts: machine tool --bed, beam, table ,feeding box, etc;

nauto parts: brake rotor, drum, hub, etc;

nhydraulic parts: pump body, cover, valve body , etc;

nother castings: motor cover, hotline clamp.

nequipments :

ntwo 8t/h copulas, two 0.5t furnace sets;

nresin bonded sand puddle mixers: 20t/h, two sets;

nz146 modeling machine: 4 sets;coring machine:2 sets;

none 15t blasting room and one 2t shot blasting machine.

nquality certification: iso9001:2008.

n<http://www.hongtu888.net.cn> ;

naddress:guangmingshan town, zhuanghe, dalian大连 , 庄河市光明山镇财主房村,116425 ;