

称重传感器 PR6246/52D1 PR6246/12D1 PR6246/23D1 PR6246/23C3

产品名称	称重传感器 PR6246/52D1 PR6246/12D1 PR6246/23D1 PR6246/23C3
公司名称	北京域能汇通科技有限公司
价格	4444.00/个
规格参数	品牌:赛多利斯 型号:PR6246/52D1 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

PR6246量程从100 kg~ 3 t不等

全不锈钢构造

IP68/IP69K防护

操作温度在-30 到95 之间

认证可用于ATEX0/1/2/20区使用

适用于料罐、料斗、精密配料系统和混合秤

可以与PR6046安装套件配合使用

优点：对加载点变化不敏感、抗偏载性能好、固有线性好、安装方便、称重传感器固定不旋转、制造成本低。

缺点：过载能力较差，大秤量的称重传感器难以达到高的准确度等级。

PR6246/12D1 PR6246/12D1E PR6246/22D1 PR6246/22C3 PR6246/22C6 PR6246/22C6E PR6246/22C3E PR6246/32D1

PR6246/32C3 PR6246/32C6 PR6246/32D1E PR6246/52D1 PR6246/52C3 PR6246/52C6 PR6246/52DE PR6246/13D1

PR6246/13C3 PR6246/13C6 PR6246/23D1 PR6246/23C3 PR6246/23C6 PR6246/23C3E PR6246/33D1 PR6246/33C3

PR6246/33C6

PR6246/12D1 0.1 2 mV/V

PR6246/22D1 0.2 2 mV/V

PR6246/32D1 0.3 2 mV/V

PR6246/52D1 0.5 2 mV/V

PR6246/13D1 1 2 mV/V

PR6246/23D1 2 2 mV/V

PR6246/33D1 3 2 mV/V

精度等级 D1=0.04% , 防爆版本

型号 量程(t) 输出信号

PR6246/12D1E 0.1 2 mV/V

PR6246/22D1E 0.2 2 mV/V

PR6246/32D1E 0.3 2 mV/V

PR6246/52D1E 0.5 2 mV/V

PR6246/13D1E 1 2 mV/V

PR6246/23D1E 2 2 mV/V

PR6246/33D1E 3 2 mV/V

精度等级 C3=0.015%

PR6246/22C3 0.2 2 mV/V

PR6246/32C3 0.3 2 mV/V

PR6246/52C3 0.5 2 mV/V

PR6246/13C3 1 2 mV/V

PR6246/23C3 2 2 mV/V

PR6246/33C3 3 2 mV/V

精度等级 C3=0.015% , 防爆版本

PR6246/22C3E 0.2 2 mV/V

PR6246/32C3E 0.3 2 mV/V

PR6246/52C3E 0.5 2 mV/V

PR6246/13C3E 1 2 mV/V

PR6246/23C3E 2 2 mV/V

PR6246/33C3E 3 2 mV/V

精度等级 C6=0.008%

PR6246/22C6 0.2 2 mV/V

PR6246/32C6 0.3 2 mV/V

PR6246/52C6 0.5 2 mV/V

PR6246/13C6 1 2 mV/V

PR6246/23C6 2 2 mV/V

PR6246/33C6 3 2 mV/V

精度等级 C6=0.008% , 防爆版本

PR6246/22C6E 0.2 2 mV/V

PR6246/32C6E 0.3 2 mV/V

PR6246/52C6E 0.5 2 mV/V

PR6246/13C6E 1 2 mV/V

PR6246/23C6E 2 2 mV/V

PR6246/33C6E 3 2 mV/V

940526246231 PR6246/23D1 TENSION LOAD CELL 2000KG SR NO: 3034571176 - 3034571179 (FOR WEIGHING EQUIPMENT)

940526246237 PR 6246/23C3 TENSION LOAD CELL 2000 KG SR NO: 3034470888

940526246121 PR6246/12D1 TENSION LOAD CELL 100KG SR. NO. 3033870238 (FOR WEIGHING EQUIPMENT)

940526246231 PR6246/23D1 TENSION LOAD CELL 2000KG SR NO: 3033271146 (FOR WEIGHING EQUIPMENT)

940526246131 PR6246/13D1 TENSION LOAD CELL 1000KG SR NO: 3033570535, 3033570540 (FOR WEIGHING EQUIPMENT)

940526246131 PR6246/13D1 TENSION LOAD CELL 1000KG SR NO: 3033570538 - 3033570539 (FOR WEIGHING EQUIPMENT)

PR661-6246 SVC,IPHONE 4S,GSM,32GB,WHT,CI-PCR A1387 (UNIT VALUE LOADED AS PER SVB ORDER) (WARRANTY REPLACEMENT)

940526246121 PR6246/12D1 TENSION LOAD CELL 100KG (FOR WEIGHING EQUIPMENT)

940526246121 PR6246/12D1 TENSION LOAD CELL 100KG (FOR WEIGHING EQUIPMENT) SERIALNR. 3032370183 - 3032370184

940526246121 PR6246/12D1 TENSION LOAD CELL 100KG (FOR WEIGHING EQUIPMENT) SR/NO.3032370181-3032370182

940566246321 PR6246/32D1E TENSION LOAD CELL 300KG EX (FOR WEIGHING EQUIPMENT)

940526246521 PR6246/52D1 TENSION LOAD CELL 500KG (FOR WEIGHING EQUIPMENT)

940526246121 - PR6246/12D1 TENSION LOAD CELL 100KG (FOR WEIGHING EQUIPMENT)

940526246231 PR6246/23D1 TENSION LOAD CELL 2000KG (FOR WEIGHING EQUIPMENT)

940566246321 PR 6246/32D1E TENSION LOAD CELL 300KG EX (FOR WEIGHING EQUIPMENT)

940526246131 PR6246/13D1 TENSION LOAD CELL 1000KG (FOR WEIGHING EQUIPMENT)

940526246131 - PR6246/13D1 TENSION LOAD CELL 1000KG (FOR WEIGHING EQUIPMENT)

FT-A1680 V-24/28-P1Y1K WELKIN

MK146J40RL 14 μ F \pm 5%b 400V 50/60Hz~A EPCOS 风机启动电容

EBG ESP62/14 50R J SIEMENS 电阻

EBG ESP62/20 33R J SIEMENS 电阻

CHCC2 600V 30A 50/60Hz 200kA RMS SYM 3W INDICATION MIN VOLTAGE:90V BUSSMANN 开关
CHCC2DU CC 2-pol 600 V / 30 A UL/CSA

ATDR8 X200856 8A Ferraz Shawmut? 熔断器

Vibrator VP-40C Drawing No.030460500017 fine "BVP-40C=VP-40C=AC1040C
Frequency(2~6Kg/cm²):1333~1875(v.p.m)

Force(2~6Kg/cm²):275~715(N)"

29-00-108536-00 订货号0189421 LEONI ELOCAD GMBH

PL300-5KO/M IP65 Contelec 电位计

JXG-022M-DEB230-N fabr.nr 023011 kisson hydraulik

EKM-1014-80412 Universal?Hydraulik

IA10/MOW3-40 , 0.13kw ROTORK

Brake lever WDJ22D/C-5K-60/360-10.5F48-BK S / N: 110603DC061 W. Gessmann GmbH

DDM10/10 750W NICOTRA

DNSFT2 DINA 34SF02 DNSFT1 7016795 SW 1.4 Alternative

1109-040-188 DEUBLIN 1109-040-188 DD,RTR M16*1,5 LH PT18

HEN 228 Art.79802028 MOOG

FLAI BG 112TYP:B31 1L -2 -2 WISTRO 15.51.0239 L ü fterflansch Bg112 IL kpl 1~/3~ 230V mKK HAN

2120-D-1D-S-1-NA-S-C-U1 ROSEMOUNT 2120D1DT1NASA0000

Y/TC-E22/SPS2/CAL-M YOKOGAWA VALVE POSITIONERS

Y/TC-E33/SPS23 YOKOGAWA VALVE POSITIONERS

Magnodul type 745.20H/D-1050 IP67 PHONIX

GR60 SMT16B 500L G RF2-Y-160M-4-11KW SETTIMA 螺杆泵组

GR60 SMT16B 440L G RF2-Y-132M-4-7.5KW SETTIMA 螺杆泵组

GR25-SMT-25L-SN 意大利SETTIMA 螺杆泵

G01200004-A52451004.012XX?24V?G1/4??? GSR

GO11O2052-A52421002.012XX 24V G1/4 GSR

WP-CO-SO32? R100255523? COMAU

SWEB 01-2 S/K 21014336 KIEPE "belt monitor Vossloh 92043996004

230 V, 50-60 HZ"

"FT-A1684 P/N:WFV-0.5-F1Y1-L-1 ; range : 0.2-3.0M3/H

" WELKIN

EDS3386-3-0250-400-F1 Hydac "压力 : 250PSI 电压 : 18-35VDC 最大电流 : 2.455A 压力变送器 EDS
3386-3-0250-400-F1

909719"

EM542-0 EM-TECHNIK 位置传感器接口模块：

AXX-10-PP EP-000000057-000 SCHMIDT 转速计

GR 47-2V-028CC-FSAEB-ACC-MPX SETTIMA

530 720-A00AX20-0 Mobil Elektronik

VHA05M0117-1R21 流量开关 SIKA VHS05M01171R21 90261089/DE

DVIMUX2-DL-USB G&D/ Guntermann & Drunck GmbH 共享器,客户要求必须要带有连接线,长度没要求,有就行

A2100093 DVIMUX2-DL-USB G&D/ Guntermann & Drunck GmbH

A6100125 CPU-DVID-DL-U-2 Connector cable for DVID (dual-link) G&D/ Guntermann & Drunck GmbH

ST710-PWHVM26 25V-2*0.5) A STORK TRONIC 温控器

SL3002-PK1023/GS80/0101-328.149 FSG

M100L-DD-2-OV1-PV2-V1-SFC19.3151E-CRWI SIERRA
0-1500SCCM,1/4英寸卡套连接,24V供电,4-20mA输出,带现场显示

M100M1-NR-3-OV1-PV2-V1-SFC19.3151E-CRWI SIERRA
O-250SLPM,3/8英寸卡套连接,24V供电,4-20mA输出

824S-L-2-OV1-PV2-V4-SFC19.3151E-CRWI SIERRA
O-1500SCCM,1/4英寸卡套连接,24V供电,4-20mA输出

DNG 3-6/TS WS Karl Klein "52004-1.03