

# GEMU隔膜阀R667 40D,R667 20D,R667 15D,R667 25D,R667 50D,R667 32D

产品名称	GEMU隔膜阀R667 40D,R667 20D,R667 15D,R667 25D,R667 50D,R667 32D
公司名称	北京域能汇通科技有限公司
价格	999.00/个
规格参数	品牌:GEMU 型号:R667 20D/25D 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

## 产品详情

### 结构

盖米R677两位两通隔膜阀所有接触介质的零部件、阀体和手轮均采用塑料材质。塑料驱动装置无需维护，采用符合人机工程学原理的手轮，内置光学位置指示器。

### 特点

适用于惰性、腐蚀性\*、液体和气体介质

对传导颗粒的介质不敏感

流向和安装位置任意

公称压力PN 10 / 150 PSI

公称通径DN 15 - DN 100 / NPS 1/2 " - NPS 4 "

标准配备光学位置指示器

驱动装置壳体采用玻璃纤维增强型PP材质

阀体和膜片有不同的材质和规格可用

可提供不同的连接方式

优点

结构紧凑轻巧，功率高

通过流动优化的阀体确保良好的流通性能

仪表设备经过调校

高流通能力

可选附件

- 位置确认（打开位置）定位器

- 可上锁的手轮锁止装置

GEMUE 554 50D PS3.0bar PST 5.5-7.0ba

GEMUE G520 65D 37 10 1 9

GEMUE S481 80L3C2CD4L

GEMUE TYP:8506 230V 50Hz Art:88046909电磁阀

GEMUE DN80.PN1.6

GEMUE DN50 G681

GEMUE 88066502/600 25M16

GEMUE 807 32 D 721 141 62 2500 4

GEMUE 1235000Z2SM124030G10

GEMUE G620 80D 818413/3+1201+SL, DN80

GEMUE 675 50D855140 PS:10BAR EPDM

GEMUE 514 50D 1 9 51 1 2061阀门

GEMUE DN 3/8 ' ' 62510D86C1521

GEMUE S684 40D5213142AR, DN40, PN10

GEMUE 9687 25 D 1

GEMUE NBR 695 40D 137 212/N 0101 5.5-7.0BAR PS 10BAR

GEMUE TYPE: 68780D84041 1564

GEMUE 415 25P02 14 Art-Nr:88025589

GEMUE 673 50M 60 34 5E 0 S 1503 ( 3-way,DN50\*DN50\*DN20 )

GEMUE 857 25D7211414416000101

GEMUE 845 65D 4 514 55250000 40/45/24 4002410

GEMUE 415 50D 112141 1

GEMUE 8251-50D-112-21 ( 24V HZ=40W )

GEMUE 29854/600 8M6A

GEMUE 690/50/D 787114 -1 Pst.3-6 80 PB:10 Diaphragm material ( PTFE + EPDM )

GEMUE 88026752 ;600 10M52隔膜片

GEMUE 512 65D 8 8 51 2油压传动阀

GEMUE 65:PSK-FC-650-3210SS-62

GEMUE G620 80D8 17 5E1 4A2+6DR

GEMUE GD10125.33 2AR.4A.4SO.E

GEMUE 620 65D+181+13/2+1201

GEMUE 675 80D 855140阀门

GEMUE 690 25D 7 1 41 EDV-Nr:88028189-00

GEMUE material of O-rings:EPDM;for 807/32/D/7/21/14/1/63/4000

GEMUE 1201000ZA001013001104阀门位置指示器

GEMUE 675 40D 8 8 20 PS:10BAR NBR

GEMUE type 807;order no.807/25/D/7/21/14/7/44/1600 0101;DN 25 float material:1.4571;material of tube:Trogamid-T material of O-rings:EPDM;union material:1.4571 measuring range:150-1.600 m3/h

GEMUE 805 32D7211416325000101

GEMUE TPF511MVAZ

GEMUE 610 15D78 51411/N

GEMUE 615 25D 82 34 12 1 1/N 1500

GEMUE 9415000ZG05YS0830阀

GEMUE type 807;order no.807/65/D/7/21/14/6/77/20000 0101;DN 65 float material:1.4571;material of tube:Trogamid-T material of O-rings:EPDM;connections;malleable iron;range:2,0-20 m3/h

GEMUE 1230000ZA001031101101 I-DE-8821-4435-00-314254

GEMUE 655 100D 53 13 24 0

GEMUE 512 25D1138 51 1阀门

GEMUE 1201000ZA001013001104 , I-DE-80316100-00-2628526

GEMUE Normally closed DN32 PM1.6M 620 32D 818 1411 1-D1-88252475-00 2541966 with feedback 1201222ZA001013001 004

GEMUE ART NO 296304 MADE IN CZECH REPUBLIC 24V AC/DC-4A;Body Model : GEMU TYP 8506 D-CODE A8446 ESV-X433B25

GEMUE P/N : 910.G2.K3.5.01.0560.A0230.2432

GEMUE G520 125D 37 10 1 9

GEMUE 423 25D 7 1 4 C1 1015 P188 PS 6 0Bar 24v DC 30W

GEMUE 807 DN50 0.4-6.4M3H 1.4571 PMAX=10BAR 807/50/72114-1-72-01

GEMUE Es21TS100 0.6A 125VDC,0.3A 250VDC

GEMUE 690 25D 771 141

GEMUE 695 40D 137 212/N 10bar 88079822-4041319/0001

GEMUE 1234000Z1P2DM125G12010H阀门位置指示器

GEMUE 415/50/D 1124-1-1

GEMUE DN200 with ES2 ITS100 0.3 250V mechanical switch 2 x spdh/with 600013096 481400W2 2AD2L + ADA1200 + ITS PST: 4.5BAR PSI: 10BAR 95 Body: K480400W2 2AD2 600013096 481400W2 2AD2L + ADA1200 + ITS PST: 4.5BAR PSI: 10BAR 95 Body: K480

GEMUE type807;order no.807/40/D/7/21/14/1/69/5000 0101;DN40;float material:1.4571;material of tube:Trogamid-T;material of O-rings:EPDM;measuring range:500-5.000l/h

GEMUE G620 32D 818411/N1230, DN32

GEMUE 8258 32 1 37 14 1 24VDC

GEMUE G620 80D 818410/1201, DN80

GEMUE SD-FC-H400D150+FDR1436

GEMUE 620 80M 2 0101电磁阀

GEMUE 88066504 600 50M16隔膜片

GEMUE 695 50D 1 8 12 1 , I-DE : 88051663-00-409882

GEMUE material of O-rings:EPDM;for 807/25/D/7/21/14/1/55/1600 0101

GEMUE 1.5 514 40 D 88 37 512 2061

GEMUE ES2ITS100

GEMUE 615 12D 1341311/N

GEMUE 1230000ZA001031101101位置指示器

GEMUE 807 65D72114177200000101

GEMUE S684 25D521314A3, DN25, PN10

GEMUE 62050D Including the cylinder, valve, electronic position indicator and other parts

GEMUE SS650 15 D 88 341710T1 1502

GEMUE 620 80M 2 0101

GEMUE 620 80D 8 8 213/2 0101电磁阀

GEMUE 88066501 600 10M16隔膜片

GEMUE 88066503 600 40M16隔膜片

GEMUE 690 20D78 711411/N ( EPDM )

GEMUE 61015D78205211/NOAE05

GEMUE DN40 PN10 671-40D-8-17-5E-L

GEMUE JVB3P25DPN16SS34.SS34PHLA

GEMUE 690 40D4715E12/N+1201

GEMUE 1436000Z1SA01000105

GEMUE 1235000Z3EM125030G10位置指示器

GEMUE type840,84065D0114152500000101,8-50m3|h,EDV-Nr:88016288-00,C-ID:100021280,I-DE-88016288-00-217610

GEMUE 554 32D 1 9 51 1 1-DE-880 44934-01-3553732

GEMUE 941 S 50065+941 S 15+930 S 5

GEMUE 31450M195122061气动阀

GEMUE G620 50D 818412/N1201, DN50

GEMUE 322/2/M 01254-1-1007-E577

GEMUE 1214.000.Z.A30.304.3001.301 2NO

GEMUE E1C 0200 7B 3HD .4A.4C 0.TG+SC01200+YS+AC

GEMUE VALVE/550 15D 937 511G1 E1-RUECKMELDER G3/4A DN15 NC 0..11BAR ANTR.1 1.4408  
PLUS 1215 EL.RUECKMEL

GEMUE GDR125 F07/F10

GEMUE 655 50D5313240阀

GEMUE 690 25D 4715E11/N+1230

GEMUE DN300 with ES2 ITS100 0.3 250V mechanical switch 2 x spdh/with 600013096 481400W2 2AD2L +  
ADA1200 + ITS PST: 4.5BAR PSI: 10BAR 95 Body: K480400W2 2AD2 600013096 481400W2 2AD2L +  
ADA1200 + ITS PST: 4.5BAR PSI: 10BAR 95 Body: K4804

GEMUE 690 25D 4711411/N

GEMUE material of O-rings:EPDM;for 807/50/D/7/21/14/7/72/6400 0101

GEMUE DN25 PN1

GEMUE /G1 3/4A DN40 NC 0..6BAR ANTR. 3 1.4408 550 40D 937 513G1

GEMUE material of O-rings:EPDM;for 807/25/D/7/21/14/7/44/1600 0101

GEMUE 615/15/D1124-1

GEMUE 514 50D 1951 1 2061 Z04

GEMUE 3242M1254-124

GEMUE 817 50D 72114 17310000 EDV-Nr:8800-3003-

GEMUE DN50

GEMUE 423 20D 7 1 4C1 1006 P271 PS6.0Bar 24V DC 30W

GEMUE 324-2M.125.41.24DC.NW2

GEMUE GEMU 423 32 D7 100-250V 300W

GEMUE 610-15-D-71-41 PVC/FPM

GEMUE /G1 1/4A DN25 NO 0..6BAR ANTR. 2 1.4408 550 25D 937 522G1

GEMUE 675 25D855140 PS:10BAR EPDM

GEMUE 60032001141

GEMUE 1235000Z2SM124050G10阀门定位器

GEMUE 60025001141

GEMUE DN25 PN10 671-25D-8-17-5E-L

GEMUE 415 15D 112 410+324/2/M-1254/1 24DC 1007

GEMUE G8258-20D1374124DC

GEMUE G620 65D8 17 4 1 4A2+6DR

GEMUE 673 50 D 5934 5E 0 S 1502

GEMUE DN80 PN1.5 ; 8181413/3;1-DE-88001894-00-2840199

GEMUE 450/65/d52914-1-174653

GEMUE typ: 617 15D 7 1 14 0 1/2" PVC

GEMUE 807 65D72114775140000101

GEMUE 514 25D 60 37 51 1 2601 +Z38

GEMUE 675 80D 8 8 20阀门

GEMUE 695 32D 1 8 12 2 , I-DE : 88031708-00-1844638

GEMUE 687 80 D 5940 52 1 4/N 1502

GEMUE SD-FC-H400D250

GEMUE DN25 PN1.58181410/N;1-DE-88252474-00-2840265

GEMUE 3030-000 – DH-WS-41-4-A-M42-00-C1- 1502

GEMUE G653 100B60415206TS1536

GEMUE 695 40D 137 212/N隔膜阀

GEMUE 88015145 ;600 25M52隔膜片

GEMUE 554-32-D-1-9-5-1-1

GEMUE 675 50D 855140阀门

GEMUE DN150 TYP : EIC150353HD4A4COTG+ITQ0160

GEMUE 487 80L3C2CD2L+AHL11

GEMUE 673 40D 5934 5E 0 S 1502

GEMUE DN150 TYP : K480150W3 2A1DE+ITQ0160 PST:6Bar PB:16Bar 95

GEMUE D71X-16QDN150

GEMUE 807 50D 72114 173100000101 88005156指示器

GEMUE 1201S01Z202900安装工具包

GEMUE G1225000Z1001

GEMUE DN100 PN16 GD10100.33.2AR.4A.4SO.E

GEMUE 514-50-D-1-9-5-1-2

GEMUE 941 S 50075+941 S 15+930 S 5

GEMUE 1436000Z1SA010001030定位器

GEMUE 690 32D 7 1141 0101, DN32 PN10 DA40 PVC

GEMUE 675 50D 8 17 5E 0

GEMUE 910 G2 K3 5010560A0230

GEMUE 302125D720 4BT41C1流量计

GEMUE ( DN25 ) 677 25 D 28 20 5E 0+735598362 Chuck outside diameter 50

GEMUE 1201000ZA001013001104 I-DE-8803-1610-00-3124977

GEMUE 817 32D 72114 163 40000101 ;EDV-Nr:8808-5993

GEMUE JVB3P15DPN16SS34.SS34PHLA

GEMUE D671X-16QDN125

GEMUE 845 65D 4 514 55250000 40/45/24 40024100

GEMUE 610 15D755211

GEMUE Nr:2602033 695/40/D4172-1 DN40 Pb=10Bar-Pst=4 , 0-6 , 0Bar

GEMUE 655 50D 53 13 24 0



GEMUE G671 50D 818140

GEMUE 673 50B 5941 5E 0 S1502

GEMUE 0322 2M 174 41C1000210阀门

GEMUE 415 25D 112 410 DC1007

GEMUE for 807/50/D/7/21/14/7/72/6400 0101

GEMUE DN250

GEMUE 88027274 9625 10D 11/N隔膜片

GEMUE 554 40D 19514 + Z38 DN40阀

GEMUE Actuator,SA07.1

GEMUE 677 25 D 28 20 5E 0+735598362

GEMUE R1C080 33 31Z 4U0 E

GEMUE 805 40D7211416930000101

GEMUE DIAPHRAGM VALVE /675 50D 8 8 20

GEMUE G1235 24VDC

GEMUE Typ : 1230 ,1230000ZA001031101101限位开关

GEMUE 31450M195122061

GEMUE 690 25D 4205E21/N+1251

GEMUE 807 40D 720416S5000

GEMUE 690 25D 7 1141 0101 PS 10bar,PST5.5-7bar EPDM

GEMUE D71X-16QDN80

GEMUE 805 20D 72214 148 3400101

GEMUE 655150D5313240隔膜阀

GEMUE 675 80D 855140 PS:10BAR EPDM

GEMUE D104002A1AR4A4C0EW+DR1200+1435 95 ( I-DE-88287384-00-2746774 ) with locator

GEMUE HV-414, DN125, PN16, BETWEEN FLANGES

GEMUE 550 25D 60 37 5 1 2 M1阀

GEMUE 690 25D 28 205E11/N +735598362 Chuck outside diameter 50

GEMUE 8258 20D 137 41 24 DC电磁阀

GEMUE G62025D8181410/N

GEMUE 807 32D 72214 162 25000101 Nr.88004938流量计

GEMUE 1436000Z1SA10001030

012GMU000007- MANUAL DIAPHRAGM VALVE, R677 40D.7.1.14,0 HD MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

012GMU000004- MANUAL DIAPHRAGM VALVE, R677 15D.7.1.14,1.ED MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

012GMU000005- MANUAL DIAPHRAGM VALVE, R677 20D.7.1.14,0 ED MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

012GMU000008- MANUAL DIAPHRAGM VALVE, R677 50D.7.1.14,0 HD MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

012GMU000004- MANUAL DIAPHRAGM VALVE, R677 15D.7.1.14,0.ED MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

012GMU000006- MANUAL DIAPHRAGM VALVE, R677 25D.7.1.14,0 ED MANUALLY HAND WHEEL OPERATED 2/2 WAY TYPE DIAPHRAGM VALVES W

SPARES FOR IMMERSION TIN LINE-DIAPHRAGM VALVE PP-EPDM DN25 R677-25-D-78-71-14-0-ED-Z

95115104 DIAPHRAGM VALVE PP EPDM DN 32 R677+ INITIATOR

95115104 DIAPHRAGM VLAVE PP-EPDM DN32 R677+INITIATOR

95093604 DIAPHRAGM VALVE PP-EPDM DN32 R677