

# GEMU流量计GEMU 3030/3020/3021德国盖米流量计

产品名称	GEMU流量计GEMU 3030/3020/3021德国盖米流量计
公司名称	北京域能汇通科技有限公司
价格	999.00/个
规格参数	品牌:GEMU 型号:3020/3021/30 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

## 产品详情

### 设计

GEM 3030 mFlow 流量计按照磁感应测量原理工作。

它适用于导电介质,能精确测量中性和腐蚀性液体的流速和流量。利用

GEM 3030 mFlow 简洁的机械构造作为浸入式 MID (插入件),安装将非常

快捷、简便。操作通过一个安装在壳体前部的薄膜键盘和一个背光源显示器

进行。电气接口位于背面。

### 特点

可选择的测量范围有助于实现最佳精度

可在运行中设置参数

可调节的继电器功能

可在现场进行校准

2 个累加器

测量流速和流量

## 优势

同一台测量仪可用于各种公称内径

介质内无移动部件

可为不同用户设置不同访问权限

内置式网络服务器

投用简便, 操作方式多元化

- 前部键盘

- 可连接电脑及网络浏览器

- 现场总线接口, 如: PROFIBUS-DP

## 盖米GEMU转子流量计

GEMU800

GEMU840

GEMU850

GEMU1250

GEMU1251

GEMU1252

GEMU1256

GEMU1270

GEMU1272

GEMU3020

GEMU3021

GEMU3030mFlow

81525D72114154

81532D72114163

81550D72114172

81532D7-21-14-1-62-1600

81540D7-21-14-1-69-3300

81750D7-21-14-7-73-10000+1251

84165D0-11-47-48-40000+1256

81532D78-22-4-5-62-1600

81720D72114748640+1251

80520D72114749380

80565D7211477713000

81720D721147491000+1251

81725D721147551600+1251

81732D721147634000+1251

81740D721147695000+1251

81750D7211477310000+1251

81750D721147726400+1252

81765D7211477720000+1251

85525D7214144

85515D7224122

83525D721455540

83350D78204736400

NR.324/2/M1254-1

magneticvalve/pvc,24VDC+6-10

1214-000-Z-A30-304-3001-301

G41J-16DN50衬胶隔膜阀

G41J-16DN25衬胶隔膜阀

8303/DN224VDC

512/DN25

61515D88C15211500

EPOS14351435000Z30001-0定位器

PS6.0BARDC24V0/4-20MA7.2W

Epos143500Z10002-0

Epos143500Z3001-0

tnp-kl100-250

verticalsubmergedpump

dosingpumpfn50-116pp

EGV111A79solenoidvalve

safetyvalveTYPE:615

wastevalveTYPE:690

vmdv-pn1021.885.00

handmembranevalve

415/25/D1124-1-0V/V

EPOS1435000Z10001-0

69050D7871141EPDMI-DE-880724

42

69540D603441I-DE-88063092-00-

443916

72332D214042015C872PS10.0BAR

230V50/60HZ30WI-DE-99005725

695-40D-8345E1PST5.0-6.0BAR

I-DE-88098447-00421712PB:6.0B

61015D7114188009425

61020D7114188009425

20510D72051230V50-60HZ

512-25-D11115-2-2

512-15-D11115-1-2

512-15-D11385-1-2

512-15-D11385-2-2

EPOS1435

D10150.33-2AR.4A.2AR.N+ASR0300

S14F07YS22A+ITS100+

D10300.23-2AR.4A.2AR.N+ASR1750

S14F14YS36A+ITS100+

051 - 1721272000Z2501|阀

51250D88512内附1214000ZA3030-

4300130

PN16CW617N

825540D11221600588007934

BOA-H-PN25-DN15

1120900851

BOA-H-PN25-DN40

1120902620

BK15-ND25/40-DN15

1120902621

D512-32D88511+1436\*

SC00050-6、F07F10-N-D-14A

SC00060-6、F05F07-N-D-11A

324-16.5W8VA1.0-10bar

1220000Z0210

EIC200.55-3HD.4A.4CO.TG

EIC250.55-3HD.4A.4CO.TG

EIC300.55-3HD.4A.4CO.TG

K480150W32AD2L

BOFS-F-025-A1-02-B3S3-T

K480450W22AD2L

K480150W32AD2L+ASR500+ITS-2636

324-2M.125.41.24DC.NW2

620-150D88142DN150,PN1.0MPa

620-150D88141DN150,PN1.0MPa

620-100D88141DN100,PN1.0MPa

620-80D883-141DN80,PN1.0MPa

620-50D883-141DN50,PN1.0MPa

620-40D883-141DN40,PN1.0MPa

620-32D883-141DN32,PN1.0MPa

620-25D883-142DN25,PN1.0MPa

DK481150W32AD22+GDR

DK48165W32AD22+GDR

DN150PN1.0

DN300PN1.0

DN250PN1.0

DN100PN1.0

DN125PN1.6

DN65PN1.6

DN100PN1.6

DN80PN1.0

DN40PN1.6

8251-20D-112-21(24VHZ=22W)

8251-50D-112-21(24VHZ=40W)

8251-25D-112-21(24VHZ=22W)

69025D7205E11/N

51265D885121214000ZA30

304300130124VDC

51425D1375101214000ZA30

1214000ZA30

51415D1375101214000ZA3

0304300130124VDC

51440D1375111214000ZA3

51280D885G121214000ZA3

8356NC

D51240\*32D11381012

D51280\*65D11381012

D51250\*32D11381012

DK48065W22A1DE+SC++

1230000ZA001031101101

DN80PN16G62080D818141

3/3+1201

481100W32AD2L+VT075D

481125W32AD2L+VT110D

481200W32AD2L+VT125D

481150W32AD2L+VT110D

48132W32AD2L+VT050D

48165W32AD2L+VT065D

48150W32AD2L+VT050D

48180W32AD2L+VT065D

620320D8181411/NI-DE-88

I-DE88252475-00-3361448

324-120520D014124PB10BAR24V

DC95/10I-DE-88003785-00-59684

DN40PN10DA50PVC隔膜阀

SB10100132BE4G4GTTS+SC0220,

气动蝶阀DN100

80725D72114155140.01-DE-882305

29-00-2968060流量计

85510D72114611251-DE-88003032-

00-1790790流量计

8050-10GPM

80520D

86515D72114725320流量计

80732D721146622500流量计

C60025M52

80532D7221416215000101

051-16254001800

80520D722141483400101

051-14854001100

G825820D1374124DC配件包包括

103、105、702、704、705组件包

8258常闭电磁阀

G41J-16CDN65



铸钢衬胶隔膜阀

8"TUG200WPN16SS36SS43SS36L

PASR

4"TUG200WPN16SS36SS43SS36L

1436000Z1SA010001075

620100D8081414A30101

48150W32AD2L+GDR050

481100W32AD2L+GDR075

61512D112521/N隔膜阀

88219633

512-32D-8-8-52-5

520-50D-8-8-513/3

554/32D195-1-1

554/50D195-1-2

6404D0343A100I509PS10

0BARPST:4.5-6.0BARI

867-25D-72114-144-1600PS10BAR

1251000Z250V0.2A10VAPVC

S69040D4714E1+1436

S69050D4715E1+1463

1214.000.Z.A30.304.3001.

3012NO

910G2SB34020750B0690

910G2SB50210400A1350

LETTENSTRABE3CH-6343

ROTKREUZTYP610

VALVE 687 25D 59 40 5E 1 1/N 1537 + 1300000Z13 PNEUMATICALLYACTUATED 2/2 WAY DIAPHRAGM VALVE

T TYPE PNEUMATIC BLOCK DIAPHRAGM VALVE MODEL-687 40T SIZE-S1,S2=1.5,S3=1.5 END CONNECTION-BUTT WELD BODY MATERIAL SS316L

2/2 WAY DIAPHRAGM VALVE MODEL-687 25D SIZE-1.0 END CONNECTION-BUTT WELD BODY MATERIAL-SS316L B6LSVGEMU025

PRESSURE CONTROL VALVE MODEL 687 50D59 40 5E 13/N 1508 2/2 WAY DIAPHRAGM VALVE 2 BUTT WELD BODY SS316L B6LSVGEMU031

PRESSURE CONTROL VALVE 2/2 WAY DIAPHRAGM VALVE MODEL 687 100D SIZE 4 BUTT WELD BODY SS316L CV2WDN80SS316L

PRESSURE CONTROL VALVE MODEL 687 25D59 40 5E 11/N 1508 2/2 WAY DIAPHRAGM VALVE 1 BUTT WELD BODY SS316L B6LSVGEMU049

BLOCK DIAPHRAGM VALVE (T TYPE ) MODEL-687 25T, SIZE-S1,S2= 1.5S3=1.0 END CONNECTION BUTT WELD BODY MATERIAL-SS316L B6L

2/2 WAY DIAPHRAGM VALVE MODEL-687 40D, SIZE-1.5 END CONNECTION BUTT WELD BODY MATERIAL-SS316L B6LSVGEMU089

PRESSURE CONTROL VALVE 2/2 WAY DIAPHRAGM VALVE MODEL 687 40D+1434 1.5 BUTT WELD BODY SS316L CV2WDN40SS316L

255008824 SPARE DIAPHRAGM OF VALVE TYPE:-687 25D8A401311/N 1508 (QTY 10 PCS X 32 EURO)

PNEUMATICALLY OPERATED DIAPHRAGM VALVE SS316L-1 1/2 OD PLAIN END [ 687.40D.59.40.5E.1.2/N.1508 ]

TANK BOTTAN DIAPHRAGM VALVE MODEL-687 40B SIZE 1.5 END CONNECTION BUTT WELD.BODY MATERIAL SS316 DIAPHRAGM MATERIAL EPDM+

TANK BOTTOM DIAPHRAGM VALVE MODEL 687 40B SIZE 1.5 END CONNECTION BUTT WELD BODY MATERIAL SS316L DIAPHRAGM MALERIAL EPDM

VALVE 687 25D 59 40 5E 1 1/N 1537 + 1300000Z13 PNEUMATICALLYACTUATED 2/2 WAY (NC) DIAPHRAGM VALVE

MODEL NO: 687 25 D 59 34 17 1 1/N 1507 - 1 PNEUMATIC DAPHARAGM VALVE - OD 25.4 X 1.65 THK, 1 EPDM DIAPHRAGM, FINISH 15

88248360 687 25D59401321/N 1537 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88079412 687 25D59401311/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88201346 687 25D59401311/N 1537 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88078869 687 40D59401312/N 1537 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

VALVE 687 40D 59 40 5E 1 2/N 1537 + 130000Z13 PNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

VALVE 687 65D 59 40 5E 1 4N 1537 + 1300000Z15 PNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

VALVE 687 50D 59 40 5E 1 3N 1537 + 1300000Z15 PNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

88427775 687 25Y59411311/N 25591508 DIAPHRAGM VALVE

88258526 687 25T59411311/N 25591508 DIAPHRAGM VALVE

NG111777PNEUMATIC 2 WAY DIAPHRAGM VALVES AS PER TYPE GIVEN-687 40D59401712/ 1508 // NEW  
REQ. WITH TC END (2 NOS)

PNEUMATIC DIAPHRAGM VALVE 687 25D.88.40.5E.1.1N 1537 + 1300 OPI

PNEUMATIC DIAPHRAGM VALVE 687 40D.88.40.5E.1.2N 1537 + 1300 OPI

PNEUMATICALLY OPERATED DIAPHRAGM VALVE SS 316L 1OD PLAIN END [ 687.25D.59.40.5E.1.1/N.1508 ]

PROPORTIONATE CONTROL DIAPHRAGM VALVE SS316L-25 MM- PLAIN END [ 687 25D 59 40  
5E.11/N.1508 +1434 ]

PNEUMATICALLY OPERATED DIAPHRAGM VALVE SS316L-1 1/2OD PLAIN END [ 687.40D.59.40.5E.1.2/N.1508 ]

PNEUMATIC DIAPHRAGM VALVE 687 25D 59 40 5E 1 2588 1508 25 T/B

PNEUMATIC DIAPHRAGM VALVE687 25D 88 40 5E 1 1N 1508 25TC

88329893 687 25D59401711/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88071975 687 40D59401312/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88206522 687 50D59401313/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88356630 687 25D59401321/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

88215917 687 25T59411311/N 40591508 METAL DIAPHRAGM VALVE

88206522 687 50D5940 1313/N 1508 METAL DIAPHRAGM VALVE PNEUMATICALLY OPERATED

VALVE 687 40D 59 40 5E 1 2/N 1537 + 1300000Z13 PNEUMATICALLY ACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

VALVE 687 40D 59 40 5E 1 2/N 1537 + 1300000Z13 PNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

EPDM DIAPHRAGMS FOR 2/2 WAY DIAPHRAGM VALVES SIZE: 1-VALVE MODEL: 687  
25D.59.40.17.1.1/N 1508

EPDM DIAPHRAGMS FOR 2/2 WAY DIAPHRAGM VALVES SIZE: 1 1/2-VALVE MODEL: 687  
40D.59.40.17.1.2/N 1508

PTFE BACKED UP EPDM DIAPHRAGMS FOR 2/2 WAY DIAPHRAGM VALVES SIZE: 1 1/2- VALVE  
MODEL: 687 40D.59.40.5E.1.2/N 1508

EPDM DIAPHRAGMS FOR 2/2 WAY DIAPHRAGM VALVES SIZE: 2-VALVE MODEL: 687  
50D.59.40.17.1.3/N 1508

VALVE 687 50D 59 40 5E 1 3/N 1537 + 1300000Z15 PNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

VALVE 687 25D 59 40 5E 1 1/N 1537 + 1300000Z13 MNEUMATICALLYACTUATED 2/2 WAY (NC)  
DIAPHRAGM VALVE

PTFE BACKED UP EPDM DIAPHRAGMS FOR 2/2 WAY DIAPHRAGM VALVES SIZE: 1- VALVE MODEL:  
687 25D.59.40.5E.1.1N 1508

PNEUMATICALLY OPERATED DIAPHRAGM VALVE -SS316L-3/4 OD-PLAIN END [687  
25D.59.40.5E.1.1N.1508 + 1434]

PNEUMATIC 2 WAY DIAPHRAGM VALVE 687 40D 59 40 5E 1 2N 1508

PNEUMATIC DIAPHRAGM VALVE - 687 25D 59 40 5E 1 1 N 2588 1508 +1300 OPI

PNEUMATIC 2 WAY DIAPHRAGM VALVE 687 40D 88 40 5E 1 2N 1508