

接近开关NI3 EG08K AP6X V1131 NI3-EGO8K-AP6X-V1131

| | |
|------|---|
| 产品名称 | 接近开关NI3 EG08K AP6X V1131 NI3-EGO8K-AP6X-V1131 |
| 公司名称 | 北京域能汇通科技有限公司 |
| 价格 | 999.00/个 |
| 规格参数 | 品牌:图尔克 型号:NI3EG08KAP6X 产地:德国 |
| 公司地址 | 北京市朝阳区立清路8号3-2205 |
| 联系电话 | 86-010-65911327-101 18614088757 |

产品详情

图尔克接近开关NI3 EG08K AP6X V1131 NI3-EGO8K-AP6X-V1131

感应传感器能够以非接触和无磨损的方式检测金属物体。为此，它们使用高频交流电磁场与目标交互作用。他们的优势在于耐用性，可靠性，超高的开关频率，和超长的使用寿命。独特的线圈设计，uprox 使传感器可提供最高的检测距离，对所有的金属衰减系数为1，安装简单，一开始起就可以实现最优的测量。

产品 NI3-EG08K-AP6X-V1131

NI3-EG08K-AP6X-V1131

电感式传感器

订货号：4669650

M8 x 1圆柱螺纹

不锈钢1.4427SO

3线直流, 10...30 VDC

常开，pnp输出

M8 x 1接插件

规格

材料信息

附件

CAD下载

常用数据

EAN 4047101159264

eCl@ss-Code (V5.1.4): 27270101 -/- 电感式接近开关

关税编号 85365019900

原产国 CH

重量 13 g

技术数据

设计 螺纹

结构尺寸 M8 x 1

额定开关距离 3 mm

安装方式 非齐平

工作电压 10...30 VDC

开关元件功能 常开触点

输出性能 PNP

电气连接 接插件

接插件型号 M8 x 1

外壳材料 不锈钢型

外壳材料 1.4427 SO

最低环境温度 -25

最高环境温度 70

防护等级 IP67

INDUCTIVE PROXIMITY SWITCH BI1-EG05-AP6X-V1331 STRAIGHT (PART OF DOSSING SYSTEM)

PROXIMITY SWITCH ITEM NO. 06120254 TRUCK BI8U-AP6X-H1141

26600104 PROXIMITY SWITCH BI2-M12-AP6X (PARTS FOR TUNNEL BORING MACHINE)

59208825 PROXIMITY SWITCH BI1.5-Q08SE-AP6X-V1131 4602207 23741202GF3 [CAPTIVE CONSUMPTION]

NAHERUNGSSCHALTER ITEM NO. 06120253 PROXIMITY SWITCH TURCK BI10NF-M30 QTY 1 PCS PER PC VALUE 177.92

PROXIMITY SWITCH BI10-G30 (12078570/002050) (USE IN ROBOTIC LAB FOR TESTING OF CEMENT AND RAW MATERIAL) (NOT FOR SALE)

INDUCTIVE PROXIMITY SWITCH M8-3P#E2A-S08KN04-M5-BI--HVAC ASSEMBLY F25 (BLOWER FOR AC CAR) 1 PCS

SPARE PARTS OF TUNNEL BORING MACHINE- PROXIMITY SWITCH/PLUG3 PIN BI2 - G 12K -AP6X/AEC3106E/A10SL (COUNTRY OF ORIGIN:CH

PROXIMITY SWITCH-NCB1, 5-8GM25-NO, M 8X1,0, IDENT NO. 393806(S/P FOR BI-AXIALLY ORIENTED POLYESTER FILM MFG. PLANT)

PROXIMITY SWITCH BI10-G30 (ARTICLE NO 11808) (SPARE PARTS FOR AUTOMOTIC ROBOTIC LAB FOR ANALYSIS OF MATERIAL SAMPLE

PARTS OF WASH MACHINE-PROXIMITY SWITCH BI 15U-Q20 AP6X2-H1141 RPLD 70811520

C.VFM0.SL.3621-M1000 WN200/35-2 PROXIMITY SWITCH INDICATIONPAD WEAR SHI 251-25 STANDARD : BI3-M18-AZ3X/S903

C.VFM0.SL.3621-M1000 WN200/35-1 PROXIMITY SWITCH INDICATIONBREAK RELEASED SHI 251-25 STANDARD : BI3-M18-AZ3X/S903

C.VFM0.SL.3621-M1000 WN200/35-1 PROXIMITY SWITCH INDICATIONPAD WEAR SHI 251-252 STANDARD : BI3-M18-AZ3X/S903

PROXIMITY SWITCH NI3 EGO8K AP6X V1131

NI500A IIB2022-N/US/1G/1D PROXIMITY SWITCH INTRINSICALLY

SWITCH PROXIMITY IND/CAP,M30,NOR--TEMP K15002, KI-3015-BPKG/NI (SPARES FOR CONVEYING SYSTEM)

NI501A IIB2015BN/US/1G/1D INDUCTIVE SENSOR - PROXIMITY SWITCH INTRINSICALLY SAFE

NI5001 II-2010-N/1D/1G/2G PROXIMITY SWITCH INTRINSICALLY SAFE INDUCTIVE SENSOR

NI501A IIB2015BN/US/1G/1D PROXIMITY SWITCH INTRINSICALLY

EQUIPMENT FOR STEEL MELTING SHOP PLANT - PROXIMITY SWITCH, PART NO.NI10U-M12-AP6X-H1141

ESCALATOR PART - PROXIMITY SWITCH TUK NI-4-M12-AP6X-H - 8609000101

SPARE FOR TABLET COMPRESSION MACHINE : IFM SENSOR KD5023 KD-3060-APKG/NI WITH PROXIMITY SWITCH WITH CABLING

ESCALATOR PARTS : 8609000102 PROXIMITY SWITCH TUK-NI15-M30-AZ3X

NI5003 II-2015-N/1D/1G/2G PROXIMITY SWITCH INTRINSICALLY

NAHERUNGSSCHALTER ITEM NO. 06120255 PROXIMITY SWITCH TURCK NI50U-CK40 QTY 1 PCS PER PC VALUE 104.32

PROXIMITY SWITCH TUK-NI15-M30-AZ3X (P/NO.8609000102)(SPARE PARTS FOR ESCALATOR)

PROXIMITY SWITCH, TYPE: NI8-M18-AP6X/S120, 10212881, FOR ROLLERM ROTATION MONITORING

PROXIMITY SWITCH - NI15-M30-AD4X/S90 (SPARES FOR QUAY CRANES)

PROXIMITY SWITCH,NI10U-M12-AP6X-H1141 FOR STEEL MELTING SHOP.

SWITCH PROXIMITY NI5-G12-AP6X (SPARE FOR CENTRIFUGE)

ESCALATOR PARTS : PROXIMITY SWITCH TUK-NI4-M12-AP6X-H P/NO. 8609000101

ELEVATOR PARTS : PROXIMITY SWITCH TUK-NI15-M360-AZ3X P/NO. 8609000102

NI501A IIB2015-N/US/1G/1D PROXIMITY SWITCH INTRINSICALLY

NI5002 IIA2010-N/1D/1G PROXIMITY SWITCH INTRINSICALLY

PARTS FOR PALLETIZER: PROXIMITY SWITCH NI20U-P30SK-AP6X (P/NO.: 1646700)

INI NI5-K11K-AN 5X/5 DA3,DE3,D3 L773479 (H208844) (PROXIMITY SWITCH)

PROXIMITY SWITCH KB - 3020 - BNKG / NI / MED / B (P.NO.ZD.215-477-02-00) (TOTAL 1 PCS)(PARTS AND ACCESSORIES OF PRINTIN

ELEVATOR PARTS : PROXIMITY SWITCH TUK-NI15-M30-AZ3X 8609000102 (1 PCS)

PROXIMITY SWITCH TUK NI15-M30-AZ3X (FOR OWN USE ONLY)

PROXIMITY SWITCH TUK-NI4-M12-AP6X H(OWN USE NOT FOR SALE)(PART OF ESCALATORS)

SPARES FOR CONTINUOUS WASHING MACHINE - PROXIMITY SWITCH NI15-M30-LIU NO.1535300 (41396-140)

ESCALATOR COMPONENTS - PROXIMITY SWITCH TUK-NI15-M30-AZ3X PART NO. 8609000102 (10 UNITS)

PROXIMITY SWITCH TUK NI4-M12-AP6X-H (FOR OWN USE ONLY)

PROXIMITY SWITCH PLUGGABLE NI-1.5-L32-M8X1-D-S8(NJ8-E2S-05)(FOR MFG PURPOSE)

OILWELL SUPPLIES: 324.AB.030, PROXIMITY SWITCH NI 15 G30 Y1 NAMUR CYL.PROXIMITY SWITCH NI 15 G30 Y1 NAMUR CYL.(QTY:5 N

PROXIMITY L.SWITCH NI8-M18E-AP6X-H1141

KI0042 - KIE2015-FBOA/NI/3D CAPACITIVE SENSOR P/N. UNE-26350-002 (PROXIMITY SWITCH) FOR MFG PURPOSE ONLY

NJ8-E2S PROXIMITY SWITCH PLUGGABLE NI-2L44-M8X1-D-S8(PART OF GANTRY MACHINE)

PROXIMITY SWITCH TUK-NI15-M30-AZ3X- 8609000102 (PARTS FOR ESCALATORS) (FOR CAPTIVE CONSUMPTION)

NI5003 II-2015-N/1D/2G PROXIMITY SWITCH INTRINSICALLY

NI5003 PROXIMITY SWITCH INTRINSICALLY II-2015-N/1D/2G

INDUCTIVE PROXIMITY SWITCH SI 18PO-X04 M 18X1 (CAPTIVE USE FOR TEXTILE MACHINERY)

SW PROX IND/CAP SOLDO; (PROXIMITY SWITCH) MM:SIS7022E-2, PNIS7022E-2 (SPARES FOR PIPING SYSTEM)

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (SWITCH) (CAPTIVE USE FOR TEXTILE MACHINERY)

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12X1X64 (CAPTIVE USE FOR TEXTILE MACHINERY)

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(1 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M, 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

INDUCTIVE PROXIMITY SWITCH BES 516-300-SI63-S4-D

(19 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(27 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(5 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(10 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(6 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12X1X64 (CAPTIVE USE FOR TEXTILE

MACHINERY)

(26 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(15 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(3 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(7 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(6 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(2 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

(4 PCS) INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12X1X64 (CAPTIVE USE FOR TEXTILE MACHINERY)

3ELE06354 PROXIMITY SWITCH SIES-8M-PO-24V-K-0,3-M8D-551392

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M12X1X64 (CAPTIVE USE FOR TEXTILE MACHINERY)

INDUCTIVE PROXIMITY SWITCH SI08PS-X35 M 12 X 1 X 64 (CAPTIVE USE FOR TEXTILE MACHINERY)

SB-MPS PROXIMITY SWITCH, SB-D-MPS 1904202505 (CAPTIVE USE ONLY)

FESTO 551375 SMT-10M-PS-24V-E-0,3-L-M8D PROXIMITY SWITCH (SPARE PARTS FOR GLASS FORMING MACHINE) (MANUFACTURE OF LABORA

PROXIMITY SWITCH LTLN-10MP1,PNP NO(LAPTRON BRAND)

PROXIMITY SWITCH LTLN-20MP1,PNP,NO(LAPTRON BRAND)

PROXIMITY SWITCH MP-10-VPX4 (PARTS FOR VIBROCAT MACHINE)

(SPARE PARTS FOR PRINTING MACHINE)PROXIMITY SWITCH,102133/SMT-8M-PS.(01 PCE)(FOR CAPTIVE CONSUMPTION ONLY)

PROXIMITY SWITCH SMT-10M-PS-24V-E-0,3-L-M8D(FOR MFG USE)

375MP214 PROXIMITY SWITCH M14X1 NAMUR (CAPTIVE CONSUMPTION)

PROXIMITY SWITCH MP-10-VPX4 (SPARE PARTS FOR VIBRATOR MACHINE)

SB-MPS PROXIMITY SWITCH 1904202505 (CAPTIVE USE ONLY)

FESTO / PROXIMITY SWITCH / SMT-8M-PS-24V-K-2,5-OE

PROXIMITY SWITCH SMT-8M-PS-24V-K5,0OE (1034285) (1 PCS)

375MP214 PROXIMITY SWITCH M12X1

SB-MPS PROXIMITY SWITCH 1904202505 (CAPTIVE USE ONLY)

6156-000297 PROXIMATE SWITCH SMT-8M-P0-24V-K7.5-0E MAKE-DILO (PARTS FOR TEXTILE MACHINERY FOR CAPTIVE CONSUMPTION)

PROXIMITY SWITCH SMT -8M-PS-24V-K-0.3-M8D (FOR TYRE MFG PLANT) (CAPTIVE CONSUMPTION)

PROXIMITY SWITCH XS8-C40MP230

INDUCTIVE PROXIMITY SWITCH XS7-C40MP230

INDUCTIVE PROXIMITY SWITCH XS7-C40MP (PARTS OF MACHINERY)