

6SN1113-1AA00-0DA0 SIEMENS

产品名称	6SN1113-1AA00-0DA0 SIEMENS
公司名称	北京域能汇通科技有限公司
价格	1111.00/个
规格参数	品牌:西门子 型号:6SN11131AA00 产地:意大利
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

6SN1113-1AA00-0DA0

SIMODRIVE 611 脉冲电阻 0.3/25kW，用于 外部安装

列表价（不含税）显示价格

您的单价（不含税）显示价格

服务和支持(手册，认证，问答...)下载

该产品的培训课程SITRAIN – 数字化工业学院

更多图片

产品

商品编号(市售编号)6SN1113-1AA00-0DA0

产品说明SIMODRIVE 611 脉冲电阻 0.3/25kW，用于 外部安装

产品家族未提供

产品生命周期 (PLM)PM300:有效产品

价格数据

价格组 / 总部价格组751

列表价 (不含税) 显示价格

您的单价 (不含税) 显示价格

金属系数无

交付信息

出口管制规定ECCN : EAR99H / AL : N

工厂生产时间10 天

净重 (Kg)1.500 Kg

产品尺寸 (W x L X H)未提供

包装尺寸未提供

包装尺寸单位的测量未提供

数量单位1 件

包装数量1

其他产品信息

EAN4019169391689

UPC662643068900

商品代码85332900

LKZ_FDB/ CatalogIDSD.NC60

产品组9617

原产国意大利

SIMODRIVE 611 电源模块, 2 AXIS, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN

SIMODRIVE 611 电源模块, 2 AXIS, 15 A, 内部冷却, MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A 6SN1

6SN1111-0AA00-0FV0 SINAMICS /SIMODRIVE SUBASSEMBLY WITH ELECTRICAL FILTER FUNCTION

SIMODRIVE 611 电源模块, 1 AXIS, 15 A, 内部冷却, MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A 6SN112

SIMODRIVE 611 SURGE ARRESTER FOR POWER SUPPLY 10 KW, FOR INTERNAL AND EXTERNAL

COOLING 6SN1111-0AB00-0AA0

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXES SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE 6SN11

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A 6SN1123-1A

6SN1118-0DK23-0AA2 SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCKHIGH PERFORMANCE (PART OF CONVERTER)

SIMODRIVE 611 U OPTION MODULE MOTION CONTROL W. PROFIBUS DP SYNCHRONOUS STAND. SLAVE 6SN1114-0NB01-0AA1

SIMODRIVE 611 INFEED MODULE, 10/25 KW, UNREGULATED; INTERNAL/EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT 6SN

6SN1113-1AA00-0DA0 SIMODRIVE 611 PULSED RESISTOR

6SN1118-0DM33-0AA2 0100925230 REGR D S3 2A DMU SIMODRIVE 611DIGITAL CONTROL LOOP BLOCK (FOR CAPTIVE USE)

6SN1123-1AA00-0CA2 LT-MOD, INT 50A-G2 SIMODRIVE 611 电源模块, 1 AXIS, (FOR CAPTIVE USE)

6SN1145-1BB00-0EA1 SIMODRIVE 611 INFEED/REGN-FEEDBACK MODULE(PART OF CONVERTER)

SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 50 MM ROUND CABLE 6SN1161-1CA00-0AA1

SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 150 MM ROUND CABLE
6SN1161-1CA00-0CA1

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN1

6SN1145-1BA02-0CA2 SIMODRIVE 611 INFEED/REGEN FEEDBACK MODULE (PART OF CONVERTER)

SIMODRIVE 611 HF COMMUTATING REACTOR FOR I/RF MODULE 80 KW, UL 6SN1111-0AA00-1EA0

SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 100 MM ROUND CABLE 6SN1161-1CA00-0BA1

SIMODRIVE 611 电源模块, 2 AXIS, 8 A , 内部冷却, MOTOR RATED CURRENT: FEED =3 A MAIN SPINDEL=3 A 6SN112

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL= 24 A 6SN1123

SIMODRIVE 611 电源模块, 1 AXIS, 8 A , 内部冷却, MOTOR RATED CURRENT: FEED =3 A MAIN SPINDEL=3 A 6SN112

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENT: FEED = 56 A MAIN SPINDEL= 60 A 6SN1123-

SIMODRIVE 611 U OPTION MODULE MOTION CONTROL W. PROFIBUS DP SYNCHRONOUS STAND.
SLAVE UP TO AXES ONLY FOR CYCLIC 6SN1

SIMODRIVE 611 电源模块, 1 AXIS,, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL=
24 A 6SN1123-

SIMODRIVE 611 电源模块, 1 AXIS 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN
SPINDEL= 3 A 6SN112

6SN1123-1AA00-0BA2 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

SIMODRIVE 611 电源模块, 1 AXIS, 25 A , 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN
SPINDEL= 8 A 6SN1

SIMODRIVE 611 电源模块, 2 AXIS, 15 A , 内部冷却, MOTOR RATED CURRENT: FEED = 5 A MAIN
SPINDEL= 5 A 6SN1

6SN1118-0DK23-0AA2 SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK(PART OF CONVERTER)

6SN1118-0DM33-0AA2 SIMODRIVE 611 DIGITAL CONTROL LOOP (PART OF CONVERTER)

6SN1145-1BA02-0CA2 SIMODRIVE 611 INFEEED/REGEN. FEEDBACK MODULE (PART OF CONVERTER)

6SN1145-1BA01-0DA1 SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE (PARTS OF
CONVERTER)

6SN1113-1AA00-0DA0 SIMODRIVE 611 PULSED RESISTOR 0.3/25KW FOR EXTERNAL MOUNTING

6SN1145-1BB00-0EA1 SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE (INDUSTRIAL USE NOT
FOR RETAIL SALE)

6SN1145-1BA01-0BA2 SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE (INDUSTRIAL
USE NOT FOR RETAIL SALE)

6SN1123-1AB00-0CA3 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1123-1AB00-0CA3 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

(PARTS OF CNC SYSTEM)SIMODRIVE 611 INFEEED/REGEN FEEDBACK MODULE 120/156 KW CLOSED
-LOOP CONTROL - 6SN1145-1BB00-0FA1

SIMODRIVE 611 电源模块, 1 AXIS, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN
SPINDEL = 8 A 6SN11

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL =
24 A 6SN112

SIMODRIVE 611 INFEEED/REGEN. FEEDBACK MODULE 80/104 KW, CLOSED-LOOP CONTROL 内部冷却
6SN1145-1BB00-0EA1

6SN1123-1AA00-0DA2 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

SIMODRIVE 611 数控风扇模块 INT./EXT. COOLING 6SN1162-0BA02-0AA2

SIMODRIVE 611 电源模块, 2 AXES, 15 A, 内部冷却, MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A 6SN112

SIMODRIVE 611 电源模块, 1 AXES, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A 6SN1123-

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN1

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN11

SIMODRIVE 611 电源模块, 1 AXES 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A 6SN1123-

6SN1113-1AA00-1JA1 SIMODRIVE VPM 120 VOLTAGE PROTECTION MODULE (PART OF CONVERTER)

SIMODRIVE 611 电源模块, 1 AXES, 内部冷却, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A 6SN1123

SIMODRIVE 611 电源模块, 2AXES, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN112

6SN1123-1AA00-0AA2 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块

SIMODRIVE 611 电源模块 1 AXIS 200A TYPE:6SN1123-1AA01-0FA1 (M0003075)(460512)

SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR FEED DRIVES WITH 1FT5, 6SN1118-0AA11-0AA1

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN1123

SIMODRIVE 611 电源模块, 1 AXES, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN112

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块, 2 AXES 25 A 内部冷却 (PART OF CONVERTER)

6SN1123-1AA00-0CA2 SIMODRIVE 611 电源模块 1 AXIS INTERNAL COLLING (PART OF CONVERTER)

6SN1162-0BA02-0AA2 SIMODRIVE 611 数控风扇模块

6SN1162-0EA00-0BA0 SIMODRIVE 611 SHIELD CONNec. PLATE FOR 内部冷却 MODULE WIDTH 100 MM

6SN1145-1AA01-0AA2 SIMODRIVE 611 INFEEED MODULE (PART OF CONVERTER)

SIMODRIVE 611 MONITORING MODULE, WITH HOUSING FOR 211/288 MM DEPTH

6SN1112-1AC01-0AA1

SIMODRIVE 611 INFEEED MODULE, 5/10 KW, UNREGULATED, WITH INTERNAL/EXT. COOLING

6SN1146-1AB00-0BA1

SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT FOR INDUCTION MOTOR MODULE

DRIVES UNIVERSAL VERSION 6SN1122-0BA11-0

SIMODRIVE 611 电源模块, 2 AXES, 8 A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN112

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD, 2 AXES SIN/COS 1 VPP, NC

SOFTWARE 6SN1118-0DM31-0AA2

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXES SIN/COS 1 VPP DIRECT

MEASURING SYSTEM 6SN1118-0DM33-0AA

SIMODRIVE 611 电源模块, 1 AXES, 内部冷却; MOTOR RATED CURRENTS: FEED = 56 A MAIN SPINDEL = 60 A 6SN112

SIMODRIVE 611A/D INFEEED MODULE, 28/50 KW, UNREGULATED, FOR 内部冷却 6SN1145-1AA00-0CA0

SIMODRIVE 611-D DRIVE BUS CABLE FOR MODULE WIDTH = 100 MM 6SN1161-1CA00-0BA0

SIMODRIVE 611 电源模块, 2 AXES, 15 A, 内部冷却; MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A 6SN112

SIMODRIVE 611-D DRIVE BUS CABLE FOR MODULE WIDTH = 150 MM 6SN1161-1CA00-0CA0

SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR FEED DRIVES WITH 1FT5,

ENHANCED INTERFACE 6SN1118-0AA11

SIMODRIVE 611 电源模块, 1 AXES, 8 A, 内部冷却; MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN

SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXES SIN/COS 1 VPP DIRECT

MEASURING SYSTEM 6SN1118-0DM33-0A

6SN1162-0EA00-0AA0 SIMODRIVE 611 SHIELD CONNEX. PLATE FOR INTERNAL COLLING MODULE WIDTH 50 MM (PART OF CONVERTER)

6SN1111-0AA01-1AA1 SIMODRIVE 611 MAINS FILTER FOR UNREGULATED POWER SUPPLY

6SN1123-1AA00-0HA2 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1162-0BA03-0AA1 SIMODRIVE 611 KIT HOSE COOLING UL-VERSION; INCL. FAN FOR 300 MM MODULES

6SN1123-1AA00-0KA1 SIMODRIVE 611 (CNC SYSTEM COMPLETE)

6SN1112-1AC01-0AA1 SIMODRIVE 611 (CNC SYSTEM COMPLETE)

6SN1123-1AB00-0BA2 SIMODRIVE 611 电源模块 2 AXES 25 A 内部冷却

MAIN SPINDLE CONFTRONL MODULE ANALOGUE 6SN1 121-0BA11-0AA1FOR SIMODRIVE 611-V3(SPARES FOR BRUDER STAMPING PRESS)

SUPPLY INFEEED MODULE 6SN1 145-1BA02-0CA2 FOR 36 KW SIMODRIVE611-V3(SPARES FOR BRUDER STAMPING PRESS)(94.6902.136.2)

6SN1118-0NH11-0AA1 SIMODRIVE 611 UNIVERSAL E HR 2-AXIS CONTROL LOOP BLOCK (PART OF CONVERTER)

6SN1146-1BB00-0FA1 SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE (PART OF CONVERTER)

SIMODRIVE 611 电源模块, 2 AXES, 25 A, 内部冷却, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A 6SN11

SIMODRIVE 611 电源模块, 1 AXIS, 内部冷却, MOTOR RATED CURRENTS: FEED = 56 A MAIN SPINDEL = 60 A 6SN1123-

SIMODRIVE 611 电源模块, 2 AXES, 15 A, 内部冷却, MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A 6SN11

SIMODRIVE 611 CAPACITOR MODULE 4.1 MF FOR CONNECTION TO DC LINK FOR POWER BACK-UP 6SN1112-1AB00-0BA0

6SN1123-1AA01-0FA1 SIMODRIVE 611 电源模块 (PART OF CONVERTER)

6SN1162-0BA02-0AA2 SIMODRIVE 611 BUILT ON FAN (INDUSTRIALUSE NOT FOR RETAIL SALE)

6SN1122-0BA11-0AA1 SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT (PARTS OF CNC SYSTEM)

6SN1123-1AA00-0JA1 SIMODRIVE 611 电源模块, 1AXIS,300A (PARTS OF CNC SYSTEM)

6SN1123-1AA00-0EA2 SIMODRIVE 611 电源模块, 1 AXIS (PARTSOFCNC SYSTEM)

6SN1118-1NH01-0AA1 SIMODRIVE 611 UNIVERSAL HR 2-AXIS CONTROL-LOOP BLOCK INCREMENTAL ENCODER (PARTS OF CNC SYSTEM)

6SN1114-0NB00-0AA2 SIMODRIVE 611 UNIVERSAL OPT. PLUG-IN UNITPROFIBUS DP (PARTS OF CNC SYSTEM)

6SN1145-1BA01-0BA2 SIMODRIVE 611 INFEEED/REGERATIVE FEEDBACKMODULE

6SN1145-1BA01-0BA2 SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE

6SN1145-1BA02-0CA2 SIMODRIVE 611 INFEEED/REGENRATIVE FEEDBACKMODULE

6SN1145-1BA01-0BA2 SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE (PARTS OF CONVERTER)

SIMODRIVE 611 数控风扇模块 INT./EXT. COOLING UL DESIGN 6SN1162-0BA02-0AA2

SIMODRIVE 611 INFEEED/INTERACTIVE FEEDBACK MODULE 16/21 KW, STABILIZED WITH 内部冷却
6SN1145-1BA01-0BA2

SIEMENS SIMODRIVE 611 VENTILATOR 6SN1162-0BA02-0AA2 1161234

SIMODRIVE 611 电源模块, 2 AXES, 8A, 内部冷却, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A 6SN112

SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT, FOR MAIN SPINDLE DRIVES WITH 1PH, UNIVERSAL VERSION 6SN1121-0BA11-0

SIMODRIVE 611 电源模块, 1 AXES, 80A, 内部冷却, MOTOR RATED CURRENT: FEED = 28 A MAIN SPINDEL = 30 A 6SN

SIMODRIVE 611 电源模块, 1 AXES, 内部冷却, MOTOR RATED CURRENT: FEED = 56 A MAIN SPINDEL = 60 A 6SN11