

Hoffman热交换器,HOFFMAN过滤器,nVENT hoffman控制器

| | |
|------|---|
| 产品名称 | Hoffman热交换器,HOFFMAN过滤器,nVENT hoffman控制器 |
| 公司名称 | 北京域能汇通科技有限公司 |
| 价格 | 999.00/个 |
| 规格参数 | 品牌:hoffman 型号:schroff 产地:德国 |
| 公司地址 | 北京市朝阳区立清路8号3-2205 |
| 联系电话 | 86-010-65911327-101 18614088757 |

产品详情

Hoffman机柜，霍夫曼机柜，Hoffman工业机柜，HMI - Human Machine Interface，Hoffman人机界面，Hoffman空调，Hoffman Junction Boxes接线盒，Hoffman Contractor接触器,Hoffman排水器，Hoffman散热器，Hoffman冷却器，Hoffman涡流冷却器。

Hoffman是全球领先的壳件集团公司，其产品主要有：工业机柜，机柜冷却器，空调，接线盒，以及各种工业机柜附件，广泛应用于全球各个工业领域。

F126L06 152MM STRAIGHT 305X152 W/WAY

F126L12 305MM STRAIGHT 305X152 W/WAY

F126L120 3048MM STRAIGHT 305X152 W/WAY

F126L24 610MM STRAIGHT 305X152 W/WAY

F126L36 914MM STRAIGHT 305X152 W/WAY

F126L48 1219MM STRAIGHT 305X152 W/WAY

F126L60 1524MM STRAIGHT 305X152 W/WAY

F126LA TELESCOPE FITTING,LAY-IN,SPEC

F126LB BOX CONNECTION 305X152 W/WAY

F126LC CROSS FITTING 305X152 W/WAY

F126LE45A 45DEG ELBOW, TOP OPEN 305X152

F126LE9A 90DEG ELBOW, TOP OPEN 305X152

F126LE9B 90DEG ELBOW, INSIDE OPEN 305

F126LE9C 90DEG ELBOW, OUTSIDE OPEN 305

F126LP CLOSURE PLATE 305X152 W/WAY

F126LRE44 REDUCER 305X152 TO 102X102

F126LRE66 REDUCER 305X152 TO 152X152

F126LSAG 90DG. ANGLE SEALING PLATE 305

F126LSGQR FLAT SEAL. PLATE 305X152 W/WAY

F126LTA TEE FITTING, TOP OPEN 305X152

F126LX CUT-OFF FITTING, 90DEG ANGLE

F126LXL CUT-OFF FITTING, LAY-IN 305

F22HB BRACKET HANGER 64X64 W/WAY

F22HD DROP HANGER FITS 2.5X2.5 W/W

F22L06 152MM STRAIGHT 64X64 W/WAY

F22L12 305MM STRAIGHT 64X64 W/WAY

F22L120 3048MM STRAIGHT 64X64 W/WAY

F22L24 610MM STRAIGHT 64X64 W/WAY

F22L36 914MM STRAIGHT 64X64 W/WAY

F22L48 1219MM STRAIGHT 64X64 W/WAY

F22L60 1524MM STRAIGHT 64X64 W/WAY

F22LA TELESCOPE FITTING, LAY-IN, SPEC

F22LB BOX CONNECTION 64X64 W/WAY

F22LC CROSS FITTING 64X64 W/WAY

F22LE45A 45DEG ELBOW, TOP OPEN 64X64

F22LE45B 45DEG ELBOW,INSIDE OPEN 64

F22LE45C 45DEG ELBOW,OUTSIDE OPEN 64

F22LE9A 90DEG ELBOW, TOP OPEN 64X64

F22LE9B 90DEG ELBOW,INSIDE OPEN 64

F22LE9C 90DEG ELBOW,OUTSIDE OPEN 64

F22LE9KOKT 90DEG.ELBOW,COUNT.CLOCKWISE

F22LE9KT 90DEG ELBOW, CLOCKWISE 64

F22LJ JUNCTION BOX 64X64 W/WAY

F22LKOKT TRANSPON.SECTION ANTICLOCKW.

F22LKT TRANSPON.SECTION CLOCKWISE

F22LN1 1"NIPPLE 25MM STRAIGHT 64

F22LN2 2"NIPPLE 51MM STRAIGHT 64

F22LN3 3"NIPPLE 76MM STRAIGHT 64

F22LP CLOSURE PLATE 64X64 W/WAY

F22LSAG 90DEG ANGLE SEALING PLATE 64

F22LSGQR FLAT SEAL.PLATE 64X64 W/WAY

F22LTA TEE FITTING, TOP OPEN 64X64

F22LTC TEE FITTING,OUTS.TOP OPEN 64

F22LX CUT-OFF FITTING, 90DEG ANGLE

F22LXL CUT-OFF FITTING, LAY-IN 64

F33BK60 BARRIER KIT,BOLT-ON 60" 76

F44B360 BARRIERS,BRACKET MOUNTED (5)

F44BB2C BARRIER BRACKETS,2 CMPMT(5X)

F44BB3C BARRIER BRACKETS 3-CMPMT(5X)

F44BK60 BARRIER KIT,BOLT-ON 60" 102

F44HB BRACKET HANGER 102X102 W/WAY

F44HD DROP HANGER FITS 4.0X4.0 W/W

F44L06 152MM STRAIGHT 102X102 W/WAY

F44L12 305MM STRAIGHT 102X102 W/WAY

F44L120 3048MM STRAIGHT 102X102 W/WAY

F44L24 610MM STRAIGHT 102X102 W/WAY

F44L36 914MM STRAIGHT 102X102 W/WAY

F44L48 1219MM STRAIGHT 102X102 W/WAY

F44L60 1524MM STRAIGHT 102X102 W/WAY

F44LA TELESCOPE FITTING,LAY-IN,SPEC

F44LB BOX CONNECTION 102X102 W/WAY

F44LC CROSS FITTING 102X102 W/WAY

F44LE45A 45DEG ELBOW, TOP OPEN 102X102

F44LE45B 45DEG ELBOW, INSIDE OPEN 102

F44LE45C 45DEG ELBOW, OUTSIDE OPEN 102

F44LE9A 90DEG ELBOW, TOP OPEN 102X102

F44LE9AC 90DG ELBOW, OUTS. TOP OPEN 102

F44LE9B 90DEG ELBOW, INSIDE OPEN 102

F44LE9C 90DEG ELBOW, OUTSIDE OPEN 102

F44LE9KOKT 90DEG. ELBOW, COUNT. CLOCKWISE

F44LE9KT 90DEG ELBOW, CLOCKWISE 102

F44LJ JUNCTION BOX 102X102 W/WAY

F44LKOKT TRANSPON. SECTION ANTICLOCKW.

F44LKT TRANSPON. SECTION CLOCKWISE

F44LN1 1"NIPPLE 25MM STRAIGHT 102

F44LN2 2"NIPPLE 51MM STRAIGHT 102

F44LN3 3"NIPPLE 76MM STRAIGHT 152

F44LP CLOSURE PLATE 102X102 W/WAY

F44LRE22 REDUCER 102X102 TO 64X64

F44LSAG 90DG.ANGLE SEALING PLATE 102

F44LSGQR FLAT SEAL.PLATE 102X102 W/WAY

F44LTA TEE FITTING,TOP OPEN 102X102

F44LTC TEE FITTING,OUTS.TOP OP. 102

F44LX CUT-OFF FITTING, 90DEG ANGLE

F44LXL CUT-OFF FITTING, LAY-IN 102

F66B560 BARRIER 1524MM BRKT.MOUNT.(5)

F66BB2C BARRIER BRACKETS,2 CMPMT(5X)

F66BB3C BARRIER BRACKETS 3-CMPMT(5X)

F66BK60 BARRIER KIT,BOLT-ON 60" 152

F66HB BRACKET HANGER 152X152 W/WAY

F66HD DROP HANGER FITS 6.0X6.0 W/W

F66L06 152MM STRAIGHT 152X152 W/WAY

F66L12 305MM STRAIGHT 152X152 W/WAY

F66L120 3048MM STRAIGHT 152X152 W/WAY

F66L24 610MM STRAIGHT 152X152 W/WAY

F66L36 914MM STRAIGHT 152X152 W/WAY

F66L48 1219MM STRAIGHT 152X152 W/WAY

F66L60 1524MM STRAIGHT 152X152 W/WAY

F66LA TELESCOPE FITTING,LAY-IN,SPEC

F66LB BOX CONNECTION 152X152 W/WAY

F66LC CROSS FITTING 152X152 W/WAY

F66LE45A 45DEG ELBOW,TOP OPEN 152X152

F66LE45B 45DEG ELBOW,INSIDE OPEN 152

F66LE45C 45DEG ELBOW,OUTSIDE OPEN 152

F66LE9A 90DEG ELBOW, TOP OPEN 152X152

F66LE9AC 90DG ELBOW,OUTS.TOP OPEN 152

F66LE9B 90DEG ELBOW,INSIDE OPEN 152

F66LE9C 90DEG ELBOW,OUTSIDE OPEN 152

F66LE9KOKT 90DEG.ELBOW,COUNT.CLOCKWISE

F66LE9KT 90DEG ELBOW, CLOCKWISE 152

F66LJ JUNCTION BOX 152X152 W/WAY

F66LKOKT TRANSPON.SECTION ANTICLOCKW.

F66LKT TRANSPON.SECTION CLOCKWISE

F66LN1 1"NIPPLE 25MM STRAIGHT 152

F66LN2 2"NIPPLE 51MM STRAIGHT 152

F66LN3 3"NIPPLE 76MM STRAIGHT 152

F66LP CLOSURE PLATE 152X152 W/WAY

F66LRE44 REDUCER 152X152 TO 102X102

F66LSAG 90DG.ANGLE SEALING PLATE 152

F66LSGQR FLAT SEAL.PLATE 152X152 W/WAY

F66LTA TEE FITTING, TOP OPEN 152X152

F66LTC TEE FITTING,OUTS.TOP OP. 152

F66LX CUT-OFF FITTING, 90DEG ANGLE

F66LXL CUT-OFF FITTING, LAY-IN 152

F88BK60 BARRIER KIT,BOLT-ON 60" 203

F88HB BRACKET HANGER 203X203 W/WAY

F88HD DROP HANGER FITS 8.0X8.0 W/W

F88L06 152MM STRAIGHT 203X203 W/WAY

F88L12 305MM STRAIGHT 203X203 W/WAY

F88L120 3048MM STRAIGHT 203X203 W/WAY

F88L24 610MM STRAIGHT 203X203 W/WAY

F88L36 914MM STRAIGHT 203X203 W/WAY

F88L48 1219MM STRAIGHT 203X203 W/WAY

F88L60 1524MM STRAIGHT 203X203 W/WAY

F88LA TELESCOPE FITTING,LAY-IN,SPEC

F88LB BOX CONNECTION 203X203 W/WAY

F88LC CROSS FITTING 203X203 W/WAY

F88LE45A 45DEG ELBOW, TOP OPEN 203X203

F88LE45B 45DEG ELBOW, INSIDE OPEN 203

F88LE45C 45DEG ELBOW, OUTSIDE OPEN 203

F88LE9A 90DEG ELBOW, TOP OPEN 203X203

F88LE9AC 90DG ELBOW, OUTS. TOP OPEN 203

F88LE9B 90DEG ELBOW, INSIDE OPEN 203

F88LE9C 90DEG ELBOW, OUTSIDE OPEN 203

F88LE9KOKT 90DEG.ELBOW,COUNT.CLOCKWISE

F88LE9KT 90DEG ELBOW, CLOCKWISE 203

F88LJ JUNCTION BOX 203X203 W/WAY

F88LP CLOSURE PLATE 203X203 W/WAY

F88LRE66 REDUCER 203X203 TO 152X152

F88LSAG 90DG.ANGLE SEALING PLATE 203

F88LSGQR FLAT SEAL.PLATE 203X203 W/WAY

F88LTA TEE FITTING, TOP OPEN 203X203

F88LTC TEE FITTING, OUTS. TOP OP. 203

F88LX CUT-OFF FITTING, 90DEG ANGLE

F88LXL CUT-OFF FITTING, LAY-IN 203

G280416G050 A/C INDOOR 115V 1260W

G280416G051 A/C ID 115V 1260W ST/ST 4X

G280416G100 A/C OD 115V 1260W W/O.HEAT.

G280416G101 A/C OD 115V 1260W REC.MOUNT.

G280416G102 A/C OD 115V 1260W WO.HEAT.4X

G280416G150 A/C OD 115V 1260W WITH HEAT.

G280416G151 A/C OD 115V 1260W W.HEAT.4X

G280426G050 A/C INDOOR 230V 1260W

G280426G051 A/C ID 230V 1260W ST/ST 4X

G280426G100 A/C OD 230V 1260W W/O.HEAT.

G280426G101 A/C OD 230V 1260W REC.MOUNT.

G280426G102 A/C OD 230V 1260W WO.HEAT.4X

G280426G150 A/C OD 230V 1260W WITH HEAT.

G280426G151 A/C OD 230V 1260W W.HEAT.4X

G280446G050 A/C INDOOR 460V 3 1267W

G280446G051 A/C ID 460V 31267W ST/ST 4X

G280446G100 A/C OD 460V 31267W W/O.HEAT

G280446G101 A/C OD 460V 31267W REC.MTG.

G280446G102 A/C OD 460V3 1267W W/O.HT.SS

G280616G050 A/C INDOOR 115V 1641W

G280616G051 A/C ID 115V 1641W ST/ST 4X

G280616G100 A/C OD 115V 1641W W/O.HEAT.

G280616G101 A/C OD 115V 1641W REC.MOUNT.

G280616G102 A/C OD 115V 1641W WO.HEAT.4X

G280616G150 A/C OD 115V 1641W WITH HEAT.

G280616G151 A/C OD 115V 1641W W.HEAT.4X

G280626G050 A/C INDOOR 230V 1641W

G280626G051 A/C ID 230V 1641W ST/ST 4X

G280626G100 A/C OD 230V 1641W W/O.HEAT.

G280626G101 A/C OD 230V 1641W REC.MOUNT.

G280626G102 A/C OD 230V 1641W WO.HEAT.4X

G280626G150 A/C OD 230V 1641W WITH HEAT.

G280626G151 A/C OD 230V 1641W W.HEAT.4X

G280646G050 A/C INDOOR 460V 3 1481W

G280646G051 A/C ID 460V 31481W ST/ST 4X

G280646G100 A/C OD 460V 31481W W/O.HEAT

G280646G101 A/C OD 460V 31481W REC.MTG.

G280646G102 A/C OD 460V31481W W/O.HT.4X

G520816G050 A/C INDOOR 115V 1758W

G520816G051 A/C ID 115V 1758W SS

G520816G100 A/C OD 115V 1758W W/O.HEAT.

G520816G101 A/C OD 115V 1758W REC.MOUNT.

G520816G102 A/C OD 115V 1758W W/O.HT.4X

G520816G150 A/C OD 115V 1758W WITH HEAT.

G520816G151 A/C OD 115V 1758W W.HEAT.4X

G520826G050 A/C INDOOR 230V 1758W

G520826G051 A/C ID 230V 1758W ST/ST 4X

G520826G100 A/C OD 230V 1758W W/O.HEAT.

G520826G101 A/C OD 230V 1758W REC.MOUNT.

G520826G102 A/C OD 230V 1758W W/O.HT.4X

G520826G150 A/C OD 230V 1758W WITH HEAT.

G520826G151 A/C OD 230V 1758W W.HEAT.4X

G520846G050 A/C INDOOR 460V 3 2168W

G520846G051 A/C ID 400V 2168W ST/ST 4X

G520846G100 A/C OD 400V 2168W W/O.HEAT.

G520846G101 A/C OD 400V 2168W REC.MOUNT.

G520846G102 A/C OD 400V 2168W W/O.HT.4X

G520846G150 A/C OD 400V 2168W WITH HEAT.

G520846G151 A/C OD 400V 2168W W.HEAT.4X

G521216G050 A/C INDOOR 115V 2900W

G521216G051 A/C ID 115V 2900W ST/ST 4X

G521216G100 A/C OD 115V 2900W W/O.HEAT.

G521216G101 A/C OD 115V 2900W REC.MOUNT.

G521216G102 A/C OD 115V 2900W W/O.HT.4X

G521216G150 A/C OD 115V 2900W WITH HEAT.

G521216G151 A/C OD 115V 2900W W.HEAT.4X

G521226G050 A/C INDOOR 230V 2900W

G521226G051 A/C ID 230V 2900W ST/ST 4X

G521226G100 A/C OD 230V 2900W W/O.HEAT.

G521226G101 A/C OD 230V 2900W REC.MOUNT.

G521226G102 A/C OD 230V 2900W W/O.HT.4X

G521226G150 A/C OD 230V 2900W WITH HEAT.

G521226G151 A/C OD 230V 2900W W.HEAT.4X

G521246G050 A/C INDOOR 400V 2900W

G521246G051 A/C ID 400V 2900W ST/ST 4X

G521246G100 A/C OD 400V 2900W W/O.HEAT.

G521246G101 A/C OD 400V 2900W REC.MOUNT.

G521246G102 A/C OD 400V 2900W W/O.HT.4X

G521246G150 A/C OD 400V 2900W WITH HEAT.

G521246G151 A/C OD 400V 2900W W.HEAT.4X

G572026G050 A/C INDOOR 230V 4689W

G572026G051 A/C ID 230V 4689W ST/ST 4X

G572026G100 A/C OD 230V 4689W W/O.HEAT.

G572026G101 A/C OD 230V 4689W REC.MOUNT.

G572026G102 A/C OD 230V 4689W W/O.HT.4X

G572026G150 A/C OD 230V 4689W WITH HEAT.

G572026G151 A/C OD 230V 4689W W.HEAT.4X

G572046G050 A/C INDOOR 460V 3 5656W

G572046G051 A/C ID 460V 35656W ST/ST 4X

G572046G100 A/C OD 460V 35656W W/O.HEAT

G572046G101 A/C OD 460V 35656W REC.MTG.

G572046G102 A/C OD 460V 35656W WO.HT.4X

G572046G150 A/C OD 460V 35656W W.HEAT.

G572046G151 A/C OD 460V35656W W.HEAT.4X

GGP150260E GPL FOR GL66 HC SIZE 150X260

GGP150360E GPL FOR GL66 HC SIZE 150X360

GGP150460E GPL FOR GL66 HC SIZE 150X460

GP126SS6 GLAND PLATE F.12X6-IN. S/S

GP128SS6 GLAND PLATE F.12X8-IN. S/S

GP166SS6 GLAND PLATE F.16X6-IN. S/S

GP168SS6 GLAND PLATE F.16X8-IN. S/S

GP206SS6 GLAND PLATE F.20X6-IN. S/S

GP208SS6 GLAND PLATE F.20X8-IN. S/S

GP2412SS6 GLAND PLATE F.24X12-IN.S/S

GP248SS6 GLAND PLATE F.24X8-IN. S/S

GPS126SS6 GLAND PLATE F.12X6-IN. S/S

GPS128SS6 GLAND PLATE F.12X8-IN. S/S

H2OMITTER THERMOELECTRIC DEHUMIDIFIER

HB160816G040 A/C 115V 2039W 8000BTU 50/60

HB160826G040 A/C 230V 2039W 8000BTU 50/60

HB160846G040 A/C 460V 1PH 2039W 50/60